





Appendix 3 – KLX07A


In this appendix plots showing Flow log anomalies to core mapped features in KLX07A for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.

























































































Table A3-1. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 1a | Bh-length (m) = 105.4 T (m ² /s) = 2.46E-8 PFL confidence= Uncertain | Adjusted secup (m) = 105.30 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 1b | | Adjusted secup (m) = 105.40 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 1c | | Adjusted secup (m) = 105.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 1d | | Adjusted secup (m) = 105.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |

Table A3-2. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 2a | Bh-length (m) = 106.9 T (m ² /s) = 1.72E-6 PFL confidence= Certain | Adjusted secup (m) = 106.71 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 2b | | Adjusted secup (m) = 106.74 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 2c | | Adjusted secup (m) = 106.94 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 2d | | Adjusted secup (m) = 107.08 Fract_interpret / Varcode= (partly)open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-3. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 3a | Bh-length (m) = 111.5 T (m ² /s) = 7.09E-7 PFL confidence= Certain | Adjusted secup (m) = 111.46 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 3b | | Adjusted secup (m) = 111.67 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 4 | Bh-length (m) = 112.9 T (m ² /s) = 8.89E-9 PFL confidence= Uncertain | Adjusted secup (m) = 112.66 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 3 Best choice | |

Table A3-4. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 5a | Bh-length (m) = 114.7 T (m ² /s) = 9.44E-7 PFL confidence= Uncertain | Adjusted secup (m) = 114.57 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 5b | | Adjusted secup (m) = 114.69 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 5c | | Adjusted secup (m) = 114.72 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 5d | | Adjusted secup (m) = 114.72 Adjusted seclow (m) = 119.32 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush <i>Same as anom. no. 6-8.</i> | |

Table A3-5. KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 6 | Bh-length (m) = 116.8 T (m ² /s) = 1.44E-6 PFL confidence= Uncertain | Adjusted secup (m) = 114.72 Adjusted seclow (m) = 119.32 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush <i>Same as anom. no. 5, 7 and 8.</i> |  |

Table A3-6. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 7 | Bh-length (m) = 118.2 T (m ² /s) = 3.35E-7 PFL confidence= Uncertain | Adjusted secup (m) = 114.72 Adjusted seclow (m) = 119.32 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush <i>Same as anom. no. 5, 6 and 8.</i> | |
| 8 | Bh-length (m) = 119.0 T (m ² /s) = 5.39E-7 PFL confidence= Uncertain | Adjusted secup (m) = 114.72 Adjusted seclow (m) = 119.32 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 <i>Same as anom. no. 5-7.</i> Best choice crush | |

Table A3-7. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 9 | Bh-length (m) = 121.3 T (m ² /s) = 2.56E-7 PFL confidence= Certain | Adjusted secup (m) = 121,27 Adjusted seclow (m) = 121,51 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-8. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 10a | Bh-length (m) = 121.9 T (m ² /s) = 1.07E-7 PFL confidence= Uncertain | Adjusted secup (m) = 121.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 10b | | Adjusted secup (m) = 121.85 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 10c | | Adjusted secup (m) = 121.85 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |

Table A3-9. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 11a | Bh-length (m) = 123.6 T (m ² /s) = 6.86E-7 PFL confidence= Certain | Adjusted secup (m) = 122.88 Adjusted secup (m) = 123.64 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | |
| 11b | | Adjusted secup (m) = 123.70 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-10. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 12a | Bh-length (m) = 124.2 T (m ² /s) = 4.05E-8 PFL confidence= Uncertain | Adjusted secup (m) = 124.12 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 12b | | Adjusted secup (m) = 124.18 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 12c | | Adjusted secup (m) = 124.18 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 12d | | Adjusted secup (m) = 124.40 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-11. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 13a | Bh-length (m) = 126.3 T (m ² /s) = 3.05E-8 PFL confidence= Certain | Adjusted secup (m) = 126.07 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 13b | | Adjusted secup (m) = 126.19 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 13c | | Adjusted secup (m) = 126.26 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 13d | | Adjusted secup (m) = 126.32 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 13e | | Adjusted secup (m) = 126.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-12. KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 14a | Bh-length (m) = 131.2 T (m ² /s) = 1.14E-7 PFL confidence= Certain | Adjusted secup (m) = 131.13 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |
| 14b | | Adjusted secup (m) = 131.13 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-13. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 15a | Bh-length (m) = 132.3 T (m ² /s) = 3.92E-8 PFL confidence= Uncertain | Adjusted secup (m) = 132.14 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 15b | | Adjusted secup (m) = 132.16 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 15c | | Adjusted secup (m) = 132.22 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 15d | | Adjusted secup (m) = 132.26 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 15e | | Adjusted secup (m) = 132.45 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-14. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 16a | Bh-length (m) = 133.4 T (m ² /s) = 3.68E-8 PFL confidence= Uncertain | Adjusted secup (m) = 133.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 16b | | Adjusted secup (m) = 133.39 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-15. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 17a | Bh-length (m) = 134.3 T (m ² /s) = 2.17E-7 PFL confidence= Certain | Adjusted secup (m) = 134.27 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 17b | | Adjusted secup (m) = 134.33 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 17c | | Adjusted secup (m) = 134.34 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 17d | | Adjusted secup (m) = 134.42 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-16. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 18a | Bh-length (m) = 137.0 T (m ² /s) = 2.91E-7 PFL confidence= Certain | Adjusted secup (m) = 136.82 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 18b | | Adjusted secup (m) = 136.92 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 18c | | Adjusted secup (m) = 137.03 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 18d | | Adjusted secup (m) = 137.07 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 18e | | Adjusted secup (m) = 137.20 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-17. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------------|---|--|------------|
| 19a | Bh-length (m) = 138.6 T (m ² /s) = 4.17E-8 PFL confidence= Uncertain | Adjusted secup (m) = 138.50 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 19b | | Adjusted secup (m) = 138.52 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 19c | | Adjusted secup (m) = 138.61 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 19d | | Adjusted secup (m) = 138.64 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| Best choice | | | |

Table A3-18. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 20a | Bh-length (m) = 139.7 T (m ² /s) = 9.48E-6 PFL confidence= Certain | Adjusted secup (m) = 139.58 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 20b | | Adjusted secup (m) = 139.71 Adjusted seclow (m) = 139.81 Fract_interpret / Varcode= crush zone PFL-anom. confidence= 1 Best choice crush | |
| 20c | | Adjusted secup (m) = 139.85 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |

Table A3-19. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 21a | Bh-length (m) = 140.8 T (m ² /s) = 8.48E-7 PFL confidence= Certain | Adjusted secup (m) = 140.78 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 21b | | Adjusted secup (m) = 140.81 missing in BIPS Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 21c | | Adjusted secup (m) = 140.84 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 21d | | Adjusted secup (m) = 140.88 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 21e | | Adjusted secup (m) = 140.89 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-20. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 22a | Bh-length (m) = 141.6 T (m ² /s) = 1.75E-7 PFL confidence= Uncertain | Adjusted secup (m) = 141.54 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 22b | | Adjusted secup (m) = 141.56 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 22c | | Adjusted secup (m) = 141.74 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-21. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 23a | Bh-length (m) = 142.6 T (m ² /s) = 1.26E-7 PFL confidence= Uncertain | Adjusted secup (m) = 142.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 23b | | Adjusted secup (m) = 142.57 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 23c | | Adjusted secup (m) = 142.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 23d | | Adjusted secup (m) = 142.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 23e | | Adjusted secup (m) = 142.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

| | |
|-----|---|
| 23f | Adjusted secup (m) = 142.68 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |
| 23g | Adjusted secup (m) = 142.74 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 |
| 23h | Adjusted secup (m) = 142.76 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 |

Table A3-22. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 24a | Bh-length (m) = 143.2 T (m ² /s) = 3.40E-7 PFL confidence= Uncertain | Adjusted secup (m) = 143.08 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 24b | | Adjusted secup (m) = 143.09 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 24c | | Adjusted secup (m) = 143.11 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 24d | | Adjusted secup (m) = 143.20 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 24e | | Adjusted secup (m) = 143.21 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

| | |
|-----|---|
| 24f | Adjusted secup (m) = 143.24 |
| | Fract_interpret / Varcodes= open fr. |
| | Frac.interp. confidence= Possible |
| | PFL-anom. confidence= 1 |
| 24g | Adjusted secup (m) = 143.37 |
| | Fract_interpret / Varcodes= open fr. |
| | Frac.interp. confidence= Possible |
| | PFL-anom. confidence= 1 |

Table A3-23. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 25a | Bh-length (m) = 144.6 T (m ² /s) = 2.54E-7 PFL confidence= Uncertain | Adjusted secup (m) = 144.44 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 25b | | Adjusted secup (m) = 144.53 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 25c | | Adjusted secup (m) = 144.56 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 25d | | Adjusted secup (m) = 144.65 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 25e | | Adjusted secup (m) = 144.78 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-24. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 26a | Bh-length (m) = 147.3 T (m ² /s) = 2.66E-6 PFL confidence= Certain | Adjusted secup (m) = 147.28 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice <i>Same fracture as in anom. no. 27a.</i> | <p>The BIPS image displays a vertical cross-section of a wellbore with various fracture patterns. A red arrow points to a specific fracture feature. A red circle highlights a data point labeled '217.02' on the right side of the image. The image includes depth markers on the left and right axes, ranging from 146.896 to 147.728 meters.</p> |
| 26b | Adjusted secup (m) = 147.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fr. as in anomaly no. 27b.</i> | | |
| 26c | Adjusted secup (m) = 147.52 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= x Not shown in BIPS image. | | |

Table A3-25. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 27a | Bh-length (m) = 147.5 T (m ² /s) = 5.62E-7 PFL confidence= Uncertain | Adjusted secup (m) = 147.28 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fracture as in anom. no. 26a.</i> | |
| 27b | | Adjusted secup (m) = 147.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice <i>Same fracture as in anom. no. 26b.</i> | |
| 27c | | Adjusted secup (m) = 147.52 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Not shown in BIPS image. | |
| 27d | | Adjusted secup (m) = 147.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

| | |
|-----|--|
| 27e | Adjusted secup (m) = 147.61 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |
| 27f | Adjusted secup (m) = 147.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |
| 27g | Adjusted secup (m) = 147.72 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 |
| 27h | Adjusted secup (m) = 147.74 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 |

Table A3-26. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 28a | Bh-length (m) = 147.8 T (m ² /s) = 4.80E-7 PFL confidence= Certain | Adjusted secup (m) = 147.61 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fracture as in anom. no. 27e.</i> | |
| 28b | | Adjusted secup (m) = 147.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fracture as in anom. no. 27f.</i> | |
| 28c | | Adjusted secup (m) = 147.72 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same fracture as in anom. no. 27g.</i> | |
| 28d | | Adjusted secup (m) = 147.74 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice <i>Same fracture as in anom. no. 27h.</i> | |

| | |
|-----|---|
| 28e | Adjusted secup (m) = 147.91 |
| | Fract_interpret / Varcodes= open fr. |
| | Frac.interp. confidence= Probable |
| | PFL-anom. confidence= 1 |

Table A3-27. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 29 | Bh-length (m) = 148.3 T (m ² /s) = 2.88E-7 PFL confidence= Certain | Adjusted secup (m) = 148.28 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-28. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 30a | Bh-length (m) = 150.2 T (m ² /s) = 3.59E-6 PFL confidence= Certain | Adjusted secup (m) = 150.13 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 30b | | Adjusted secup (m) = 150.15 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 30c | | Adjusted secup (m) = 150.43 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |

Table A3-29. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 31a | Bh-length (m) = 155.3 T (m ² /s) = 3.86E-5 PFL confidence= Certain | Adjusted secup (m) = 155.31 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 31b | | Adjusted secup (m) = 155.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-30. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 32a | Bh-length (m) = 157.9 T (m ² /s) = 2.70E-8 PFL confidence= Uncertain | Adjusted secup (m) = 157.81 Fract_interpret / Varcodes= broken sealed fr. Frac.interp. confidence= Certain PFL-anom. confidence= 0 Best choice <i>Nearest open fracture at adj. secup 158.56.</i> | <p>The BIPS image displays a vertical wellbore log with depth markers on the left (157.495 to 150.340) and various data points on the right. A red arrow points to a fracture at approximately 157.777m depth. A red circle highlights a value of 272.38 on the right side of the log.</p> |

Table A3-31. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 33a | Bh-length (m) = 159.2 T (m ² /s) = 1.09E-8 PFL confidence= Uncertain | Adjusted secup (m) = 159.17 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 33b | | Adjusted secup (m) = 159.26 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 33c | | Adjusted secup (m) = 159.34 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-32. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 34a | Bh-length (m) = 160.8 T (m ² /s) = 1.62E-8 PFL confidence= Uncertain | Adjusted secup (m) = 160.66 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 34b | | Adjusted secup (m) = 160.81 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-33. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 35a | Bh-length (m) = 161.8 T (m2/s) = 1.81E-7 PFL confidence= Certain | Adjusted secup (m) = 161.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 35b | | Adjusted secup (m) = 161.74 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 35c | | Adjusted secup (m) = 161.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-34. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 36 | Bh-length (m) = 163.9 | Adjusted secup (m) = 163.95 | |
| | T (m ² /s) = 9.00E-8 | Fract_interpret / Varcode= open fr. | |
| | PFL confidence= Certain | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 Best choice | |

Table A3-35. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 37a | Bh-length (m) = 166.5 T (m ² /s) = 2.25E-8 PFL confidence= Uncertain | Adjusted secup (m) = 166.63 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 37b | | Adjusted secup (m) = 166.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 37c | | Adjusted secup (m) = 166.72 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | |

Table A3-36. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------------------|---|------------|
| 38 | Bh-length (m) = 167.2 | Adjusted secup (m) = 167.14 | |
| | T (m2/s) = 3.32E-8 | Fract_interpret / Varcode= open fr. | |
| | PFL confidence= Uncertain | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 Best choice | |

Table A3-37. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 39a | Bh-length (m) = 168.1 T (m ² /s) = 3.38E-5 PFL confidence= Certain | Adjusted secup (m) = 167.89 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 39b | | Adjusted secup (m) = 167.91 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 39c | | Adjusted secup (m) = 167.97 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 39d | | Adjusted secup (m) = 168.02 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 39e | | Adjusted secup (m) = 168.05 Adjusted seclow (m) = 168.28 Fract_interpret / Varcode= crush zone Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice crush | |

Table A3-38. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 40a | Bh-length (m) = 172.1 T (m ² /s) = 3.53E-8 PFL confidence= Certain | Adjusted secup (m) = 172.13 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 40b | | Adjusted secup (m) = 172.24 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-39. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 41a | Bh-length (m) = 178.3 T (m ² /s) = 5.18E-8 PFL confidence= Certain | Adjusted secup (m) = 178.34 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 41b | | Adjusted secup (m) = 178.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice <i>Same as anom. no. 42a</i> | |
| 41c | | Adjusted secup (m) = 178.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same as anom. no. 42b</i> | |
| 41d | | Adjusted secup (m) = 178.44 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same as anom. no. 42c</i> | |

Table A3-40. KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|---|
| 42a | Bh-length (m) = 178.6 T (m ² /s) = 2.54E-8 PFL confidence= Uncertain | Adjusted secup (m) = 178.35 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same as anom. no. 41b</i> |  |
| 42b | | Adjusted secup (m) = 178.38 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same as anom. no. 41c</i> | |
| 42c | | Adjusted secup (m) = 178.44 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same as anom. no. 41d</i> | |
| 42d | | Adjusted secup (m) = 178.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-41. KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 43 | Bh-length (m) = 183.9 | Adjusted secup (m) = 183.72 | |
| | T (m ² /s) = 7.98E-9 | Fract_interpret / Varcode= open fr. | |
| | PFL confidence= Uncertain | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 Best choice | |

Table A3-42 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 44a | Bh-length (m) = 185.0 T (m ² /s) = 1.15E-7 PFL confidence= Certain | Adjusted secup (m) = 184.83 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 44b | | Adjusted secup (m) = 184.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 44c | | Adjusted secup (m) = 184.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 44d | | Adjusted secup (m) = 184.93 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 44e | | Adjusted secup (m) = 184.97 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

| | |
|-----|---|
| 44f | Adjusted secup (m) = 185.01 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |
| 44g | Adjusted secup (m) = 185.03 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 |
| 44h | Adjusted secup (m) = 185.17 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 |

Table A3-43 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 45 | Bh-length (m) = 189.1 T (m ² /s) = 5.74E-7 PFL confidence= Certain | Adjusted secup (m) = 189.16 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 46a | Bh-length (m) = 190.6 T (m ² /s) = 1.88E-8 PFL confidence= Certain | Adjusted secup (m) = 190.33 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 46b | | Adjusted secup (m) = 190.61 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-44 KLX07A. Interpretation of PFL measurements and BOREMAP data





| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|--|
| 47a | Bh-length (m) = 192.9 T (m2/s) = 6.27E-9 PFL confidence= Uncertain | Adjusted secup (m) = 192.94 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |
| 47b | | Adjusted secup (m) = 192.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |  |
| 48a | Bh-length (m) = 194.2 T (m2/s) = 2.17E-9 PFL confidence= Uncertain | Adjusted secup (m) = 194.25 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice |  |
| 48b | | Adjusted secup (m) = 194.41 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 |  |

Table A3-45 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 49 | Bh-length (m) = 197.6 T (m ² /s) = 1.11E-8 PFL confidence= Certain | Adjusted secup (m) = 197.51 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 50 | Bh-length (m) = 200.1 T (m ² /s) = 2.05E-8 PFL confidence= Uncertain | Adjusted secup (m) = 199.10 Fract_interpret / Varcodes= broken sealed fr. Frac.interp. confidence= Certain PFL-anom. confidence= 0 Best choice | |

Table A3-46 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 51 | Bh-length (m) = 201.8 T (m ² /s) = 1.73E-8 PFL confidence= Certain | Adjusted secup (m) = 201.79 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice Same as anomaly no. 52. | |
| 52 | Bh-length (m) = 202.2 T (m ² /s) = 7.03E-9 PFL confidence= Uncertain | Adjusted secup (m) = 201.79 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 4 Best choice Same as anomaly no. 51. | |

Table A3-47 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 53 | Bh-length (m) = 207.2 | Adjusted secup (m) =207.16 | |
| | T (m ² /s) = 5.93E-7 | Fract_interpret / Varcodes= open fr. | |
| | PFL confidence= Certain | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 Best choice | |

Table A3-48 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 54a | Bh-length (m) = 208.9 T (m ² /s) = 3.21E-5 PFL confidence= Certain | Adjusted secup (m) = 208.73 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |
| 54b | | Adjusted secup (m) = 208.84 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 54c | | Adjusted secup (m) = 209.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-49 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 55a | Bh-length (m) = 213.7 T (m ² /s) = 9.46E-9 PFL confidence= Uncertain | Adjusted secup (m) = 213.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 55b | | Adjusted secup (m) = 213.87 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-50 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 56a | Bh-length (m) = 218.0 T (m ² /s) = 3.44E-8 PFL confidence= Certain | Adjusted secup (m) = 217.90 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 56b | | Adjusted secup (m) = 217.93 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 56c | | Adjusted secup (m) = 217.96 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-51 KLX07A. Interpretation of PFL measurements and BOREMAP data



| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 57a | Bh-length (m) = 228.4 T (m ² /s) = 1.48E-5 PFL confidence= Certain | Adjusted secup (m) = 228.33 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |  |
| 57b | | Adjusted secup (m) = 228.36 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 58 | Bh-length (m) = 233.8 T (m ² /s) = 6.66E-9 PFL confidence= Certain | Adjusted secup (m) = 233.84 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |

Table A3-52 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 59a | Bh-length (m) = 236.8 T (m2/s) = 1.34E-7 PFL confidence= Certain | Adjusted secup (m) = 236.77 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 59b | | Adjusted secup (m) = 236.77 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice Not shown in BIPS image. | |

Table A3-53 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 60a | Bh-length (m) = 241.1 T (m ² /s) = 2.77E-9 PFL confidence= Uncertain | Adjusted secup (m) = 240.90 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 60b | | Adjusted secup (m) = 240.97 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 60c | | Adjusted secup (m) = 241.07 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | |

Table A3-54 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 61a | Bh-length (m) = 247.9 T (m2/s) = 1.26E-8 PFL confidence= Certain | Adjusted secup (m) = 247.87 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 61b | | Adjusted secup (m) = 247.94 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 61c | | Adjusted secup (m) = 247.94 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-55 KLX07A. Interpretation of PFL measurements and BOREMAP data



| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 62a | Bh-length (m) = 248.4 T (m ² /s) = 1.04E-8 PFL confidence= Certain | Adjusted secup (m) = 248.19 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 |  |
| 62b | | Adjusted secup (m) = 248.32 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 63 | Bh-length (m) = 250.1 T (m ² /s) = 1.21E-8 PFL confidence= Uncertain | Adjusted secup (m) = 250.28 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |

Table A3-56 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 64a | Bh-length (m) = 252.0 T (m ² /s) = 2.44E-7 PFL confidence= Certain | Adjusted secup (m) = 251.98 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 64b | | Adjusted secup (m) = 252.05 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 64c | | Adjusted secup (m) = 251.10 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 64d | | Adjusted secup (m) = 252.11 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-57 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 65 | Bh-length (m) = 252.6 T (m2/s) = 3.69E-5 PFL confidence= Certain | Adjusted secup (m) = 252.51 Adjusted seclow (m) = 252.76 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-58 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 66a | Bh-length (m) = 254.3 T (m ² /s) = 2.45E-9 PFL confidence= Uncertain | Adjusted secup (m) = 254.25 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 66b | | Adjusted secup (m) = 254.36 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 66c | | Adjusted secup (m) = 254.39 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 66d | | Adjusted secup (m) = 254.41 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-59 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 67a | Bh-length (m) = 257.5 T (m2/s) = 2.03E-8 PFL confidence= Certain | Adjusted secup (m) = 257.43 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 67b | | Adjusted secup (m) = 257.45 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 67c | | Adjusted secup (m) = 257.48 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 67d | | Adjusted secup (m) = 257.55 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-60 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 68a | Bh-length (m) = 259.5 T (m ² /s) = 3.04E-6 PFL confidence= Certain | Adjusted secup (m) = 259.28 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 68b | | Adjusted secup (m) = 259.52 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 68c | | Adjusted secup (m) = 259.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-61 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|---|
| 69a | Bh-length (m) = 261.9 T (m2/s) = 5.53E-9 PFL confidence= Certain | Adjusted secup (m) = 261.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |
| 69b | | Adjusted secup (m) = 262.16 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-62 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 70a | Bh-length (m) = 264.7 T (m2/s) = 4.82E-8 PFL confidence= Certain | Adjusted secup (m) = 264.67 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 70b | | Adjusted secup (m) = 264.73 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 70c | | Adjusted secup (m) = 264.77 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-63 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 71 | Bh-length (m) = 266.0 | Adjusted secup (m) = 265.92 | |
| | T (m ² /s) = 1.04E-8 | Adjusted seclow (m) = 265.97 | |
| | PFL confidence= Certain | Fract_interpret / Varcodes= crush zone | |
| | | PFL-anom. confidence= 1 Best choice crush | |
| | | <i>Nearest open fracture at adjusted secup 265.44.</i> | |

Table A3-64 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 72a | Bh-length (m) = 267.3 T (m ² /s) = 2.20E-7 PFL confidence= Certain | Adjusted secup (m) = 267.32 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 72b | | Adjusted secup (m) = 267.35 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 72c | | Adjusted secup (m) = 267.36 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 72d | | Adjusted secup (m) = 267.36 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-65 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 73a | Bh-length (m) = 267.8 T (m ² /s) = 8.25E-8 PFL confidence= Certain | Adjusted secup (m) = 267.68 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 73b | | Adjusted secup (m) = 267.71 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 73c | | Adjusted secup (m) = 267.89 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same fracture as no 74a.</i> | |
| 73d | | Adjusted secup (m) = 267.96 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fracture as no 74b.</i> | |
| 73e | | Adjusted secup (m) = 267.98 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fracture as no 74c.</i> | |

Table A3-66 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 74a | Bh-length (m) = 268.1 T (m ² /s) = 7.26E-8 PFL confidence= Uncertain | Adjusted secup (m) = 267.89 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 <i>Same fracture as no 73c.</i> | |
| 74b | | Adjusted secup (m) = 267.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same fracture as no 73d.</i> | |
| 74c | | Adjusted secup (m) = 267.98 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice <i>Same fracture as no 73e.</i> | |

Table A3-67 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 75a | Bh-length (m) = 269.5 T (m ² /s) = 6.23E-9 PFL confidence= Certain | Adjusted secup (m) = 269.39 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 75b | | Adjusted secup (m) = 269.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 75c | | Adjusted secup (m) = 269.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-68 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 76a | Bh-length (m) = 272.0 T (m ² /s) = 8.27E-8 PFL confidence= Uncertain | Adjusted secup (m) = 271.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 76b | | Adjusted secup (m) = 272.10 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same fracture as 77a. Not shown in BIPS image.</i> | |
| 76c | | Adjusted secup (m) = 272.12 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice <i>Same fracture as 77b.</i> | |
| 76d | | Adjusted secup (m) = 272.14 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same fracture as 77c.</i> | |

| | |
|-----|--------------------------------|
| 76e | Adjusted secup (m) = 272.18 |
| | Fract_interpret / Varcod= |
| | open fr. |
| | Frac.interp. confidence= |
| | Probable |
| | PFL-anom. confidence= 1 |
| | <i>Same fracture as 77d.</i> |

Table A3-69 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 77a | Bh-length (m) = 272.3 T (m ² /s) = 1.17E-7 PFL confidence= Certain | Adjusted secup (m) = 272.10 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Same fracture as 76b. Not shown in BIPS image. | |
| 77b | | Adjusted secup (m) = 272.12 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Same fracture as 76c. | |
| 77c | | Adjusted secup (m) = 272.14 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Same fracture as 76d. | |
| 77d | | Adjusted secup (m) = 272.18 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice Same fracture as 76e. | |

Table A3-70 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|---|------------|
| 78a | Bh-length (m) = 275.1 | Adjusted secup (m) = 275.07 | |
| | T (m ² /s) = 1.54E-8 | Fract_interpret / Varcodes= open fr. | |
| | PFL confidence= Certain | Frac.interp. confidence= Prbable | |
| | | PFL-anom. confidence= 1 Best choice Cuttingline missing in BIPS. | |

Table A3-71 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 79a | Bh-length (m) = 278.7 T (m ² /s) = 2.18E-7 PFL confidence= Certain | Adjusted secup (m) = 278.65 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 79b | | Adjusted secup (m) = 278.74 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 79c | | Adjusted secup (m) = 278.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-72 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 80 | Bh-length (m) = 284.7 T (m ² /s) = 8.61E-7 PFL confidence= Certain | Adjusted secup (m) = 284.77 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 81 | Bh-length (m) = 285.1 T (m ² /s) = 1.53E-7 PFL confidence= Certain | Adjusted secup (m) = 285.02 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |

Table A3-73 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 82 | Bh-length (m) = 286.7 T (m ² /s) = 2.87E-8 PFL confidence= Certain | Adjusted secup (m) = 286.67 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 83a | Bh-length (m) = 288.6 T (m ² /s) = 2.83E-8 PFL confidence= Certain | Adjusted secup (m) = 288.53 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 83b | | Adjusted secup (m) = 288.60 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-74 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 84 | <p>Bh-length (m) = 292.8</p> <p>T (m2/s) = 3.06E-9</p> <p>PFL confidence= Uncertain</p> | <p>Adjusted secup (m) = 292.79</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> | |
| 85a | <p>Bh-length (m) = 296.4</p> <p>T (m2/s) = 1.63E-7</p> <p>PFL confidence= Certain</p> | <p>Adjusted secup (m) = 296.41</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> | |
| 85b | | <p>Adjusted secup (m) = 296.54</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 2</p> | |

Table A3-75 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 86a | Bh-length (m) = 297.4 T (m2/s) = 2.84E-7 PFL confidence= Certain | Adjusted secup (m) = 297.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 86b | | Adjusted secup (m) = 297.45 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 87 | Bh-length (m) = 300.0 T (m2/s) = 4.82E-9 PFL confidence= Uncertain | Adjusted secup (m) = 300.13 Fract_interpret / Varcode= sealed unbroken fr. Frac.interp. confidence= Certain PFL-anom. confidence= 0 Best choice <i>Nearest open fracture at adj. secup 301.31.</i> <i>Nearest sealed broken fracture at adj. secup 301.15.</i> | |

Table A3-76 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 88a | Bh-length (m) = 301.3 T (m ² /s) = 8.63E-8 PFL confidence= Certain | Adjusted secup (m) = 301.31 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 88b | | Adjusted secup (m) = 301.32 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Not shown in BIPS image. | |

Table A3-77 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--------------------------|---------------------------------------|------------|
| 89 | Bh-length (m) = 306.1 | Adjusted secup (m) = 306.11 | |
| | T (m2/s) = 9.74E-8 | Fract_interpret / Varcodes = open fr. | |
| | PFL confidence = Certain | Frac.interp. confidence = Certain | |
| | | PFL-anom. confidence = 1 | |
| | | Best choice | |
| | | Adjusted secup (m) = 306.34 | |
| | | Fract_interpret / Varcodes = open fr. | |
| | | Frac.interp. confidence = Possible | |
| | | PFL-anom. confidence = 1 | |
| | | Adjusted secup (m) = 306.26 | |
| | | Fract_interpret / Varcodes = open fr. | |
| | | Frac.interp. confidence = Certain | |
| | | PFL-anom. confidence = 1 | |

Table A3-78 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 90a | Bh-length (m) = 307.1 T (m ² /s) = 1.57E-6 PFL confidence= Certain | Adjusted secup (m) = 307.01 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 90b | | Adjusted secup (m) = 307.03 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 90c | | Adjusted secup (m) = 307.04 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |

Table A3-79 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 91a | Bh-length (m) = 310.3 T (m ² /s) = 2.09E-8 PFL confidence= Uncertain Strike/dip missing. | Adjusted secup (m) = 310.16 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 91b | | Adjusted secup (m) = 310.19 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 91c | | Adjusted secup (m) = 310.30 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture <i>Same fracture as no. 92a.</i> | |
| 91d | | Adjusted secup (m) = 310.375 Adjusted seclow (m) = 310.655 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-80 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 92a | Bh-length (m) = 310.5 T (m ² /s) = 4.28E-8 PFL confidence= Certain | Adjusted secup (m) = 310.30 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice fracture <i>Same fracture as no. 91c.</i> | |
| 92b | | Adjusted secup (m) = 310.375 Adjusted seclow (m) = 310.655 Fract_interpret / Varcode= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-81 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|---|
| 93a | Bh-length (m) = 310.7 T (m2/s) = 4.41E-8 PFL confidence= Certain | Adjusted secup (m) = 310.375 Adjusted seclow (m) = 310.655 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | <p>The BIPS image shows a vertical cross-section of a borehole. The left side has depth markers from 310.262 to 311.105. The right side has depth markers from 245.51 to 235.71. A red circle highlights the value 260.61 on the right side. Red arrows point to specific features in the borehole.</p> |
| 93b | | Adjusted secup (m) = 310.76 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | |
| 93c | | Adjusted secup (m) = 310.85 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-82 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|---|
| 94a | Bh-length (m) = 311.5 T (m2/s) = 1.26E-8 PFL confidence= Uncertain | Adjusted secup (m) = 311.36 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice |  |
| 94b | Strike/dip missing. | Adjusted secup (m) = 311.41 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 94c | Strike/dip missing. | Adjusted secup (m) = 311.46 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 94d | Strike/dip missing. | Adjusted secup (m) = 311.46 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-83 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 95a | Bh-length (m) = 321.1 T (m2/s) = 6.27E-9 PFL confidence= Uncertain | Adjusted secup (m) = 320.88 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |
| 95b | | Adjusted secup (m) = 321.08 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 95c | | Adjusted secup (m) = 321.37 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-84 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 96 | Bh-length (m) = 325.7 T (m ² /s) = 7.74E-9 PFL confidence= Certain | Adjusted secup (m) = 325.70 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image displays a vertical borehole log with depth markers on the left (325.234 to 326.077) and right (266.17 to 290.87). A red arrow points to the depth 325.635 m. A red circle highlights the value 290.87 at the bottom right.</p> |

Table A3-85 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 97a | Bh-length (m) = 335.6 T (m2/s) = 1.34E-8 PFL confidence= Certain | Adjusted secup (m) = 335.46 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 97b | | Adjusted secup (m) = 335.57 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 97c | | Adjusted secup (m) = 335.61 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 97d | | Adjusted secup (m) = 335.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-86 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 97e | | Adjusted secup (m) = 335.69 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 97f | | Adjusted secup (m) = 335.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 98a | Bh-length (m) = 336.9 T (m2/s) = 4.10E-9 PFL confidence= Uncertain | Adjusted secup (m) = 336.58 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 3 Best choice | |
| 98b | | Adjusted secup (m) = 337.17 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 3 | |

Table A3-87 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 99a | Bh-length (m) = 339.6 T (m ² /s) = 4.08E-7 PFL confidence= Certain | Adjusted secup (m) = 339.61 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 99b | | Adjusted secup (m) = 339.67 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 99c | | Adjusted secup (m) = 339.71 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 99d | | Adjusted secup (m) = 339.77 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-88 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image | | | | | | | | | | | | | | | | | |
|--------------|---|--|--|--------|-------|--------|-------|--------|--------|-------|-------|--------|--------|-------|--------|-------|--------|--------|-------|--------|
| 100 | Bh-length (m) = 341.0 T (m ² /s) = 3.10E-6 PFL confidence= Certain | Adjusted secup (m) = 340.95 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Adjusted secup (m) = 341.03 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image displays a vertical borehole profile. The y-axis represents depth in meters, ranging from 340.568 at the top to 341.411 at the bottom. The x-axis is labeled with 'D', 'L', 'U', 'R', and 'D', representing different borehole sections. A red arrow points to a specific feature at a depth of approximately 340.95 meters. To the right of the image, a data table provides values for various depths:</p> <table border="1"> <tr><td>106.70</td></tr> <tr><td>0.0mm</td></tr> <tr><td>089.71</td></tr> <tr><td>1.0mm</td></tr> <tr><td>143.96</td></tr> <tr><td>214.54</td></tr> <tr><td>0.0mm</td></tr> <tr><td>1.0mm</td></tr> <tr><td>200.85</td></tr> <tr><td>219.84</td></tr> <tr><td>1.0mm</td></tr> <tr><td>122.67</td></tr> <tr><td>0.0mm</td></tr> <tr><td>123.76</td></tr> <tr><td>105.63</td></tr> <tr><td>0.0mm</td></tr> <tr><td>036.56</td></tr> </table> | 106.70 | 0.0mm | 089.71 | 1.0mm | 143.96 | 214.54 | 0.0mm | 1.0mm | 200.85 | 219.84 | 1.0mm | 122.67 | 0.0mm | 123.76 | 105.63 | 0.0mm | 036.56 |
| 106.70 | | | | | | | | | | | | | | | | | | | | |
| 0.0mm | | | | | | | | | | | | | | | | | | | | |
| 089.71 | | | | | | | | | | | | | | | | | | | | |
| 1.0mm | | | | | | | | | | | | | | | | | | | | |
| 143.96 | | | | | | | | | | | | | | | | | | | | |
| 214.54 | | | | | | | | | | | | | | | | | | | | |
| 0.0mm | | | | | | | | | | | | | | | | | | | | |
| 1.0mm | | | | | | | | | | | | | | | | | | | | |
| 200.85 | | | | | | | | | | | | | | | | | | | | |
| 219.84 | | | | | | | | | | | | | | | | | | | | |
| 1.0mm | | | | | | | | | | | | | | | | | | | | |
| 122.67 | | | | | | | | | | | | | | | | | | | | |
| 0.0mm | | | | | | | | | | | | | | | | | | | | |
| 123.76 | | | | | | | | | | | | | | | | | | | | |
| 105.63 | | | | | | | | | | | | | | | | | | | | |
| 0.0mm | | | | | | | | | | | | | | | | | | | | |
| 036.56 | | | | | | | | | | | | | | | | | | | | |

Table A3-89 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 101a | Bh-length (m) = 342.2 T (m ² /s) = 1.49E-6 PFL confidence= Certain | Adjusted secup (m) = 342.09 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 101b | | Adjusted secup (m) = 342.21 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 101c | | Adjusted secup (m) = 342.23 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 101d | | Adjusted secup (m) = 342.27 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-90 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 101e | | Adjusted secup (m) = 342.37 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |
| 101f | | Adjusted secup (m) = 342.40 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |

Table A3-91 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 102a | Bh-length (m) = 342.5 T (m ² /s) = 1.47E-6 PFL confidence= Certain | Adjusted secup (m) = 342.21 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 102b | | Adjusted secup (m) = 342.27 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 102c | | Adjusted secup (m) = 342.37 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 102d | | Adjusted secup (m) = 342.40 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 102e | | Adjusted secup (m) = 342.58 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-92 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 103a | Bh-length (m) = 346.8 T (m ² /s) = 4.54E-7 PFL confidence= Certain | Adjusted secup (m) = 346.82 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 103b | | Adjusted secup (m) = 27347.05 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-93 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 104 | Bh-length (m) = 349.1 T (m ² /s) = 1.55E-7 PFL confidence= Certain | Adjusted secup (m) = 349.04 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Adjusted secup (m) = 349.29 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice Adjusted secup (m) = 349.36 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-94 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 105a | Bh-length (m) = 349.8 T (m ² /s) = 2.32E-7 PFL confidence= Uncertain | Adjusted secup (m) = 349.80 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 105b | Strike/dip missing. | Adjusted secup (m) = 349.98 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 105c | | Adjusted secup (m) = 349.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 105d | | Adjusted secup (m) = 350.11 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-95 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 106a | Bh-length (m) = 350.1 T (m ² /s) = 3.51E-7 PFL confidence= Certain Strike/dip missing. | Adjusted secup (m) = 349.98 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 106b | | Adjusted secup (m) = 349.99 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 106c | | Adjusted secup (m) = 350.11 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 106d | | Adjusted secup (m) = 350.17 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 106e | | Adjusted secup (m) = 350.19 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-96 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|---|
| 107a | Bh-length (m) = 351.0 T (m ² /s) = 1.48E-6 PFL confidence= Certain | Adjusted secup (m) = 350.88 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 |  |
| 107b | | Adjusted secup (m) = 350.88 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 107c | | Adjusted secup (m) = 350.89 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 107d | | Adjusted secup (m) = 350.94 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 107e | | Adjusted secup (m) = 351.12 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-97 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 108a | Bh-length (m) = 352.0 T (m ² /s) = 1.35E-6 PFL confidence= Certain | Adjusted secup (m) = 351.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 108b | | Adjusted secup (m) = 351.96 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 108c | | Adjusted secup (m) = 352.07 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 108d | | Adjusted secup (m) = 352.25 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-98 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 109a | Bh-length (m) = 353.2 T (m ² /s) = 4.54E-8 PFL confidence= Uncertain | Adjusted secup (m) = 353.00 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 109b | | Adjusted secup (m) = 353.04 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 109c | | Adjusted secup (m) = 353.08 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 109d | | Adjusted secup (m) = 353.27 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |

Table A3-99 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 110 | Bh-length (m) = 354.2 $T (m^2/s) = 8.52E-7$ PFL confidence= Certain | Adjusted secup (m) = 354.19 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | <p>The BIPS image for PFL 110 shows a vertical fracture in a borehole. A red arrow points to the fracture. On the right side, a value of 0.7174 is circled in red. The image includes depth markers on the left and right, and a scale at the top.</p> |
| 111 | Bh-length (m) = 354.8 $T (m^2/s) = 2.08E-8$ PFL confidence= Certain | Adjusted secup (m) = 354.64 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | <p>The BIPS image for PFL 111 shows a vertical fracture in a borehole. A red arrow points to the fracture. On the right side, a value of 1.0690 is circled in red. The image includes depth markers on the left and right, and a scale at the top.</p> |

Table A3-100 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 112a | Bh-length (m) = 356.2 T (m ² /s) = 3.27E-7 PFL confidence= Certain | Adjusted secup (m) = 356.05 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 112b | | Adjusted secup (m) = 356.06 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 112c | | Adjusted secup (m) = 356.10 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 112d | | Adjusted secup (m) = 356.23 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-101 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 113a | Bh-length (m) = 357.1 T (m ² /s) = 3.25E-7 PFL confidence= Certain | Adjusted secup (m) = 356.86 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 113b | | Adjusted secup (m) = 356.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 113c | | Adjusted secup (m) = 356.96 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |
| 113d | | Adjusted secup (m) = 356.98 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 113e | | Adjusted secup (m) = 357.18 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-102 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 114a | Bh-length (m) = 357.6 T (m ² /s) = 3.07E-8 PFL confidence= Certain | Adjusted secup (m) = 357.47 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 114b | | Adjusted secup (m) = 357.58 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-103 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 115a | Bh-length (m) = 362.8 T (m ² /s) = 5.96E-9 PFL confidence= Certain Strike/dip missing. | Adjusted secup (m) = 362.70 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 115b | | Adjusted secup (m) = 362.72 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 115c | | Adjusted secup (m) = 362.79 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 115d | | Adjusted secup (m) = 362.81 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 115e | | Adjusted secup (m) = 362.96 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-104 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 116a | Bh-length (m) = 364.4 T (m ² /s) = 1.86E-7 PFL confidence= Certain | Adjusted secup (m) = 364.17 Adjusted seclow (m) = 364.46 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |
| 116b | | Adjusted secup (m) = 364.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 116c | | Adjusted secup (m) = 364.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-105 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 117a | Bh-length (m) = 364.6 T (m ² /s) = 1.73E-7 PFL confidence= Certain | Adjusted secup (m) = 364.17 Adjusted secup (m) = 364.64 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 2 Best choice crush | |
| 117b | | Adjusted secup (m) = 364.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 117c | | Adjusted secup (m) = 364.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 117d | | Adjusted secup (m) = 364.68 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 117e | | Adjusted secup (m) = 364.68 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-106 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 118a | Bh-length (m) = 366.1 T (m ² /s) = 3.56E-9 PFL confidence= Uncertain | Adjusted secup (m) = 366.04 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 118b | | Adjusted secup (m) = 366.05 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 118c | | Adjusted secup (m) = 366.05 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-107 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 119a | Bh-length (m) = 367.4 T (m ² /s) = 4.56E-6 PFL confidence= Certain | Adjusted secup (m) = 367.23 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 119b | | Adjusted secup (m) = 367.25 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 119c | | Adjusted secup (m) = 367.57 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-108 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 120a | Bh-length (m) = 369.1 T (m ² /s) = 3.20E-9 PFL confidence= Uncertain | Adjusted secup (m) = 369.01 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 120b | | Adjusted secup (m) = 369.24 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | |

Table A3-109 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|---|
| 121a | Bh-length (m) = 370.5 T (m ² /s) = 1.96E-7 PFL confidence= Certain | Adjusted secup (m) = 370.29 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | <p>The BIPS image displays a vertical cross-section of a wellbore with various fracture patterns. A red arrow points to a specific fracture feature. On the right side of the image, several numerical values are listed, with two of them circled in red: 103.61 and 240.53. The image also shows depth markers on the left and right sides.</p> |
| 121b | | Adjusted secup (m) = 370.37 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |
| 121c | | Adjusted secup (m) = 370.40 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 121d | | Adjusted secup (m) = 370.51 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-110 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 122a | Bh-length (m) = 371.5 T (m ² /s) = 8.92E-8 PFL confidence= Uncertain | Adjusted secup (m) = 371.34 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 |  |
| 122b | | Adjusted secup (m) = 371.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 122c | | Adjusted secup (m) = 371.36 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 122d | | Adjusted secup (m) = 371.39 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-111 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 122e | | Adjusted secup (m) = 371.40 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 122f | | Adjusted secup (m) = 371.68 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |

Table A3-112 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 123a | Bh-length (m) = 372.3 T (m ² /s) = 4.21E-8 PFL confidence= Uncertain | Adjusted secup (m) = 372.17 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 123b | | Adjusted secup (m) = 372.18 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 123c | | Adjusted secup (m) = 372.22 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 123d | | Adjusted secup (m) = 372.22 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-113 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|----------------------------|---|------------|
| No | | | |
| 123e | Strike/dip missing. | Adjusted secup (m) = 372.25 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| | | Best choice | |
| 123f | | Adjusted secup (m) = 372.36 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 123g | | Adjusted secup (m) = 372.46 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |
| 123h | | Adjusted secup (m) = 372.50 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 2 | |

Table A3-114 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 124a | Bh-length (m) = 373.0 T (m ² /s) = 7.32E-8 PFL confidence= Uncertain | Adjusted secup (m) = 372.82 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 124b | | Adjusted secup (m) = 372.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 124c | Strike/dip missing. | Adjusted secup (m) = 372.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 124d | | Adjusted secup (m) = 372.84 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-115 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 124e | | Adjusted secup (m) = 372.90 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| | | Best choice | |
| 124f | | Adjusted secup (m) = 373.09 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |

Table A3-116 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 125a | Bh-length (m) = 373.8 T (m ² /s) = 6.96E-7 PFL confidence= Certain | Adjusted secup (m) = 373.70 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 125b | | Adjusted secup (m) = 373.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 125c | | Adjusted secup (m) = 373.94 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 125d | | Adjusted secup (m) = 373.94 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |

Table A3-117 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 126a | Bh-length (m) = 375.2 $T (m^2/s) = 9.92E-8$ PFL confidence= Uncertain | Adjusted secup (m) = 375.02 Adjusted seclow (m) = 375.18 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | <p>The BIPS image displays a vertical borehole log with depth markers on the left (374.750 to 375.601) and right (264.73 to 264.75). Two red arrows point to features at 375.000m and 375.200m. A blue circle highlights the text '000 00' at 375.280m. The log shows various geological features and data points.</p> |
| 126b | Strike/dip missing. | Adjusted secup (m) = 375.35 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice fracture | |

Table A3-118 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 127a | Bh-length (m) = 375.7 T (m ² /s) = 7.87E-8 PFL confidence= Certain | Adjusted secup (m) = 375.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 127b | | Adjusted secup (m) = 375.59 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 127c | Strike/dip missing. | Adjusted secup (m) = 375.88 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-119 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 128a | Bh-length (m) = 376.4 T (m ² /s) = 5.62E-8 PFL confidence= Certain | Adjusted secup (m) = 376.11 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 128b | Strike/dip missing. | Adjusted secup (m) = 376.19 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 128c | | Adjusted secup (m) = 376.25 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 128d | | Adjusted secup (m) = 376.27 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-120 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 128e | | Adjusted secup (m) = 376.50 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| | | Best choice | |
| 128f | | Adjusted secup (m) = 376.56 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |

Table A3-121 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 129a | Bh-length (m) = 377.9 T (m ² /s) = 2.06E-6 PFL confidence= Certain | Adjusted secup (m) = 377.81 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 129b | | Adjusted secup (m) = 377.82 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 129c | | Adjusted secup (m) = 377.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 129d | | Adjusted secup (m) = 377.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 129e | | Adjusted secup (m) = 378.06 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-122 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 130a | Bh-length (m) = 378.9 T (m ² /s) = 4.27E-8 PFL confidence= Certain | Adjusted secup (m) = 378.67 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 130b | | Adjusted secup (m) = 378.74 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 130c | | Adjusted secup (m) = 378.77 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 130d | | Adjusted secup (m) = 379.00 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-123 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 131 | Bh-length (m) = 381.2 T (m ² /s) = 1.58E-7 PFL confidence= Certain | Adjusted secup (m) = 381.18 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image for PFL 131 shows a vertical borehole with a fracture indicated by a red arrow at a depth of 381.18m. The fracture is labeled with a width of 3.0mm and a length of 137.88m. The image includes depth markers on the left and right sides, ranging from 380.720m to 381.580m.</p> |
| 132 | Bh-length (m) = 381.9 T (m ² /s) = 8.80E-9 PFL confidence= Certain | Adjusted secup (m) = 381.84 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | <p>The BIPS image for PFL 132 shows a vertical borehole with a fracture indicated by a red arrow at a depth of 381.84m. The fracture is labeled with a width of 3.0mm and a length of 126.72m. The image includes depth markers on the left and right sides, ranging from 381.500m to 382.340m.</p> |

Table A3-124 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 133a | Bh-length (m) = 383.6 T (m ² /s) = 7.57E-9 PFL confidence= Uncertain | Adjusted secup (m) = 383.39 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 133b | Cuttingline missing. | Adjusted secup (m) = 383.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | |
| 133c | | Adjusted secup (m) = 383.77 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-125 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|--|
| 134 | Bh-length (m) = 383.9 T (m ² /s) = 2.20E-7 PFL confidence= Certain | Adjusted secup (m) = 383.77 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | <p>The BIPS image displays a vertical borehole profile with depth markers ranging from 303.456 m at the top to 304.300 m at the bottom. The image is divided into four vertical sections labeled D, L, U, and R. A red arrow points to a depth of approximately 303.747 m. On the right side, a red circle highlights a value of '1.0mm' at a depth of 303.747 m. Other values on the right include 296.44, 0.0mm, 0.01.05, 1.0mm, 269.61, 270.49, 0.0mm, 270.46, 244.55, 0.0mm, 269.45, 259.45, 348.28, 0.0mm, 347.28, 0.0mm, 347.29, 0.0mm, and 270.00, 0.0mm.</p> |

Table A3-126 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 135a | Bh-length (m) = 385.4 T (m ² /s) = 5.53E-7 PFL confidence= Certain | Adjusted secup (m) = 385.34 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 135b | | Adjusted secup (m) = 385.36 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 135c | | Adjusted secup (m) = 385.37 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 135d | | Adjusted secup (m) = 385.37 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-127 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 135e | | Adjusted secup (m) = 385.48 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 135f | | Adjusted secup (m) = 385.58 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |

Table A3-128 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 136a | Bh-length (m) = 386.5 T (m2/s) = 1.61E-7 PFL confidence= Certain | Adjusted secup (m) = 386.34 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |
| 136b | | Adjusted secup (m) = 386.40 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 136c | | Adjusted secup (m) = 386.43 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 136d | | Adjusted secup (m) = 386.54 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 136e | | Adjusted secup (m) = 386.74 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-128 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 137a | Bh-length (m) = 387.0 T (m ² /s) = 2.96E-7 PFL confidence= Certain | Adjusted secup (m) = 386.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 137b | | Adjusted secup (m) = 386.84 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 137c | | Adjusted secup (m) = 386.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 137d | | Adjusted secup (m) = 386.97 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-129 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 137e | | Adjusted secup (m) = 387.00 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 137f | | Adjusted secup (m) = 387.12 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-130 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 138a | Bh-length (m) = 388.4 T (m ² /s) = 2.09E-6 PFL confidence= Certain | Adjusted secup (m) = 388.15 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 138b | | Adjusted secup (m) = 388.23 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 138c | | Adjusted secup (m) = 388.25 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 138d | | Adjusted secup (m) = 388.28 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 138e | | Adjusted secup (m) = 388.34 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-131 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|---|
| 138f | | Adjusted secup (m) = 388.53 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 139 | Bh-length (m) = 392.3 T (m2/s) = 6.35E-9 PFL confidence= Uncertain | Adjusted secup (m) = 392.03 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Adjusted secup (m) = 392.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | <p>The BIPS image displays a vertical cross-section of a borehole. The vertical axis represents depth in meters, with markers on both the left and right sides. A red arrow points to a specific depth level. A red circle highlights a data point at 223.42 m depth. The image shows various geological features and data points along the borehole.</p> |

Table A3-132 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 140 | Bh-length (m) = 392.6 T (m ² /s) = 9.78E-9 PFL confidence= Certain | Adjusted secup (m) = 392.69 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | <p>The BIPS image displays a vertical cross-section of a well. The left side shows depth markers in meters, ranging from 392.214 at the top to 393.057 at the bottom. The right side shows depth markers in feet, ranging from 233.38 at the top to 1285.08 at the bottom. A red arrow points to a depth of approximately 392.656 meters. A red circle highlights two values on the right side of the image: 283.22 and 250.32.</p> |

Table A3-133 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 141a | Bh-length (m) = 393.7 T (m ² /s) = 2.06E-6 PFL confidence= Certain | Adjusted secup (m) = 393.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 141b | | Adjusted secup (m) = 393.55 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 141c | | Adjusted secup (m) = 393.57 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 141d | | Adjusted secup (m) = 393.68 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |

Table A3-134 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 142 | <p>Bh-length (m) = 395.3</p> <p>T (m²/s) = 7.16E-8</p> <p>PFL confidence= Certain</p> | <p>Adjusted secup (m) = 395.35</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> <p>Adjusted secup (m) = 395.55</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 2</p> | |
| 143 | <p>Bh-length (m) = 396.3</p> <p>T (m²/s) = 6.00E-9</p> <p>PFL confidence= Certain</p> | <p>Adjusted secup (m) = 396.32</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> | |

Table A3-135 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 144a | Bh-length (m) = 397.7 T (m2/s) = 3.36E-7 PFL confidence= Certain | Adjusted secup (m) = 397.53 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 144b | | Adjusted secup (m) = 397.59 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 144c | | Adjusted secup (m) = 397.84 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-136 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|--|
| 145 | Bh-length (m) = 398.4 T (m2/s) = 2.13E-8 PFL confidence= Certain | Adjusted secup (m) = 398.32 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image displays a vertical borehole log with depth markers on both sides. The left side shows depths from 397.890 to 398.835 in increments of 0.045. The right side shows depths from 176.24 to 223.88 in increments of 0.14. A red arrow points to a depth of approximately 398.32m. A red circle highlights a value of 277.84 on the right side, which is labeled as 1mm.</p> |

Table A3-137 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 146a | Bh-length (m) = 399.5 T (m ² /s) = 8.71E-8 PFL confidence= Certain | Adjusted secup (m) = 399.31 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 146b | | Adjusted secup (m) = 399.44 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 146c | | Adjusted secup (m) = 399.58 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-138 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 147a | Bh-length (m) = 401.0 T (m ² /s) = 1.41E-8 PFL confidence= Certain | Adjusted secup (m) = 400.81 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 147b | | Adjusted secup (m) = 401.00 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 147c | | Adjusted secup (m) = 401.13 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-139 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 148a | Bh-length (m) = 401.7 T (m ² /s) = 2.14E-8 PFL confidence= Certain | Adjusted secup (m) = 401.55 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 148b | | Adjusted secup (m) = 401.68 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 148c | | Adjusted secup (m) = 401.90 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-140 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 149a | Bh-length (m) = 405.5 T (m ² /s) = 3.25E-8 PFL confidence= Certain | Adjusted secup (m) = 405.41 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 149b | | Adjusted secup (m) = 405.47 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 149c | | Adjusted secup (m) = 405.48 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 149d | | Adjusted secup (m) = 405.52 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-141 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 150a | <p>Bh-length (m) = 406.5</p> <p>T (m²/s) = 3.69E-8</p> <p>PFL confidence= Certain</p> | <p>Adjusted secup (m) = 406.55</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> <p>Not shown in BIPS image.</p> | |
| 150b | | <p>Adjusted secup (m) = 406.56</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> | |
| 150c | | <p>Adjusted secup (m) = 406.59</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> | |

KLX07A

Table A3-142 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 151a | Bh-length (m) = 413.3 T (m ² /s) = 1.32E-8 PFL confidence= Uncertain | Adjusted secup (m) = 413.18 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 151b | | Adjusted secup (m) = 413.41 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 151c | | Adjusted secup (m) = 413.45 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 151d | | Adjusted secup (m) = 413.49 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-143 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 152a | Bh-length (m) = 413.8 T (m ² /s) = 6440E-8 PFL confidence= Certain | Adjusted secup (m) = 413.63 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 152b | | Adjusted secup (m) = 413.70 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 152c | Strike/dip missing. | Adjusted secup (m) = 413.72 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 152d | | Adjusted secup (m) = 413.73 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 152e | | Adjusted secup (m) = 413.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-144 KLX07A. Interpretation of PFL measurements and BOREMAP data




| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 153a | Bh-length (m) = 416.0 T (m ² /s) = 8.39E-9 PFL confidence= Uncertain | Adjusted secup (m) = 416.06 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |
| 153b | | Adjusted secup (m) = 416.08 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 |  |
| 154a | Bh-length (m) = 417.0 T (m ² /s) = 4.85E-9 PFL confidence= Uncertain | Adjusted secup (m) = 416.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |
| 154b | | Adjusted secup (m) = 416.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-145 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 155 | Bh-length (m) = 425.3 T (m ² /s) = 4.43E-9 PFL confidence= Certain | Adjusted secup (m) = 425.28 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image for well 155 shows a vertical fracture zone. A red arrow points to a specific feature within the fracture. On the right side of the image, a value of 114.88 is circled in red. The image includes depth markers on the left (424.044 to 425.887) and right (225.35 to 064.75).</p> |
| 156 | Bh-length (m) = 427.2 T (m ² /s) = 1.56E-8 PFL confidence= Certain | Adjusted secup (m) = 427.15 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image for well 156 shows a vertical fracture zone. A red arrow points to a specific feature within the fracture. On the right side of the image, a value of 262.25 is circled in red. The image includes depth markers on the left (426.771 to 427.613) and right (113.65 to 299.95).</p> |

Table A3-146 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 157a | Bh-length (m) = 429.3 T (m ² /s) = 6.59E-9 PFL confidence= Certain | Adjusted secup (m) = 429.20 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 157b | | Adjusted secup (m) = 429.21 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-147 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 158a | Bh-length (m) = 431.9 T (m ² /s) = 2.21E-9 PFL confidence= Uncertain | Adjusted secup (m) = 431.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 158b | | Adjusted secup (m) = 431.89 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 158c | | Adjusted secup (m) = 431.89 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-148 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 159a | Bh-length (m) = 432.4 T (m ² /s) = 5.54E-9 PFL confidence= Uncertain | Adjusted secup (m) = 432.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | <p>The BIPS image displays a vertical borehole log with depth markers on the left (431.988 to 432.831) and right (141.75 to 223.19). Two red circles highlight values 303.17 and 136.73. A red arrow points to a specific feature in the log.</p> |
| 159b | | Adjusted secup (m) = 432.43 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-149 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 160a | Bh-length (m) = 432.9 T (m ² /s) = 5.06E-6 PFL confidence= Certain | Adjusted secup (m) = 432.69 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 160b | Strike/dip missing. | Adjusted secup (m) = 432.70 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 160c | | Adjusted secup (m) = 432.8040 Adjusted seclow (m) = 432.9270 Fract_interpret / Varcod= open fr. PFL-anom. confidence= 1 Best choice crush | |
| 160d | | Adjusted secup (m) = 432.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |

Table A3-150 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 161a | Bh-length (m) = 434.2 T (m ² /s) = 9.71E-8 PFL confidence= Certain | Adjusted secup (m) = 433.96 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |
| 161b | Strike/dip missing. | Adjusted secup (m) = 433.97 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 161c | Strike/dip missing. | Adjusted secup (m) = 434.03 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 161d | | Adjusted secup (m) = 434.18 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 161e | | Adjusted secup (m) = 434.22 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-151 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 162a | Bh-length (m) = 436.5 T (m ² /s) = 3.96E-7 PFL confidence= Certain | Adjusted secup (m) = 436.37 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 162b | | Adjusted secup (m) = 434.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 162c | | Adjusted secup (m) = 436.49 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |

Table A3-152 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 163 | Bh-length (m) = 437.2 | Adjusted secup (m) = 437.20 | |
| | T (m ² /s) = 1.52E-8 | Fract_interpret / Varcode= open fr. | |
| | PFL confidence= Certain | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 Best choice | |

Table A3-153 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 164a | Bh-length (m) = 438.5 T (m ² /s) = 2.17E-8 PFL confidence= Certain | Adjusted secup (m) = 438.28 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 164b | | Adjusted secup (m) = 438.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 164c | | Adjusted secup (m) = 438.49 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-154 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 165a | Bh-length (m) = 439.7 T (m ² /s) = 5.97E-9 PFL confidence= Certain Strike/dip missing. | Adjusted secup (m) = 439.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 165b | | Adjusted secup (m) = 439.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 165c | | Adjusted secup (m) = 439.84 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 165d | | Adjusted secup (m) = 439.85 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-155 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 166a | Bh-length (m) = 442.0 T (m ² /s) = 2.62E-7 PFL confidence= Certain | Adjusted secup (m) = 441.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 166b | | Adjusted secup (m) = 442.03 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 166c | | Adjusted secup (m) = 442.05 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 166d | | Adjusted secup (m) = 442.22 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | |

Table A3-156 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 167a | Bh-length (m) = 442.5 T (m ² /s) = 5.78E-8 PFL confidence= Uncertain | Adjusted secup (m) = 442.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 167b | Strike/dip missing. | Adjusted secup (m) = 442.50 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 167c | | Adjusted secup (m) = 442.51 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 167d | Strike/dip missing. | Adjusted secup (m) = 442.62 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-157 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|--|
| 168 | Bh-length (m) = 443.5 T (m ² /s) = 1.20E-8 PFL confidence= Certain | Adjusted secup (m) = 443.33 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice | <p>The BIPS image displays a vertical borehole profile. The left side shows depth markers from 443.026 to 442.869. The right side shows depth markers from 250.00 to 039.89. A red arrow points to a feature at approximately 443.347. A red circle highlights a value '1mm 220.92' on the right side.</p> |

Table A3-158 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 169a | Bh-length (m) = 444.7 T (m ² /s) = 2.50E-8 PFL confidence= Certain | Adjusted secup (m) = 444.62 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 169b | | Adjusted secup (m) = 444.63 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 169c | | Adjusted secup (m) = 444.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 169d | | Adjusted secup (m) = 444.80 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 169e | | Adjusted secup (m) = 444.92 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-159 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 170a | Bh-length (m) = 446.0 T (m ² /s) = 4.16E-9 PFL confidence= Uncertain | Adjusted secup (m) = 445.99 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 170b | | Adjusted secup (m) = 446.27 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-160 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 171a | Bh-length (m) = 446.2 T (m ² /s) = 1.58E-8 PFL confidence= Certain | Adjusted secup (m) = 445.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 171b | | Adjusted secup (m) = 446.27 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 171c | | Adjusted secup (m) = 446.30 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-161 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 172a | Bh-length (m) = 448.2 T (m ² /s) = 3.98E-8 PFL confidence= Certain Strike/dip missing. | Adjusted secup (m) = 448.01 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 172b | | Adjusted secup (m) = 448.08 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 172c | | Adjusted secup (m) = 448.10 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 172d | Strike/dip missing. | Adjusted secup (m) = 448.26 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-162 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|----------------------------|---|------------|
| 172e | | Adjusted secup (m) = 448.29 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 172f | | Adjusted secup (m) = 448.34 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 172g | Strike/dip missing. | Adjusted secup (m) = 448.42 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |

Table A3-163 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 173a | Bh-length (m) = 451.0 T (m ² /s) = 9.50E-8 PFL confidence= Certain | Adjusted secup (m) = 449.95 Adjusted seclow (m) = 451.03 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |
| 173b | | Adjusted secup (m) = 451.09 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 173c | | Adjusted secup (m) = 451.25 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice fracture | |

Table A3-164 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 174a | Bh-length (m) = 452.6 T (m ² /s) = 4.73E-8 PFL confidence= Certain | Adjusted secup (m) = 452.50 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 174b | | Adjusted secup (m) = 452.52 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 174c | | Adjusted secup (m) = 452.59 Adjusted seclow (m) = 453.43 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-165 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 175 | Bh-length (m) = 452.8 T (m ² /s) = 6.73E-9 PFL confidence= Uncertain | Adjusted secup (m) = 452.59 Adjusted seclow (m) = 453.43 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |
| 176 | Bh-length (m) = 453.2 T (m ² /s) = 6.11E-9 PFL confidence= Certain | Adjusted secup (m) = 452.59 Adjusted seclow (m) = 453.43 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-166 KLX07A. Interpretation of PFL measurements and BOREMAP data



| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|--|
| 177a | Bh-length (m) = 486.1 T (m ² /s) = 2.34E-8 PFL confidence= Certain | Adjusted secup (m) = 486.05 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice |  |
| 177b | | Adjusted secup (m) = 486.21 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 178 | Bh-length (m) = 487.4 T (m ² /s) = 2.79E-6 PFL confidence= Certain | Adjusted secup (m) = 487.30 Adjusted secup (m) = 487.52 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush |  |

Table A3-167 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|--|
| 179 | Bh-length (m) = 508.7 T (m ² /s) = 5.06E-9 PFL confidence= Certain | Adjusted secup (m) = 508.40 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | <p>The BIPS image displays a vertical borehole profile. The left side shows depth markers from 508.257 to 509.101. The right side shows depth markers from 290.88 to 266.40. A red arrow points to a feature in the borehole at approximately 508.40m depth. The value 114.90 is circled in red on the right side.</p> |

Table A3-168 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 180a | Bh-length (m) = 519.2 T (m ² /s) = 5.21E-7 PFL confidence= Certain | Adjusted secup (m) = 519.04 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 180b | | Adjusted secup (m) = 519.10 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 180c | | Adjusted secup (m) = 519.11 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 180d | Strike/dip missing. | Adjusted secup (m) = 519.14 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 180e | Strike/dip missing. | Adjusted secup (m) = 519.15 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-167 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 181a | Bh-length (m) = 520.5 T (m ² /s) = 5.06E-8 PFL confidence= Certain | Adjusted secup (m) = 520.44 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 181b | | Adjusted secup (m) = 520.46 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 181c | | Adjusted secup (m) = 520.51 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 181d | | Adjusted secup (m) = 520.52 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-168 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 182 | <p>Bh-length (m) = 535.3</p> <p>T (m²/s) = 3.98E-9</p> <p>PFL confidence= Uncertain</p> | <p>Adjusted secup (m) = 535.36</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> <p>Not shown in BIPS image.</p> | |
| 183a | <p>Bh-length (m) = 537.0</p> <p>T (m²/s) = 1.52E-8</p> <p>PFL confidence= Certain</p> | <p>Adjusted secup (m) = 537.33</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 3</p> <p>Best choice</p> | |
| 183b | | <p>Adjusted secup (m) = 537.33</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 3</p> | |

Table A3-169 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 184 | Bh-length (m) = 539.6 T (m ² /s) = 5.52E-9 PFL confidence= Uncertain | Adjusted secup (m) = 539.95 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 3 Best choice | |
| 185 | Bh-length (m) = 549.9 T (m ² /s) = 2.73E-8 PFL confidence= Certain | Adjusted secup (m) = 549.90 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-170 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 186a | Bh-length (m) = 557.9 T (m ² /s) = 1.34E-7 PFL confidence= Certain | Adjusted secup (m) = 557.75 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 186b | | Adjusted secup (m) = 557.94 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 186c | | Adjusted secup (m) = 557.96 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 186d | | Adjusted secup (m) = 558.00 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |

Table A3-171 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|---|
| 187 | Bh-length (m) = 574.4 T (m ² /s) = 1.66E-9 PFL confidence= Uncertain | Adjusted secup (m) = 574.49 Fract_interpret / Varcodes= sealed broken fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice <i>Closest open fracture at adjusted secup 573.60m.</i> | <p>The BIPS image displays a vertical cross-section of a wellbore with a complex fracture network. A red arrow points to a specific fracture feature. The image is annotated with depth markers on both sides. On the left, depths range from 573.993 to 574.836. On the right, there are two sets of depth markers: 294.09 to 076.10 and 236.01 to 036.03. A red circle highlights the label 'U61 77' on the right side.</p> |

Table A3-172 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 188a | Bh-length (m) = 626.0 T (m ² /s) = 1.17E-7 PFL confidence= Certain | Adjusted secup (m) = 625.71 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 188b | | Adjusted secup (m) = 625.82 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 188c | | Adjusted secup (m) = 625.97 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 188d | | Adjusted secup (m) = 625.97 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 188e | | Adjusted secup (m) = 626.18 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-173 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|--|
| 189a | Bh-length (m) = 633.2 T (m ² /s) = 2.70E-9 PFL confidence= Uncertain | Adjusted secup (m) = 633.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | <p>The BIPS image displays a vertical cross-section of a borehole. The left side shows depth markers in meters, ranging from 632.775 at the top to 632.619 at the bottom. The right side shows depth markers in feet, ranging from 236.47 at the top to 255.45 at the bottom. A red arrow points to a depth of approximately 632.876 meters. A value of 244.45 is circled in red on the right side, corresponding to a depth of approximately 237.48 feet. The image shows a textured, brownish material with some white lines indicating fractures or boundaries.</p> |
| 189b | | Adjusted secup (m) = 633.08 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-174 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 190a | <p>Bh-length (m) = 635.7</p> <p>T (m²/s) = 1.28E-6</p> <p>PFL confidence= Certain</p> | <p>Adjusted secup (m) = 635.61</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> | |
| 190b | | <p>Adjusted secup (m) = 635.66</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> | |
| 190c | Strike/dip missing. | <p>Adjusted secup (m) = 635.67</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> | |
| 190d | | <p>Adjusted secup (m) = 635.82</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> | |

Table A3-175 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 191a | Bh-length (m) = 638.2 T (m ² /s) = 1.77E89 PFL confidence= Certain | Adjusted secup (m) = 638.09 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 191b | Strike/dip missing. | Adjusted secup (m) = 638.11 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 191c | | Adjusted secup (m) = 638.21 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 191d | | Adjusted secup (m) = 638.28 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-176 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 192a | Bh-length (m) = 639.1 T (m ² /s) = 1.58E-6 PFL confidence= Certain | Adjusted secup (m) = 639.01 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice |  |
| 192b | | Adjusted secup (m) = 639.02 Fract_interpret / Varcod= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 192c | | Adjusted secup (m) = 639.13 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 192d | | Adjusted secup (m) = 639.19 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 192e | | Adjusted secup (m) = 639.30 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-177 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 193a | Bh-length (m) = 639.6 T (m ² /s) = 1.02E-8 PFL confidence= Uncertain | Adjusted secup (m) = 639.45 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice |  |
| 193b | | Adjusted secup (m) = 639.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-178 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 194a | Bh-length (m) = 641.1 T (m ² /s) = 4.81E-8 PFL confidence= Certain | Adjusted secup (m) = 641.02 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 194b | | Adjusted secup (m) = 641.03 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 194c | | Adjusted secup (m) = 641.06 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 194d | | Adjusted secup (m) = 641.07 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 194e | | Adjusted secup (m) = 641.13 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-179 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 194f | | Adjusted secup (m) = 641.16 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 194g | | Adjusted secup (m) = 641.17 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 194h | | Adjusted secup (m) = 641.24 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 194i | | Adjusted secup (m) = 641.26 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-180 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 195a | Bh-length (m) = 643.4 T (m ² /s) = 1.14E-8 PFL confidence= Uncertain | Adjusted secup (m) = 643.34 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 195b | Strike/dip missing. | Adjusted secup (m) = 643.34 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 195c | Strike/dip missing. | Adjusted secup (m) = 643.35 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 195d | Strike/dip missing. | Adjusted secup (m) = 643.35 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 195e | Strike/dip missing. | Adjusted secup (m) = 643.36 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-181 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 195f | | Adjusted secup (m) = 643.38 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 195g | | Adjusted secup (m) = 643.38 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 195h | | Adjusted secup (m) = 643.50 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Certain | |
| | | PFL-anom. confidence= 1 | |
| | | Best choice | |
| 195i | | Adjusted secup (m) = 643.51 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-182 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 196a | Bh-length (m) = 645.3 T (m ² /s) = 9.67E-9 PFL confidence= Uncertain | Adjusted secup (m) = 645.25 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 196b | | Adjusted secup (m) = 645.32 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 196c | | Adjusted secup (m) = 645.35 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 196d | | Adjusted secup (m) = 645.38 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 195e | | Adjusted secup (m) = 645.39 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-183 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|---------------------|----------------------|---|-------------------|
| 196f | | Adjusted secup (m) = 645.42 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 196g | | Adjusted secup (m) = 645.45 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |

Table A3-184 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 197a | Bh-length (m) = 649.2 T (m ² /s) = 3.96E-8 PFL confidence= Certain | Adjusted secup (m) = 649.21 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 197b | | Adjusted secup (m) = 649.33 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 197c | | Adjusted secup (m) = 649.36 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 197d | | Adjusted secup (m) = 649.41 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 197e | | Adjusted secup (m) = 649.41 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-185 KLX07A. Interpretation of PFL measurements and BOREMAP data



| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 198a | Bh-length (m) = 653.5 T (m ² /s) = 5.51E-9 PFL confidence= Uncertain | Adjusted secup (m) = 653.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 |  |
| 198b | | Adjusted secup (m) = 653.45 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 199a | Bh-length (m) = 657.3 T (m ² /s) = 2.97E-9 PFL confidence= Uncertain | Adjusted secup (m) = 657.25 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice |  |
| 199b | | Adjusted secup (m) = 657.32 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-186 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 200 | Bh-length (m) = 661.4 T (m ² /s) = 3.31E-9 PFL confidence= Uncertain | Adjusted secup (m) = 661.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-187 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 201a | Bh-length (m) = 662.2 T (m ² /s) = 1.12E-7 PFL confidence= Certain | Adjusted secup (m) = 662.00 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |
| 201b | | Adjusted secup (m) = 662.10 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | |
| 201c | | Adjusted secup (m) = 662.29 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 201d | | Adjusted secup (m) = 662.31 Fract_interpret / Varcodes= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |

Table A3-188 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 202a | Bh-length (m) = 662.7 T (m ² /s) = 5.93E-8 PFL confidence= Certain | Adjusted secup (m) = 662.58 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 202b | | Adjusted secup (m) = 662.59 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 203 | Bh-length (m) = 666.0 T (m ² /s) = 3.74E-9 PFL confidence= Uncertain | Adjusted secup (m) = 665.98 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice Adjusted secup (m) = 666.10 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-189 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 204 | Bh-length (m) = 667.9 T (m ² /s) = 1.79E-8 PFL confidence= Certain | Adjusted secup (m) = 668.08 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice | |
| 205 | Bh-length (m) = 677.0 T (m ² /s) = 1.29E-8 PFL confidence= Certain | Adjusted secup (m) = 676.91 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice Adjusted secup (m) = 677.03 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-190 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 206a | Bh-length (m) = 696.8 T (m ² /s) = 1.80E-7 PFL confidence= Certain | Adjusted secup (m) = 696.47 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 206b | | Adjusted secup (m) = 696.68 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 206c | | Adjusted secup (m) = 696.82 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 206d | | Adjusted secup (m) = 696.86 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 206e | | Adjusted secup (m) = 696.87 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-191 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 206f | | Adjusted secup (m) = 696.96 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Certain | |
| | | PFL-anom. confidence= 2 | |
| 206g | | Adjusted secup (m) = 696.97 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |
| 206h | | Adjusted secup (m) = 696.98 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 206i | | Adjusted secup (m) = 697.05 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-192 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 207a | Bh-length (m) = 697.3 T (m ² /s) = 4.15E-8 PFL confidence= Certain | Adjusted secup (m) = 696.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 207b | | Adjusted secup (m) = 697.05 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 207c | | Adjusted secup (m) = 697.17 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 207d | | Adjusted secup (m) = 697.17 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 207e | | Adjusted secup (m) = 697.24 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |

Table A3-193 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 207f | | Adjusted secup (m) = 697.28 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 207g | | Adjusted secup (m) = 697.24 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 207h | | Adjusted secup (m) = 697.40 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-194 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 208a | Bh-length (m) = 698.7 T (m ² /s) = 3.61E-8 PFL confidence= Certain | Adjusted secup (m) = 698.53 Fract_interpret / Varcod= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |
| 208b | | Adjusted secup (m) = 698.58 Fract_interpret / Varcod= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 208c | | Adjusted secup (m) = 698.66 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 208d | | Adjusted secup (m) = 698.72 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 208e | | Adjusted secup (m) = 698.89 Fract_interpret / Varcod= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |

Table A3-195 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 209a | Bh-length (m) = 707.0 T (m ² /s) = 1.62E-9 PFL confidence= Uncertain | Adjusted secup (m) = 706.92 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 209b | | Adjusted secup (m) = 706.959 Adjusted seclow (m) = 706.992 Fract_interpret / Varcodes= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-196 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 210a | Bh-length (m) = 709.0 T (m ² /s) = 2.69E-9 PFL confidence= Certain | Adjusted secup (m) = 708.97 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 210b | | Adjusted secup (m) = 708.99 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 210c | | Adjusted secup (m) = 709.05 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 210d | | Adjusted secup (m) = 709.11 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-197 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 211a | Bh-length (m) = 712.4 T (m ² /s) = 4.13E-7 PFL confidence= Certain | Adjusted secup (m) = 712.19 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 211b | | Adjusted secup (m) = 712.44 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 211c | | Best choice Adjusted secup (m) = 712.62 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-198 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|--|------------|
| 212 | Bh-length (m) = 714.5 T (m ² /s) = 2.861E-9 PFL confidence= Certain | Adjusted secup (m) = 714.43 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice Cuttingline not shown in BIPS image. | |
| 213a | Bh-length (m) = 715.9 T (m ² /s) = 2.83E-8 PFL confidence= Certain | Adjusted secup (m) = 716.68 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice fracture | |
| 213b | | Adjusted secup (m) = 715.901 Adjusted seclow (m) = 716.137 Fract_interpret / Varcode= open fr. PFL-anom. confidence= 1 Best choice crush | |

Table A3-199 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 214a | Bh-length (m) = 738.7 T (m ² /s) = 2.39E-9 PFL confidence= Uncertain Strike/dip missing. | Adjusted secup (m) = 738.61 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 214b | Strike/dip missing. | Adjusted secup (m) = 738.62 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 214c | | Adjusted secup (m) = 738.63 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 214d | | Adjusted secup (m) = 738.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 214e | | Adjusted secup (m) = 738.68 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-200 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 214f | | Adjusted secup (m) = 738.72 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 214g | | Adjusted secup (m) = 738.76 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| | | Best choice | |
| 214h | | Adjusted secup (m) = 738.87 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |
| 214i | | Adjusted secup (m) = 738.92 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 2 | |

Table A3-201 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 215a | Bh-length (m) = 739.9 T (m ² /s) = 4.61E-8 PFL confidence= Certain | Adjusted secup (m) = 739.70 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | <p>The BIPS image displays a vertical cross-section of geological data. The left side shows elevation values from 739.403 to 740.227. The right side shows depth values from 159.45 to 038.66. A red arrow points to a feature at approximately 739.805 m elevation. A value of 222.09 is circled in red on the right side of the image.</p> |
| 215b | | Adjusted secup (m) = 739.83 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 215c | | Adjusted secup (m) = 739.87 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |

Table A3-202 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 216 | Bh-length (m) = 743.7 | Adjusted secup (m) = 743.67 | |
| | T (m ² /s) = 5.75E-9 | Fract_interpret / Varcode= open fr. | |
| | PFL confidence= Certain | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 Best choice | |

Table A3-203 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 217a | Bh-length (m) = 745.9 T (m ² /s) = 1.37E-8 PFL confidence= Certain | Adjusted secup (m) = 745.70 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 217b | Strike/dip missing. | Adjusted secup (m) = 745.78 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |
| 217c | | Adjusted secup (m) = 745.815 Adjusted secup (m) = 745.965 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-204 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 218a | Bh-length (m) = 756.6 T (m ² /s) = 2.09E-8 PFL confidence= Certain | Adjusted secup (m) = 756.47 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice fracture |  |
| 218b | | Adjusted secup (m) = 756.48 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 218c | | Adjusted secup (m) = 756.48 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 218d | | Adjusted secup (m) = 756.520 Adjusted secup (m) = 756.730 Fract_interpret / Varcode= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-205 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|------------------------------------|--|------------|
| 219 | Bh-length (m) = 761.2 | Adjusted secup (m) = 761.08 | |
| | T (m ² /s) = 1.49E-9 | Fract_interpret / Varcode= open fr. | |
| | PFL confidence= Uncertain | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 2 Best choice | |

Table A3-206 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 220a | Bh-length (m) = 761.7 T (m ² /s) = 3.21E-7 PFL confidence= Certain | Adjusted secup (m) = 761.60 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 220b | | Adjusted secup (m) = 761.67 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 220c | | Adjusted secup (m) = 761.69 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 220d | | Adjusted secup (m) = 761.81 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 220e | | Adjusted secup (m) = 761.82 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-207 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 220f | | Adjusted secup (m) = 761.83 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 220g | | Adjusted secup (m) = 761.89 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 2 | |
| 220h | | Adjusted secup (m) = 761.93 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 2 | |

Table A3-208 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 221a | Bh-length (m) = 761.9 T (m ² /s) = 1.27E-6 PFL confidence= Certain | Adjusted secup (m) = 761.69 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 221b | | Adjusted secup (m) = 761.81 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 221c | | Adjusted secup (m) = 761.82 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 221d | | Adjusted secup (m) = 761.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 221e | | Adjusted secup (m) = 761.89 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-209 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---------------|---|------------|
| 221f | | Adjusted secup (m) = 761.93 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 221g | | Adjusted secup (m) = 762.02 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |
| 221h | | Adjusted secup (m) = 762.03 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 221i | | Adjusted secup (m) = 762.09 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |
| 221j | | Adjusted secup (m) = 762.60 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-210 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 222a | Bh-length (m) = 762.6 T (m ² /s) = 1.44E-6 PFL confidence= Certain | Adjusted secup (m) = 762.43 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |
| 222b | | Adjusted secup (m) = 762.50 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 222c | | Adjusted secup (m) = 762.52 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 222d | | Adjusted secup (m) = 762.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice fracture | |
| 222e | | Adjusted secup (m) = 762.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-211 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 222f | | Adjusted secup (m) = 762.68 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 222g | | Adjusted secup (m) = 762.69 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |
| 222h | | Adjusted secup (m) = 762.734 | |
| | | Adjusted secup (m) = 763.581 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | PFL-anom. confidence= 2 | |
| | | Best choice crush | |

Table A3-212 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 223a | Bh-length (m) = 763.3 T (m ² /s) = 2.70E-6 PFL confidence= Certain | Adjusted secup (m) = 762.734 Adjusted secup (m) = 763.581 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |
| 223b | | Adjusted secup (m) = 762.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | |

Table A3-213 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 224a | Bh-length (m) = 764.4 T (m ² /s) = 4.13E-7 PFL confidence= Certain | Adjusted secup (m) = 764.28 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 224b | | Adjusted secup (m) = 764.35 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 224c | | Adjusted secup (m) = 764.39 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 224d | | Adjusted secup (m) = 764.51 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-214 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 225a | Bh-length (m) = 765.0 T (m ² /s) = 4.46E-7 PFL confidence= Uncertain | Adjusted secup (m) = 764.86 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 225b | | Adjusted secup (m) = 764.90 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 225c | | Adjusted secup (m) = 764.91 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 225d | | Adjusted secup (m) = 765.04 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-215 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 226a | Bh-length (m) = 766.1 T (m ² /s) = 1.12E-6 PFL confidence= Certain | Adjusted secup (m) = 765.93 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | <p>The BIPS image is a vertical cross-section showing geological layers. A red arrow points to a dark, wavy line near the top. A red circle highlights the value '262.80' on the right side of the image. The image is labeled with 'D', 'L', 'U', 'R', 'D' at the top and various elevation values on the left and right sides.</p> |
| 226b | | Adjusted secup (m) = 766.02 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 226c | | Adjusted secup (m) = 766.19 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 | |
| 226d | | Adjusted secup (m) = 766.20 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-216 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|---|
| 227a | Bh-length (m) = 766.5 T (m ² /s) = 7.11E-7 PFL confidence= Certain | Adjusted secup (m) = 766.47 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture | <p>The BIPS image is a vertical cross-section of geological data. It features a central column of elevation values ranging from 766.050 at the top to 766.902 at the bottom. To the right of this column is a list of data points, including values like 250.30, 244.66, 103.10, 109.62, 270.63, 191.96, 204.42, 250.60 (circled in red), 198.73, 256.47, 263.90, 189.09, 125.25, 264.38, and 141.23. Three red arrows point to specific features: one points to a dark horizontal line at approximately 766.450, another points to a dark horizontal line at approximately 766.500, and a third points to a dark horizontal line at approximately 766.581. The image is labeled with 'D', 'L', 'U', 'R', and 'D' at the top.</p> |
| 227b | | Adjusted secup (m) = 766.48 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 227c | | Adjusted secup (m) = 766.488 Adjusted seclow (m) = 766.653 Fract_interpret / Varcode= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-217 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | FL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 228a | Bh-length (m) = 768.4 T (m ² /s) = 7.77E-8 PFL confidence= Uncertain | Adjusted secup (m) = 768.32 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 228b | Strike/dip missing. | Adjusted secup (m) = 768.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 228c | | Adjusted secup (m) = 768.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 228d | | Adjusted secup (m) = 768.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |
| 228d | | Adjusted secup (m) = 768.59 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |

Table A3-218 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 229a | Bh-length (m) = 768.6 T (m ² /s) = 6.96E-7 PFL confidence= Certain Strike/dip missing. | Adjusted secup (m) = 768.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 229b | | Adjusted secup (m) = 768.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 229c | | Adjusted secup (m) = 768.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 229d | | Adjusted secup (m) = 768.59 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 229e | | Adjusted secup (m) = 768.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-219 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 229f | | Adjusted secup (m) = 768.66 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 1 | |

Table A3-200 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 230a | Bh-length (m) = 771.0 T (m ² /s) = 1.74E-8 PFL confidence= Certain | Adjusted secup (m) = 770.84 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 230b | | Adjusted secup (m) = 770.92 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 230c | | Adjusted secup (m) = 770.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 230d | Strike/dip missing. | Adjusted secup (m) = 770.96 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |
| 230e | | Adjusted secup (m) = 771.09 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 | |

Table A3-201 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|----------------------------|---|------------|
| No | | | |
| 230f | Strike/dip missing. | Adjusted secup (m) = 771.09 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |

Table A3-202 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 231a | Bh-length (m) = 772.1 T (m ² /s) = 6.41E-9 PFL confidence= Uncertain | Adjusted secup (m) = 771.80 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 231b | | Adjusted secup (m) = 772.12 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |
| 231c | | Adjusted secup (m) = 772.24 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 231d | | Adjusted secup (m) = 772.28 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 231e | | Adjusted secup (m) = 771.957 Adjusted seclow (m) = 772.000 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-203 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 232a | Bh-length (m) = 773.4 T (m ² /s) = 3.18E-9 PFL confidence= Uncertain | Adjusted secup (m) = 773.22 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 232b | | Adjusted secup (m) = 773.31 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 232c | | Adjusted secup (m) = 773.35 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 232d | | Adjusted secup (m) = 773.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-204 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|------------|
| 233a | Bh-length (m) = 777.0 T (m ² /s) = 6.72E-9 PFL confidence= Certain | Adjusted secup (m) = 776.76 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 233b | | Adjusted secup (m) = 776.83 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 | |
| 233c | | Adjusted secup (m) = 776.86 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | |
| 233d | | Adjusted secup (m) = 776.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 233e | | Adjusted secup (m) = 777.04 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-205 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 233f | | Adjusted secup (m) = 777.13 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Possible | |
| | | PFL-anom. confidence= 1 | |

Table A3-206 KLX07A. Interpretation of PFL measurements and BOREMAP data


| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|---|
| 234a | Bh-length (m) = 782.7 T (m ² /s) = 5.02E-8 PFL confidence= Certain | Adjusted secup (m) = 782.64 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice fracture |  |
| 234b | | Adjusted secup (m) = 782.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 | |
| 234c | | Adjusted secup (m) = 782.87 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 234d | | Adjusted secup (m) = 782.706 Adjusted seclow (m) = 782.765 Fract_interpret / Varcode= crush zone PFL-anom. confidence= 2 Best choice crush | |

Table A3-207 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 235a | Bh-length (m) = 786.9 T (m ² /s) = 5.58E-9 PFL confidence= Uncertain | Adjusted secup (m) = 786.96 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice | |
| 235b | | Adjusted secup (m) = 786.99 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 235c | | Adjusted secup (m) = 787.04 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |

Table A3-208 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 236a | Bh-length (m) = 795.7 T (m ² /s) = 3.47E-9 PFL confidence= Uncertain | Adjusted secup (m) = 795.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |
| 236b | | Adjusted secup (m) = 795.80 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice | |

Table A3-209 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|--|--|
| 237 | Bh-length (m) = 804.2 T (m ² /s) = 4.53E-9 PFL confidence= Uncertain Difference of distance of 0.4 m between adjusted secup in core file and BIPS file. | Adjusted secup (m) = 804.19 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice | <p>The BIPS image displays a vertical well profile with depth markers ranging from 903.732 to 904.501 on the left and 264.63 to 047.66 on the right. A red arrow points to a depth of approximately 903.879. A value of 230.71 2mm is circled in red on the right side of the image.</p> |

Table A3-210 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 238a | Bh-length (m) = 818.6 T (m ² /s) = 2.77E-9 PFL confidence= Uncertain | Adjusted secup (m) = 818.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 238b | Difference of distance of 1.6 m between adjusted secup in core file and BIPS file. | Adjusted secup (m) = 818.55 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 238c | | Adjusted secup (m) = 818.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 238d | | Adjusted secup (m) = 818.81 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice | |
| 238e | | Adjusted secup (m) = 818.81 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 | |

Table A3-211 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. | PFL anom data | Boremap data | BIPS Image |
|-----------|---------------|---|------------|
| No | | | |
| 238f | | Adjusted secup (m) = 818.82 | |
| | | Fract_interpret / Varcodes= open fr. | |
| | | Frac.interp. confidence= Probable | |
| | | PFL-anom. confidence= 2 | |

Table A3-212 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|--|---|------------|
| 239 | Bh-length (m) = 820.9 T (m ² /s) = 3.49E-8 PFL confidence= Certain Difference of distance of 1.7 m between adjusted secup in core file and BIPS file. | Adjusted secup (m) = 820.832 Adjusted secup (m) = 821.035 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |

Table A3-213 KLX07A. Interpretation of PFL measurements and BOREMAP data

| PFL anom. No | PFL anom data | Boremap data | BIPS Image |
|--------------|---|---|------------|
| 240a | Bh-length (m) = 825.5 T (m ² /s) = 3.81E-7 PFL confidence= Certain | Adjusted secup (m) = 825.38 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 240b | Difference of distance of 2.2 m between adjusted secup in core file and BIPS file. | Adjusted secup (m) = 825.43 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 | |
| 240c | | Adjusted secup (m) = 825.44 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice fracture | |
| 240d | | Adjusted secup (m) = 825.489 Adjusted seclow (m) = 825.719 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush | |