





## **Appendix 5 – KLX08**


In this appendix plots showing Flow log anomalies to core mapped features in KLX08 for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.



















































































































**Table A5-1. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
1a	Bh-length (m) = 102.7  T (m <sup>2</sup> /s) = 8.20E-8  PFL confidence = Certain	Adjusted secup (m) = 102.679  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
1b		Adjusted secup (m) = 102.794  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-2. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
2a	Bh-length (m) = 103.3  T (m <sup>2</sup> /s) = 4.4E-08  PFL confidence= Certain	Adjusted secup (m) = 103.108  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
2b		Adjusted secup (m) = 103.161  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
2c		Adjusted secup (m) = 103.265  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	



**Table A5-3. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 106.8  T (m <sup>2</sup> /s) = 1.10E-7  PFL confidence= Certain	Adjusted secup (m) = 106.736  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
3b		Adjusted secup (m) = 106.967  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-4. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
4a	Bh-length (m) = 108.4  T (m <sup>2</sup> /s) = 1.40E-6  PFL confidence= Certain	Adjusted secup (m) = 108.284  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
4b		Adjusted secup (m) = 108.359  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
4c		Adjusted secup (m) = 108.390  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
4d		Adjusted secup (m) = 108.466  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
4e		Adjusted secup (m) = 108.481  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-4. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
4f		Adjusted secup (m) = 108.524  Fract_interpret / Varcodes= partly open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-5. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5a	Bh-length (m) = 109.1  T (m <sup>2</sup> /s) = 2.10E-6  PFL confidence= Certain	Adjusted secup – seclow = 109.057 – 109.206  Fract_interpret / Varcodes = crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
5b		Adjusted secup (m) = 107.705  Fract_interpret / Varcodes = open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2 <b>Best choice</b>	

**Table A5-6. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
6a	Bh-length (m) = 110.5  T (m <sup>2</sup> /s) = 9.10E-9  PFL confidence= Uncertain	Adjusted secup (m) = 110.403  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
6b		Adjusted secup (m) = 110.574  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-7. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
7a	Bh-length (m) = 114.7  T (m <sup>2</sup> /s) = 1.40E-08  PFL confidence= Uncertain	Adjusted secup (m) = 114.568  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	<p>The BIPS image displays a vertical cross-section of geological data. The left side has a vertical scale from 114.290 to 115.174. The right side has a vertical scale from 048.30 to 014.33. A red arrow points to a feature at approximately 114.652. A value of 102.73 is circled in red on the right side of the image.</p>
7b		Adjusted secup (m) = 114.625  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-8. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
8a	Bh-length (m) = 118.9  T (m <sup>2</sup> /s) = 1.20E-5  PFL confidence= Certain	Adjusted secup – seclow = 118.900 – 118.962  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	

**Table A5-9. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
9a	Bh-length (m) = 121.6  T (m <sup>2</sup> /s) = 1.30E-7  PFL confidence= Uncertain	Adjusted secup – seclow =121.569 – 122.057  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
9b		Adjusted secup (m) = 121.496  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
9c		Adjusted secup (m) = 121.506  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice fracture</b>	



**Table A5-10. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
10a	Bh-length (m) = 123.6  T (m <sup>2</sup> /s) = 3.30E-08  PFL confidence= Certain	Adjusted secup (m) = 123.446  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
10b		Adjusted secup (m) = 123.555  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
10c		Adjusted secup (m) = 123.591  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
10d		Adjusted secup (m) = 123.730  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
10e		Adjusted secup (m) = 123.752  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-10. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
10f		Adjusted secup (m) = 123.762  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
10g		Adjusted secup (m) = 123.811  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-11. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
11a	Bh-length (m) = 135.2  T (m <sup>2</sup> /s) = 9.40E-08  PFL confidence= Certain	Adjusted secup (m) = 135.196  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
11b		Adjusted secup (m) = 135.377  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-12. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12a	Bh-length (m) = 137.3  T (m <sup>2</sup> /s) = 3.50E-08  PFL confidence= Certain	Adjusted secup (m) = 137.297  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	<p>The BIPS image is a vertical strip of geological data. On the left side, there are elevation values ranging from 136,909 to 137,792. On the right side, there are numerical values: 292.18, 355.56, 357.63, 001.17, 312.54, and 364.48. A red arrow points to a specific feature in the upper-middle section. A red circle highlights the value '015 52' on the right side.</p>
12b		Adjusted secup (m) = 137.337  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
12c		Adjusted secup (m) = 137.374  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-13. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
13a	Bh-length (m) = 139.0  T (m <sup>2</sup> /s) = 4.20E-09  PFL confidence= Certain	Adjusted secup (m) = 138.978  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
13b	Adjusted secup (m) = 139.030  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1		

**Table A5-14. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
14a	Bh-length (m) = 143.0  T (m <sup>2</sup> /s) = 2.00E-7  PFL confidence= Certain	Adjusted secup (m) = 142.995  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
14b		Adjusted secup (m) = 143.006  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
14c		Adjusted secup (m) = 143.145  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-15. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15a	Bh-length (m) = 144.3  T (m <sup>2</sup> /s) = 6.88E-06  PFL confidence= Certain	Adjusted secup (m) = 144.110  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
15b		Adjusted secup (m) = 144.183  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
15c		Adjusted secup (m) = 144.187  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
15d		Adjusted secup (m) = 144.190  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
15e		Adjusted secup (m) = 144.327  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-15. KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
15f		Adjusted secup (m) = 144.353	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		<b>Best choice</b>	
15g		Adjusted secup (m) = 144.364	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
15h		Adjusted secup (m) = 144.396	
		Fract_interpret / Varcodes= partly open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
15i		Adjusted secup (m) = 144.404	
		Fract_interpret / Varcodes= partly open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	



**Table A5-16. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
16a	Bh-length (m) = 144.9  T (m <sup>2</sup> /s) = 2.10E-7  PFL confidence= Certain	Adjusted secup (m) = 144.780  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
16b		Adjusted secup (m) = 144.830  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
16c		Adjusted secup (m) = 144.838  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
16d		Adjusted secup (m) = 144.879  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	
16e		Adjusted secup (m) = 144.939  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-17. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
17a	Bh-length (m) = 145.4  T (m <sup>2</sup> /s) = 1.30E-7  PFL confidence= Uncertain	Adjusted secup (m) = 145.304  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
17b		Adjusted secup (m) = 145.318  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
17c		Adjusted secup (m) = 145.349  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
17d		Adjusted secup (m) = 145.423  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-18. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18a	Bh-length (m) = 145.7  T (m <sup>2</sup> /s) = 1.40E-07  PFL confidence= Certain	Adjusted secup (m) = 145.573  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
18b		Adjusted secup (m) = 145.574  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
18c		Adjusted secup (m) = 145.732  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-19. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
19a	Bh-length (m) = 147.8  T (m <sup>2</sup> /s) = 8.00E-8  PFL confidence= Certain	Adjusted secup (m) = 147.802  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
19b		Adjusted secup (m) = 147.839  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
19c		Adjusted secup (m) = 147.864  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-20. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom.	PFL anom data	Boremap data	BIPS Image
No			
20a	<p>Bh-length (m) = 148.0</p> <p><math>T (m^2/s) = 3.90E-8</math></p> <p>PFL confidence= Uncertain</p>	No fracture can be related to this anomaly.	

**Table A5-21. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
21a	Bh-length (m) = 149.1  T (m <sup>2</sup> /s) = 5.70E-9  PFL confidence= Certain	Adjusted secup (m) = 149.056  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
21b		Adjusted secup (m) = 149.193  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-22. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
22a	Bh-length (m) = 150.3  T (m <sup>2</sup> /s) = 1.50E-07  PFL confidence= Certain	Adjusted secup (m) = 150.361  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-23. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23a	Bh-length (m) = 151.3  T (m <sup>2</sup> /s) = 2.30E-6  PFL confidence= Certain	Adjusted secup – seclow = 151.224 – 151.748  Fract_interpret / Varcodes = crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	



**Table A5-24. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
24a	Bh-length (m) = 152.2  T (m <sup>2</sup> /s) = 3.90E-6  PFL confidence= Certain	Adjusted secup (m) = 152.078  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
24b		Adjusted secup (m) = 152.167  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
24c		Adjusted secup (m) = 152.221  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-25. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
25a	Bh-length (m) = 153.5  T (m <sup>2</sup> /s) = 8.20E-06  PFL confidence= Certain	Adjusted secup (m) = 153.389  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
25b		Adjusted secup (m) = 153.426  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
25c		Adjusted secup (m) = 153.487  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
25d		Adjusted secup (m) = 153.493  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
25e		Adjusted secup (m) = 153.556  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-25. KLX08. Interpretation of PFL measurements and BOREMAP data**

<b>PFL anom. No</b>	<b>PFL anom data</b>	<b>Boremap data</b>	<b>BIPS Image</b>
25f		Adjusted secup (m) = 153.573  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-26. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	Bh-length (m) = 153.9  T (m <sup>2</sup> /s) = 4.70E-06  PFL confidence= Certain	Adjusted secup – seclow =153.880 – 153.958  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
26b		Adjusted secup (m) = 153.735  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
26c		Adjusted secup (m) = 153.850  Fract_interpret / Varcod= partly open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
26d		Adjusted secup (m) = 153.870  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
26e		Adjusted secup (m) = 154.015  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-26. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26f		Adjusted secup (m) = 154.142  Fract_interpret / Varcodes= partly open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
26g		Adjusted secup (m) = 154.179  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	

**Table A5-27. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27a	Bh-length (m) = 154.8  T (m <sup>2</sup> /s) = 1.60E-08  PFL confidence= Certain	Adjusted secup (m) = 154.835  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
27b		Adjusted secup (m) = 154.845  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
27c		Adjusted secup (m) = 154.859  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-28. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28a	Bh-length (m) = 156.9  T (m <sup>2</sup> /s) = 6.20E-07  PFL confidence= Certain	Adjusted secup (m) = 156.755  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
28b		Adjusted secup (m) = 156.865  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
28c		Adjusted secup (m) = 156.935  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-29. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
29a	Bh-length (m) = 157.3  T (m <sup>2</sup> /s) = 9.00E-07  PFL confidence= Uncertain	Adjusted secup (m) = 157.321  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
29b		Adjusted secup (m) = 157.342  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
29c		Adjusted secup (m) = 157.382  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	



**Table A5-30. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30a	Bh-length (m) = 157.9  T (m <sup>2</sup> /s) = 3.10E-06  PFL confidence= Certain	Adjusted secup – seclow = 157.708 – 158.279  Fract_interpret / Varcodes = crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	

**Table A5-31. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31a	Bh-length (m) = 158.3  T (m <sup>2</sup> /s) = 9.00E-07  PFL confidence= Uncertain	Adjusted secup – seclow = 157.708 – 158.279  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	

**Table A5-28. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
32a	Bh-length (m) = 159.8  T (m <sup>2</sup> /s) = 3.40E-09  PFL confidence= Uncertain	Adjusted secup (m) = 159.732  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	<p>The BIPS image displays a vertical cross-section of a borehole. The left side shows depth markers in meters, ranging from 159.959 at the top to 160.249 at the bottom. The right side shows depth markers in feet, ranging from 300.03 at the top to 256.07 at the bottom. A red arrow points to a specific feature in the image, and a red circle highlights a value '312.14' on the right side.</p>

**Table A5-33. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33a	Bh-length (m) = 161.1  T (m <sup>2</sup> /s) = 1.30E-07  PFL confidence= Uncertain	Adjusted secup (m) = 161.049  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
33b		Adjusted secup (m) = 161.110  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
33c		Adjusted secup (m) = 161.113  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
33d		Adjusted secup (m) = 161.210  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
33e		Adjusted secup (m) = 161.220  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-33. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33f		Adjusted secup (m) = 161.231	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	
33g		Adjusted secup (m) = 161.260	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	
33h		Adjusted secup (m) = 161.284	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
33i		Adjusted secup (m) = 161.321	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	

**Table A5-34. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
34a	Bh-length (m) = 161.7  $T (m^2/s) = 3.80E-07$  PFL confidence= Uncertain	Adjusted secup (m) = 161.575  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
34b		Adjusted secup (m) = 161.597  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-35. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
35a	Bh-length (m) = 161.9  T (m <sup>2</sup> /s) = 8.00E-07  PFL confidence= Certain	Adjusted secup (m) = 161.811  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	
35b		Adjusted secup (m) = 161.851  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-36. KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	<p>Bh-length (m) = 163.5</p> <p>T (m<sup>2</sup>/s) = 9.10E-08</p> <p>PFL confidence= Certain</p>	<p>Adjusted secup (m) = 163.551</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p><b>Best choice</b></p>	
36b		<p>Adjusted secup (m) = 163.653</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 2</p>	
36c		<p>Adjusted secup (m) = 163.688</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 2</p>	



**Table A5-37. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
37a	Bh-length (m) = 164.6  T (m <sup>2</sup> /s) = 1.50E-07  PFL confidence= Certain	Adjusted secup (m) = 164.501  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
37b		Adjusted secup (m) = 164.570  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	
37c		Adjusted secup (m) = 164.588  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-38. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
38a	Bh-length (m) = 167.1  T (m <sup>2</sup> /s) = 4.90E-06  PFL confidence= Certain	Adjusted secup (m) = 166.986  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
38b		Adjusted secup (m) = 167.065  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
38c		Adjusted secup (m) = 167.072  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
38d		Adjusted secup (m) = 167.112  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
38e		Adjusted secup (m) = 167.128  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-39. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
39a	Bh-length (m) = 167.7  T (m <sup>2</sup> /s) = 1.30E-07  PFL confidence= Uncertain	Adjusted secup (m) = 167.572  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
39b		Adjusted secup (m) = 167.582  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-40. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
40a	Bh-length (m) = 168.7  T (m <sup>2</sup> /s) = 3.50E-08  PFL confidence= Certain	Adjusted secup (m) = 168.629  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
40b		Adjusted secup (m) = 168.732  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-41. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
41a	Bh-length (m) = 170.0  T (m <sup>2</sup> /s) = 4.60E-08  PFL confidence= Certain	Adjusted secup (m) = 169.954  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
41b		Adjusted secup (m) = 170.121  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-42. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42a	Bh-length (m) = 171.5  T (m <sup>2</sup> /s) = 1.10E-05  PFL confidence= Certain	Adjusted secup (m) = 171.297  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
42b		Adjusted secup (m) = 171.372  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
42c		Adjusted secup (m) = 171.405  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
42d		Adjusted secup (m) = 171.454  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
42e		Adjusted secup (m) = 171.464  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-42. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42f		Adjusted secup (m) = 171.659  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-43. KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
43a	Bh-length (m) = 173.7  T (m <sup>2</sup> /s) = 9.30E-07  PFL confidence= Certain	Adjusted secup (m) = 173.778  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
43b		Adjusted secup (m) = 173.875  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
43c		Adjusted secup (m) = 173.932  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	



**Table A5-44. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
44a	Bh-length (m) = 176.0  T (m <sup>2</sup> /s) = 5.00E-08  PFL confidence= Certain	Adjusted secup (m) = 175.971  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-45. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
45a	Bh-length (m) = 177.3  T (m <sup>2</sup> /s) = 8.60E-09  PFL confidence= Certain	Adjusted secup (m) = 177.277  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
45b		Adjusted secup (m) = 177.310  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
45c		Adjusted secup (m) = 177.400  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
45d		Adjusted secup (m) = 177.430  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-46. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
46a	Bh-length (m) = 178  T (m <sup>2</sup> /s) = 4.80E-08  PFL confidence= Certain	Adjusted secup (m) = 178.045  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1  <b>Best choice</b>	
46b		Adjusted secup (m) = 178.082  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
46c		Adjusted secup (m) = 178.089  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-47. KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
47a	Bh-length (m) = 179.3  T (m <sup>2</sup> /s) = 3.10E-08  PFL confidence= Certain	Adjusted secup (m) = 179.292  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
47b		Adjusted secup (m) = 179.310  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-48 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
48a	Bh-length (m) = 181.1  T (m <sup>2</sup> /s) = 1.70E-08  PFL confidence= Certain	Adjusted secup (m) = 181.075  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
48b		Adjusted secup (m) = 181.083  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-49 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
49a	Bh-length (m) = 183.1  $T (m^2/s) = 8.70E-07$  PFL confidence= Certain	Adjusted secup (m) = 182.939  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
49b		Adjusted secup (m) = 183.081  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-50 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
50a	Bh-length (m) = 185.3  T (m <sup>2</sup> /s) = 2.40E-08  PFL confidence= Uncertain	Adjusted secup (m) = 185.282  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
50b		Adjusted secup (m) = 185.287  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
50c		Adjusted secup (m) = 185.456  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
50d		Adjusted secup (m) = 185.490  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	

**Table A5-51 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
51a	Bh-length (m) = 185.8  T (m <sup>2</sup> /s) = 8.60E-07  PFL confidence= Certain	Adjusted secup (m) = 185.624  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
51b		Adjusted secup (m) = 185.776  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
51c		Adjusted secup (m) = 185.819  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	



**Table A5-52 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
52a	Bh-length (m) = 187.7  T (m <sup>2</sup> /s) = 4.50E-08  PFL confidence= Certain	Adjusted secup (m) = 187.628  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
52b		Adjusted secup (m) = 187.642  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
52c		Adjusted secup (m) = 187.798  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
52d		Adjusted secup (m) = 187.802  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-53 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
53a	Bh-length (m) = 189.0  T (m <sup>2</sup> /s) = 1.30E-08  PFL confidence= Uncertain	Adjusted secup (m) = 188.779  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 3 <b>Best choice</b>	

**Table A5-54 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
54a	Bh-length (m) = 189.7  T (m <sup>2</sup> /s) = 6.20E-08  PFL confidence= Certain	Adjusted secup (m) = 189.531  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
54b		Adjusted secup (m) = 189.535  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
54c		Adjusted secup (m) = 189.620  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
54d		Adjusted secup (m) = 189.720  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-55 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
55a	Bh-length (m) = 190.1  T (m <sup>2</sup> /s) = 1.80E-08  PFL confidence= Certain	Adjusted secup (m) = 190.064  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
55b		Adjusted secup (m) = 190.123  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	


**Table A5-56 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
56a	Bh-length (m) = 192.0  T (m <sup>2</sup> /s) = 9.40E-06  PFL confidence= Certain	Adjusted secup (m) = 191.846  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
56b		Adjusted secup (m) = 191.938  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
56c		Adjusted secup (m) = 191.974  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
56d		Adjusted secup (m) = 191.978  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
56e		Adjusted secup (m) = 192.054  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-57 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
57a	Bh-length (m) = 194.5  T (m <sup>2</sup> /s) = 3.80E-8  PFL confidence= Certain	Adjusted secup – seclow = 194.396 – 194.601  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
57b		Adjusted secup (m) = 194.295  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
57c		Adjusted secup (m) = 194.322  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-58 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
58a	Bh-length (m) = 195.0  T (m <sup>2</sup> /s) = 1.40E-7  PFL confidence= Certain	Adjusted secup (m) = 194.984  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
58b		Adjusted secup (m) = 195.003  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-59 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
59a	Bh-length (m) = 195.5  T (m <sup>2</sup> /s) = 1.50E-8  PFL confidence= Uncertain	Adjusted secup (m) = 195.426  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
59b		Adjusted secup (m) = 195.446  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
59c		Adjusted secup (m) = 195.498  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
59d		Adjusted secup (m) = 195.525  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	



**Table A5-60 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
60a	Bh-length (m) = 195.8  T (m <sup>2</sup> /s) = 1.10E-8  PFL confidence= Uncertain	Adjusted secup (m) = 195.826  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
60b		Adjusted secup (m) = 195.860  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
60c		Adjusted secup (m) = 195.974  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-61 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
61a	Bh-length (m) = 198.5  T (m <sup>2</sup> /s) = 9.70E-6  PFL confidence= Certain	Adjusted secup (m) = 198.354  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
61b		Adjusted secup (m) = 198.440  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
61c		Adjusted secup (m) = 198.499  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
61d		Adjusted secup (m) = 198.512  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
61e		Adjusted secup (m) = 198.525  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-61 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
61f		Adjusted secup (m) = 198.539	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
61g		Adjusted secup (m) = 198.540	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
61h		Adjusted secup (m) = 198.606	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	
61i		Adjusted secup (m) = 198.648	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	

**Table A5-62 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
62a	Bh-length (m) = 199.0  T (m <sup>2</sup> /s) = 1.70E-7  PFL confidence= Certain	Adjusted secup (m) = 198.867  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
62b		Adjusted secup (m) = 199.003  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
62c		Adjusted secup (m) = 199.064  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-63 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
63a	Bh-length (m) = 201.7	Adjusted secup (m) = 201.788	
	T (m <sup>2</sup> /s) = 4.30E-7	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-64 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
64a	Bh-length (m) = 202.2  T (m <sup>2</sup> /s) = 2.70E-08  PFL confidence= Certain	Adjusted secup (m) = 202.004  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
64b		Adjusted secup (m) = 202.091  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-65 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
65a	Bh-length (m) = 204.9  T (m <sup>2</sup> /s) = 1.40E-7  PFL confidence= Certain	Adjusted secup (m) = 204.759  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
65b		Adjusted secup (m) = 204.816  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
65c		Adjusted secup (m) = 204.844  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
65d		Adjusted secup (m) = 204.892  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
65e		Adjusted secup (m) = 204.899  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-65 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
65f		Adjusted secup (m) = 204.954  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
65g		Adjusted secup (m) = 205.023  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	



**Table A5-66 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
66a	Bh-length (m) = 210.0  T (m <sup>2</sup> /s) = 7.60E-7  PFL confidence= Certain	Adjusted secup (m) = 209.893  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
66b		Adjusted secup (m) = 209.896  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
66c		Adjusted secup (m) = 209.922  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
66d		Adjusted secup (m) = 209.979  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
66e		Adjusted secup (m) = 209.996  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-66 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
66f		Adjusted secup (m) = 210.026	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
66g		Adjusted secup (m) = 210.042	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
66h		Adjusted secup (m) = 210.160	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	
66i		Adjusted secup (m) = 210.193	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	

**Table A5-67 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
67a	Bh-length (m) = 210.8  T (m <sup>2</sup> /s) = 1.00E-07  PFL confidence= Uncertain	Adjusted secup (m) = 210.734  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
67b		Adjusted secup (m) = 210.945  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	

**Table A5-68 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
68a	Bh-length (m) = 211.9  T (m <sup>2</sup> /s) = 2.60E-06  PFL confidence= Certain	Adjusted secup (m) = 211.830  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
68b		Adjusted secup (m) = 211.831  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
68c		Adjusted secup (m) = 211.869  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
68d		Adjusted secup (m) = 211.873  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best Choice</b>	
68e		Adjusted secup (m) = 211.876  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-68 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
68f		Adjusted secup (m) = 211.877	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
68g		Adjusted secup (m) = 211.931	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
68h		Adjusted secup (m) = 211.955	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
68i		Adjusted secup (m) = 212.027	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	
68j		Adjusted secup (m) = 212.052	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	

**Table A5-69 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
69a	Bh-length (m) = 212.3  T (m <sup>2</sup> /s) = 4.80E-07  PFL confidence= Certain	Adjusted secup (m) = 212.226  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
69b		Adjusted secup (m) = 212.229  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
69c		Adjusted secup (m) = 212.233  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
69d		Adjusted secup (m) = 212.245  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
69e		Adjusted secup (m) = 212.263  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-70 KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
70a	Bh-length (m) = 212.7  T (m <sup>2</sup> /s) = 4.10E-08  PFL confidence= Certain	Adjusted secup (m) = 212.512  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
70b		Adjusted secup (m) = 212.632  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
70c		Adjusted secup (m) = 212.727  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
70d		Adjusted secup (m) = 212.738  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
70e		Adjusted secup (m) = 212.889  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-71 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
71a	Bh-length (m) = 214.6  T (m <sup>2</sup> /s) = 2.80E-08  PFL confidence= Uncertain	Adjusted secup (m) = 214.628  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
71b		Adjusted secup (m) = 214.676  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	



**Table A5-72 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
72a	Bh-length (m) = 215.2  T (m <sup>2</sup> /s) = 6.74E-07  PFL confidence= Certain	Adjusted secup (m) = 215.071  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
72b		Adjusted secup (m) = 215.082  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
72c		Adjusted secup (m) = 215.105  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
72d		Adjusted secup (m) = 215.195  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
72e		Adjusted secup (m) = 215.215  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-72 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
72f		Adjusted secup (m) = 215.263	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
72g		Adjusted secup (m) = 215.362	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	
72h		Adjusted secup (m) = 215.392	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	

**Table A5-73 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
73a	Bh-length (m) = 215.8  T (m <sup>2</sup> /s) = 4.60E-07  PFL confidence= Certain	Adjusted secup – seclow =215.787 – 215.910  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
73b		Adjusted secup (m) = 215.670  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
73c		Adjusted secup (m) = 215.700  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
73d		Adjusted secup (m) = 215.773  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice fracture</b>	

**Table A5-74 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
74a	Bh-length (m) = 216.9  T (m <sup>2</sup> /s) = 2.10E-07  PFL confidence= Uncertain	Adjusted secup (m) = 216.862  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
74b		Adjusted secup (m) = 216.919  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	


**Table A5-75 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
75a	Bh-length (m) = 217.6  T (m <sup>2</sup> /s) = 4.10E-06  PFL confidence= Certain	Adjusted secup (m) = 217.581  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	
75b		Adjusted secup (m) = 217.631  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
75c		Adjusted secup (m) = 217.648  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
75d		Adjusted secup (m) = 217.670  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
75e		Adjusted secup (m) = 217.719  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	

**Table A5-76 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
76a	Bh-length (m) = 218.7  T (m <sup>2</sup> /s) = 1.20E-06  PFL confidence= Certain	Adjusted secup – seclow =218.293 – 219.149  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	

**Table A5-77 KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
77a	Bh-length (m) = 222.2  T (m <sup>2</sup> /s) = 7.00E-09  PFL confidence= Uncertain	Adjusted secup (m) = 222.056  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	 <p>The BIPS image displays a vertical cross-section of a geological well. The left side shows depth markers in meters, ranging from 221.655 at the top to 222.540 at the bottom. The right side shows depth markers in feet, ranging from 267.19 at the top to 109.81 at the bottom. A red arrow points to a specific feature within the well, and a red circle highlights a value of 346.75 on the right side of the image.</p>

**Table A5-78 KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
78a	Bh-length (m) = 229.5  T (m <sup>2</sup> /s) = 1.90E-06  PFL confidence= Certain	Adjusted secup – seclow =229.255 – 229.606  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	



**Table A5-79 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
79a	Bh-length (m) = 262.9  T (m <sup>2</sup> /s) = 4.80E-08  PFL confidence= Uncertain	No fracture is correlated to this anomaly.	


**Table A5-80 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
80a	Bh-length (m) = 273.9	Adjusted secup (m) = 274.030	
	T (m <sup>2</sup> /s) = 8.10E-09	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Uncertain	Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1 <b>Best choice</b>  Not visible in figure!!	

**Table A5-81 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
81a	Bh-length (m) = 279.2  T (m <sup>2</sup> /s) = 1.50E-07  PFL confidence= Certain	Adjusted secup – seclow =279.051 – 279.135  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
81b		Adjusted secup (m) = 279.188  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	
81c		Adjusted secup (m) = 279.281  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
81d		Adjusted secup (m) = 279.339  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-82 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
82a	Bh-length (m) = 298.2  T (m <sup>2</sup> /s) = 3.90E-07  PFL confidence= Certain	Adjusted secup (m) = 298.009  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
82b		Adjusted secup (m) = 298.091  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
82c		Adjusted secup (m) = 298.124  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
82d		Adjusted secup (m) = 298.172  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
82e		Adjusted secup (m) = 298.261  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-82 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
82f		Adjusted secup (m) = 298.291	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
82g		Adjusted secup (m) = 298.372	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	

**Table A5-83 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
83a	Bh-length (m) = 301.2  T (m <sup>2</sup> /s) = 5.50E-07  PFL confidence= Certain	Adjusted secup – seclow =300.694 – 301.256  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	

**Table A5-84 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
84a	Bh-length (m) = 303.9  T (m <sup>2</sup> /s) = 6.00E-08  PFL confidence= Uncertain	Adjusted secup (m) = 303.853  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1  Adjusted secup (m) = 303.912  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1  <b>Best choice</b>	<p>The BIPS image is a vertical cross-section of a geological formation. It shows a complex pattern of fractures and rock layers. A red arrow points to a specific feature in the middle of the image. A red circle highlights a data point on the right side of the image, labeled '302.81'. The image is overlaid with a grid of horizontal and vertical lines, and numerical values are provided along the left and right edges.</p>

**Table A5-85 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
85a	Bh-length (m) = 361.8  $T (m^2/s) = 1.10E-08$  PFL confidence= Certain	Adjusted secup (m) = 361.701  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	



**Table A5-86 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
86a	Bh-length (m) = 363.3  T (m <sup>2</sup> /s) = 7.40E-09  PFL confidence= Uncertain	Adjusted secup (m) = 363.124  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2 <b>Best choice</b>	<p>The BIPS image displays a vertical borehole log with depth markers on the left ranging from 362.941 to 363.826. A red arrow points to a feature at approximately 363.142. A red circle highlights the number '158 20' in the upper right corner of the image.</p>


**Table A5-86 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
87a	Bh-length (m) = 383.2  T (m <sup>2</sup> /s) = 1.50E-6  PFL confidence= Certain	Adjusted secup (m) = 383.196  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
87b		Adjusted secup (m) = 383.255  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
87c		Adjusted secup (m) = 383.265  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-88 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
88a	Bh-length (m) = 391.2  T (m <sup>2</sup> /s) = 2.40E-08  PFL confidence= Uncertain	Adjusted secup (m) = 391.313  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	<p>The BIPS image displays a vertical cross-section of geological data. The left side shows depth in meters from 390.928 to 391.813. The right side shows various data points including 066.04, 100.76, 317.43, 140.40, 319.42, 098.04, 110.86, 078.87, 276.67, 094.76, 097.78, 084.84, and 068.81. A red arrow points to a feature in the upper-middle section, and a red circle highlights a data point labeled '100.72' on the right side.</p>
88b		Adjusted secup (m) = 391.333  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1  <b>Best choice</b>	

**Table A5-89 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
89a	Bh-length (m) = 398.7  T (m <sup>2</sup> /s) = 1.60E-06  PFL confidence= Certain	Adjusted secup (m) = 398.562  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
89b		Adjusted secup (m) = 398.643  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
89c		Adjusted secup (m) = 398.649  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
89d		Adjusted secup (m) = 398.671  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
89e		Adjusted secup (m) = 398.691  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-89 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
89f		Adjusted secup (m) = 398.815	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
89g		Adjusted secup (m) = 398.854	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
89h		Adjusted secup (m) = 398.865	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	


**Table A5-90 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
90a	Bh-length (m) = 399.2  T (m <sup>2</sup> /s) = 6.67E-06  PFL confidence= Uncertain	Adjusted secup (m) = 399.054  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
90b		Adjusted secup (m) = 399.145  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
90c		Adjusted secup (m) = 399.146  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
90d		Adjusted secup (m) = 399.180  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
90e		Adjusted secup (m) = 399.196  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-90 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
90f		Adjusted secup (m) = 399.199	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
90g		Adjusted secup (m) = 399.266	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
90h		Adjusted secup (m) = 399.282	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
90i		Adjusted secup (m) = 399.295	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
90j		Adjusted secup (m) = 399.302	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	

**Table A5-91 KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
91a	Bh-length (m) = 403.0  T (m <sup>2</sup> /s) = 1.60E-06  PFL confidence= Certain	Adjusted secup (m) = 402.816  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
91b		Adjusted secup (m) = 402.852  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
91c		Adjusted secup (m) = 402.897  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
91d		Adjusted secup (m) = 402.935  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
91e		Adjusted secup (m) = 402.989  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	



**Table A5-91 KLX08. Interpretation of PFL measurements and BOREMAP data**

<b>PFL anom. No</b>	<b>PFL anom data</b>	<b>Boremap data</b>	<b>BIPS Image</b>
91f		Adjusted secup (m) = 403.023  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-92 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
92a	Bh-length (m) = 403.8  T (m <sup>2</sup> /s) = 1.00E-05  PFL confidence= Certain	Adjusted secup (m) = 403.722  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
92b		Adjusted secup (m) = 403.761  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
92c		Adjusted secup (m) = 403.785  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
92d		Adjusted secup (m) = 403.800  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
92e		Adjusted secup (m) = 403.946  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-92 KLX08. Interpretation of PFL measurements and BOREMAP data**

<b>PFL anom.</b>	<b>PFL anom data</b>	<b>Boremap data</b>	<b>BIPS Image</b>
<b>No</b>			
92f		Adjusted secup (m) = 404.000	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	

**Table A5-93 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
93a	Bh-length (m) = 408.1  T (m <sup>2</sup> /s) = 1.20E-05  PFL confidence= Certain	Adjusted secup – seclow =408.029 – 408.379  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
93b		Adjusted secup (m) = 407.943  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
93c		Adjusted secup (m) = 407.975  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice fracture</b>	

**Table A5-94 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
94a	Bh-length (m) = 409.0  T (m <sup>2</sup> /s) = 1.60E-06  PFL confidence= Uncertain	Adjusted secup (m) = 408.901  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
94b		Adjusted secup (m) = 408.983  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
94c		Adjusted secup (m) = 408.999  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
94d		Adjusted secup (m) = 409.123  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
94e		Adjusted secup (m) = 409.174  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-95 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
95a	Bh-length (m) = 410.1  T (m <sup>2</sup> /s) = 1.00E-07  PFL confidence= Certain	Adjusted secup (m) = 409.899  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
95b		Adjusted secup (m) = 409.934  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
95c		Adjusted secup (m) = 410.181  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
95d		Adjusted secup (m) = 410.253  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-96 KLX08. Interpretation of PFL measurements and BOREMAP data**


PFL anom. No	PFL anom data	Boremap data	BIPS Image
96a	Bh-length (m) = 410.6  T (m <sup>2</sup> /s) = 1.40E-08  PFL confidence= Uncertain	Adjusted secup (m) = 410.461  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
96b		Adjusted secup (m) = 410.502  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
96c		Adjusted secup (m) = 410.511  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
96d		Adjusted secup (m) = 410.546  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
96e		Adjusted secup (m) = 410.584  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-96 KLX08. Interpretation of PFL measurements and BOREMAP data**

<b>PFL anom.</b>	<b>PFL anom data</b>	<b>Boremap data</b>	<b>BIPS Image</b>
<b>No</b>			
96f		Adjusted secup (m) = 410.794	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	





**Table A5-97 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
97a	Bh-length (m) = 412.3  T (m <sup>2</sup> /s) = 2.00E-08  PFL confidence= Certain	Adjusted secup (m) = 412.278  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	 <p>The BIPS image is a vertical cross-section of a borehole. The vertical axis on the left shows depth in meters, ranging from 411.820 at the top to 412.700 at the bottom. The vertical axis on the right shows depth in meters, ranging from 099.25 at the top to 218.14 at the bottom. The image shows several distinct geological layers, with a prominent dark, irregularly shaped feature in the center. A red arrow points to this feature. A value of 157.40 is circled in red on the right side of the image, corresponding to a specific depth.</p>

**Table A5-98 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
98a	Bh-length (m) = 412.8  T (m <sup>2</sup> /s) = 5.40E-08  PFL confidence= Certain	Adjusted secup (m) = 412.643  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
98b		Adjusted secup (m) = 412.676  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
98c		Adjusted secup (m) = 412.706  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
98d		Adjusted secup (m) = 412.794  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
98e		Adjusted secup (m) = 412.862  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-99 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
99a	Bh-length (m) = 413.5  T (m <sup>2</sup> /s) = 1.30E-08  PFL confidence= Uncertain	Adjusted secup (m) = 413.486  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	 <p>The BIPS image for well 99a shows a vertical cross-section of the wellbore. The depth scale on the left ranges from 413.064 to 413.940 meters. The depth scale on the right ranges from 092.10 to 232.83 meters. A fracture is visible at a depth of 413.426 meters, which is circled in red. A red arrow points to the fracture location.</p>
99b		Adjusted secup (m) = 413.631  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	 <p>The BIPS image for well 99b shows a vertical cross-section of the wellbore. The depth scale on the left ranges from 413.064 to 413.940 meters. The depth scale on the right ranges from 092.10 to 232.83 meters. A fracture is visible at a depth of 413.506 meters, indicated by a red arrow.</p>

**Table A5-100 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
100a	Bh-length (m) = 415.0  T (m <sup>2</sup> /s) = 1.20E-09  PFL confidence= Uncertain	Adjusted secup (m) = 414.920  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	


**Table A5-101 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
101a	Bh-length (m) = 419.5  T (m <sup>2</sup> /s) = 5.30E-09  PFL confidence= Certain	Adjusted secup (m) = 419.369  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
101b		Adjusted secup (m) = 419.532  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-102 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
102a	Bh-length (m) = 420.0  T (m <sup>2</sup> /s) = 1.30E-08  PFL confidence= Certain	Adjusted secup (m) = 419.826  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	
102b		Adjusted secup (m) = 419.925  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-103 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
103a	Bh-length (m) = 420.6  T (m <sup>2</sup> /s) = 2.50E-08  PFL confidence= Certain	Adjusted secup (m) = 420.425  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1  Adjusted secup (m) = 420.565  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-104 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
104a	Bh-length (m) = 423.3  T (m <sup>2</sup> /s) = 4.10E-09  PFL confidence= Certain	Adjusted secup (m) = 423.182  Fract_interpret / Varcodes= sealed fr. (broken)  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	<p>The BIPS image displays a vertical borehole log with depth markers ranging from 422.941 to 423.924. A red arrow points to a specific depth, and a red circle highlights a value '103.09' on the right side of the log.</p>



**Table A5-105 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
105a	Bh-length (m) = 431.9  T (m <sup>2</sup> /s) = 4.10E-08  PFL confidence= Certain	Adjusted secup (m) = 431.842  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-106 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
106a	Bh-length (m) = 446.8  T (m <sup>2</sup> /s) = 2.60E-07  PFL confidence= Certain	Adjusted secup (m) = 446.704  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
106b		Adjusted secup (m) = 446.729  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
106c		Adjusted secup (m) = 446.732  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
106d		Adjusted secup (m) = 446.751  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-107 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
107a	Bh-length (m) = 452.5  T (m <sup>2</sup> /s) = 2.30E-08  PFL confidence= Certain	Adjusted secup (m) = 452.436  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>  Adjusted secup (m) = 452.478  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

Table A5-108 KLX08. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
108a	Bh-length (m) = 454.0  T (m <sup>2</sup> /s) = 5.80E-09  PFL confidence= Certain	Adjusted secup (m) = 453.961  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
108b		Adjusted secup (m) = 453.989  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
108c		Adjusted secup (m) = 454.013  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
108d		Adjusted secup (m) = 454.070  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
108e		Adjusted secup (m) = 454.129  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	

**Table A5-108 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
108f		Adjusted secup (m) = 454.144	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	


**Table A5-109 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
109a	Bh-length (m) = 459.8  T (m <sup>2</sup> /s) = 2.60E-09  PFL confidence= Certain	Adjusted secup (m) = 459.750  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
109b		Adjusted secup (m) = 459.756  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
109c		Adjusted secup (m) = 459.831  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-110 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
110a	Bh-length (m) = 465.2  $T (m^2/s) = 3.10E-07$  PFL confidence= Certain	Adjusted secup (m) = 465.095  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1  <b>Best choice</b>	
110b		Adjusted secup (m) = 465.140  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
110c		Adjusted secup (m) = 465.383  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-111 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
111a	Bh-length (m) = 470.8  T (m <sup>2</sup> /s) = 7.80E-08  PFL confidence= Certain	Adjusted secup (m) = 470.720  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
111b		Adjusted secup (m) = 470.872  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
111c		Adjusted secup (m) = 470.910  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	



**Table A5-112 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
112a	Bh-length (m) = 478.2  T (m <sup>2</sup> /s) = 1.70E-08  PFL confidence= Uncertain	Adjusted secup (m) = 478.078  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
112b		Adjusted secup (m) = 478.096  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
112c		Adjusted secup (m) = 478.100  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
112d		Adjusted secup (m) = 478.158  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
112e		Adjusted secup (m) = 478.215  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-112 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
112f		Adjusted secup (m) = 478.230  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
112g		Adjusted secup (m) = 478.319  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-113 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
113a	Bh-length (m) = 478.5  T (m <sup>2</sup> /s) = 1.60E-08  PFL confidence= Uncertain	Adjusted secup – seclow =478.441 – 478.591  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	<p>The BIPS image displays a vertical borehole profile with depth markers on the left (478.955 to 479.229) and right (302 31 to 139 65). Red arrows point to features at approximately 478.955, 478.475, 478.516, and 478.636. Red circles highlight wellbore numbers 196 17, 302 31, and 139 65.</p>
113b		Adjusted secup (m) = 478.823  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice fracture</b>	

**Table A5-114 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
114a	Bh-length (m) = 479.2  $T (m^2/s) = 8.80E-07$  PFL confidence= Certain	Adjusted secup (m) = 479.131  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
114b		Adjusted secup (m) = 479.175  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-115 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
115a	Bh-length (m) = 482.8  T (m <sup>2</sup> /s) = 3.30E-08  PFL confidence= Certain	Adjusted secup (m) = 482.709  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	<p>The BIPS image displays a geological cross-section with depth markers on the left (482.331 to 483.215) and right (002.62 to 009.81). A red arrow points to a specific feature in the upper-middle section. Two values, 200.00 and 288.85, are circled in red on the right side of the image.</p>
115b		Adjusted secup (m) = 482.795  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-115 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
116a	Bh-length (m) = 483.8  T (m <sup>2</sup> /s) = 5.20E-08  PFL confidence= Certain	Adjusted secup – seclow =483.675 – 483.756  Fract_interpret / Varcod= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	
116b		Adjusted secup (m) = 483.636  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
116c		Adjusted secup (m) = 483.672  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
116d		Adjusted secup (m) = 483.785  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice fracture</b>	
116e		Adjusted secup (m) = 483.967  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	

**Table A5-115 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
116f		Adjusted secup (m) = 483.986	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	

**Table A5-117 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
117a	Bh-length (m) = 486.3  T (m <sup>2</sup> /s) = 5.10E-09  PFL confidence= Certain	Adjusted secup (m) = 486.324  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	<p>The BIPS image is a vertical cross-section of a geological formation. The vertical axis on the left is labeled with elevation values from 485.985 to 486.985 in increments of 0.020. The horizontal axis at the top is labeled with 'D', 'L', 'U', 'R', 'D'. On the right side, there are labels for '302 24', '360 22', and '351 83'. A red arrow points to a dark, irregularly shaped feature within the formation. A red circle highlights a label '102 85' on the right side of the image.</p>



**Table A5-118 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
118a	Bh-length (m) = 491.4  T (m <sup>2</sup> /s) = 4.70E-09  PFL confidence= Certain	Adjusted secup (m) = 491.453  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
118b		Adjusted secup (m) = 491.595  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-119 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
119a	Bh-length (m) = 600.6  T (m <sup>2</sup> /s) = 4.20E-09  PFL confidence= Certain	Adjusted secup (m) = 600.580  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-120 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
120a	Bh-length (m) = 603.5  $T (m^2/s) = 7.10E-09$  PFL confidence= Certain	Adjusted secup (m) = 603.576  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-121 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
121a	Bh-length (m) = 610.4  T (m <sup>2</sup> /s) = 7.90E-10  PFL confidence= Uncertain	Adjusted secup (m) = 610.263  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>  Adjusted secup (m) = 610.530  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1  Adjusted secup (m) = 610.601  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 2	

**Table A5-122 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
122a	Bh-length (m) = 613.5  T (m <sup>2</sup> /s) = 3.50E-09  PFL confidence= Certain	Adjusted secup (m) = 613.561  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-123 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
123a	Bh-length (m) = 614.5  T (m <sup>2</sup> /s) = 3.70E-07  PFL confidence= Certain	Adjusted secup (m) = 614.452  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
123b		Adjusted secup (m) = 614.519  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
123c		Adjusted secup (m) = 614.601  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
123d		Adjusted secup (m) = 614.668  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-124 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
124a	Bh-length (m) = 638.0  T (m <sup>2</sup> /s) = 1.90E-09  PFL confidence= Certain	Adjusted secup (m) = 637.951  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-125 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
125a	Bh-length (m) = 644.6  T (m <sup>2</sup> /s) = 1.20E-08  PFL confidence= Certain	Adjusted secup (m) = 644.517  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
125b		Adjusted secup (m) = 644.565  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
125c		Adjusted secup (m) = 644.594  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	



**Table A5-126 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
126a	Bh-length (m) = 652.5  T (m <sup>2</sup> /s) = 8.20E-09  PFL confidence= Certain	Adjusted secup – seclow =652.079 – 653.100  Fract_interpret / Varcodes= crush zone  PFL-anom. confidence= 1 <b>Best choice crush</b>	

**Table A5-127 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
127a	Bh-length (m) = 656.1  T (m <sup>2</sup> /s) = 5.10E-09  PFL confidence= Certain	Adjusted secup (m) = 655.911  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	
127b		Adjusted secup (m) = 655.950  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
127c		Adjusted secup (m) = 655.981  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
127d		Adjusted secup (m) = 656.001  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1 <b>Best choice</b>	
127e		Adjusted secup (m) = 656.027  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	

**Table A5-127 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
127f		Adjusted secup (m) = 656.211  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-128 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
128a	Bh-length (m) = 658.5  T (m <sup>2</sup> /s) = 5.60E-09  PFL confidence= Certain	Adjusted secup (m) = 658.324  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
128b		Adjusted secup (m) = 658.356  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
128c		Adjusted secup (m) = 658.359  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
128d		Adjusted secup (m) = 658.371  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
128e		Adjusted secup (m) = 658.483  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-129 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
129a	Bh-length (m) = 660.2  T (m <sup>2</sup> /s) = 8.60E-09  PFL confidence= Certain	Adjusted secup (m) = 660.152  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
129b		Adjusted secup (m) = 660.234  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1 <b>Best choice</b>	
129c		Adjusted secup (m) = 660.286  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
129d		Adjusted secup (m) = 660.340  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2	

**Table A5-130 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
130a	Bh-length (m) = 662.3  T (m <sup>2</sup> /s) = 1.10E-07  PFL confidence= Certain	Adjusted secup (m) = 662.211  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
130b		Adjusted secup (m) = 662.295  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
130c		Adjusted secup (m) = 662.299  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	

**Table A5-131 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
131a	Bh-length (m) = 662.9  T (m <sup>2</sup> /s) = 4.30E-08  PFL confidence= Uncertain	Adjusted secup (m) = 662.880  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
131b		Adjusted secup (m) = 662.924  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
131c		Adjusted secup (m) = 662.945  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
131d		Adjusted secup (m) = 662.965  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
131e		Adjusted secup (m) = 662.968  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	

**Table A5-132 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
132a	Bh-length (m) = 663.3  T (m <sup>2</sup> /s) = 8.60E-08  PFL confidence= Certain	Adjusted secup (m) = 663.241  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1  <b>Best choice</b>	<p>The BIPS image displays a geological cross-section with a central dark vertical band. A red arrow points to a specific feature on the left side. On the right side, a value of 112.92 is circled in red. The image includes a vertical scale on the left with values from 662.923 to 662.800 and a vertical scale on the right with values from 230.05 to 329.22. The top of the image has labels 'D', 'L', 'U', 'R', 'D'.</p>



**Table A5-133 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
133a	Bh-length (m) = 664.8  T (m <sup>2</sup> /s) = 1.30E-07  PFL confidence= Certain	Adjusted secup (m) = 664.820  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-134 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
134a	Bh-length (m) = 670.0  T (m <sup>2</sup> /s) = 7.40E-09  PFL confidence= Certain	Adjusted secup (m) = 669.829  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
134b		Adjusted secup (m) = 669.956  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 1	
134c		Adjusted secup (m) = 669.980  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1	
134d		Adjusted secup (m) = 669.965  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
134e		Adjusted secup (m) = 670.007  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1  <b>Best choice</b>	

**Table A5-135 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
135a	Bh-length (m) = 673.3  T (m <sup>2</sup> /s) = 6.70E-08  PFL confidence= Certain	Adjusted secup (m) = 673.166  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	
135b		Adjusted secup (m) = 673.441  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Probable  PFL-anom. confidence= 2 <b>Best choice</b>	
135c		Adjusted secup (m) = 673.447  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 2	

**Table A5-136 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
136a	Bh-length (m) = 679.9  T (m <sup>2</sup> /s) = 8.70E-08  PFL confidence= Certain	Adjusted secup (m) = 679.889  Fract_interpret / Varcodes= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	

**Table A5-137 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
137a	Bh-length (m) = 769.9  $T \text{ (m}^2\text{/s)} = 3.10\text{E-}09$  PFL confidence= Certain	Adjusted secup (m) = 769.851  Fract_interpret / Varcode= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	<p>The BIPS image displays a vertical borehole profile with depth markers on both the left and right sides. The left side markers range from 769.505 to 770.390. The right side markers range from 271.52 to 343.45. A red arrow points to a depth level of approximately 769.851. A red circle highlights a data point at 261.40 on the right side.</p>

**Table A5-138 KLX08. Interpretation of PFL measurements and BOREMAP data**

PFL anom. No	PFL anom data	Boremap data	BIPS Image
138a	Bh-length (m) = 852.4  T (m <sup>2</sup> /s) = 7.40E-08  PFL confidence= Certain	Adjusted secup (m) = 852.268  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
138b		Adjusted secup (m) = 852.286  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Certain  PFL-anom. confidence= 1 <b>Best choice</b>	
138c		Adjusted secup (m) = 852.354  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	
138d		Adjusted secup (m) = 852.526  Fract_interpret / Varcod= open fr.  Frac.interp. confidence= Possible  PFL-anom. confidence= 1	