





Appendix 1 – KLX17A


In this appendix plots showing Flow log anomalies to core mapped features in KLX17A for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.













































































Table A1-1. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
1a	Bh-length (m) = 74.5 T (m ² /s) = 6.65E-9 PFL confidence = Uncertain	Adjusted secup (m) = 74.240 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	

Table A1-2. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
2a	Bh-length (m) = 77.4	Adjusted secup (m) = 77.360	
	T (m ² /s) = 7.60E-9	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1 Best choice	

Table A1-3. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 85.3	Adjusted secup (m) = 85.264	
	T (m ² /s) = 6.04E-8	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-4. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
4a	Bh-length (m) = 87.7 T (m ² /s) = 6.63E-8 PFL confidence = Certain	Adjusted secup (m) = 87.558 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
4b		Adjusted secup (m) = 87.598 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
4c		Adjusted secup (m) = 87.829 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-5. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5a	Bh-length (m) = 89.0 T (m ² /s) = 6.83E-9 PFL confidence = Certain	Adjusted secup (m) = 88.877 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
5b		Adjusted secup (m) = 88.993 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-6. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
6a	Bh-length (m) = 92.2 T (m ² /s) = 1.94E-8 PFL confidence = Certain	Adjusted secup (m) = 92.051 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
6b		Adjusted secup (m) = 92.324 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-7. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
7a	Bh-length (m) = 100.4 T (m ² /s) = 3.86E-9 PFL confidence = Uncertain	Adjusted secup – seclow = 100.226 – 100.293 Fract_interpret / Varcod= crush zone PFL-anom. confidence = 1 Best choice crush	
7b		Adjusted secup (m) = 100.401 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A1-8. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom. data	Boremap data	BIPS Image
8a	Bh-length (m) = 101.8 T (m ² /s) = 1.70E-7 PFL confidence = Certain	Adjusted secup – seclo = 101.678 – 101.731 Fract_interpret / Varcod = crush zone PFL-anom. confidence = 1 Best choice crush	
8b		Adjusted secup (m) = 101.752 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1	
8c		Adjusted secup (m) = 101.801 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1	
8d		Adjusted secup (m) = 101.882 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Certain PFL-anom. confidence = 1 Best choice fracture	
8e		Adjusted secup (m) = 101.904 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Certain PFL-anom. confidence = 1	

Table A1-8. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
8f		Adjusted secup (m) = 101.930 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-9. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
9a	Bh-length (m) = 102.8 T (m ² /s) = 1.05E-8 PFL confidence= Uncertain	Adjusted secup (m) = 102.848 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
9b		Adjusted secup (m) = 103.062 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
9c		Adjusted secup (m) = 103.078 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A1-10. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
10a	Bh-length (m) = 104.6 T (m ² /s) = 4.32E-8 PFL confidence= Uncertain	Adjusted secup (m) = 104.531 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
10b		Adjusted secup (m) = 104.560 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
10c		Adjusted secup (m) = 104.608 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
10d		Adjusted secup (m) = 104.646 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
10e		Adjusted secup (m) = 104.696 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-10. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
10f		Adjusted secup (m) = 104.716	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	
10g		Adjusted secup (m) = 104.731	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	
10h		Adjusted secup (m) = 104.733	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	
10i		Adjusted secup (m) = 104.754	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	

Table A1-11. KLX17A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
11a	Bh-length (m) = 106.4 T (m ² /s) = 3.43E-8 PFL confidence = Uncertain	Adjusted secup (m) = 106.300 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
11b		Adjusted secup (m) = 106.326 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
11c		Adjusted secup (m) = 106.432 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
11d		Adjusted secup (m) = 106.477 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
11e		Adjusted secup (m) = 106.486 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-11. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
11f		Adjusted secup (m) = 106.576 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
11g		Adjusted secup (m) = 106.600 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A1-12. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12a	<p>Bh-length (m) = 108.8</p> <p>T (m²/s) = 6.13E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 108.551</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 3</p>	
12b		<p>Adjusted secup (m) = 108.584</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 2</p>	
12c		<p>Adjusted secup (m) = 108.631</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 2</p> <p>Best choice</p>	
12d		<p>Adjusted secup (m) = 108.732</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p>	

Table A1-13. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
13a	Bh-length (m) = 110.2 T (m ² /s) = 1.72E-6 PFL confidence = Uncertain	Adjusted secup – seclow = 110.119 – 110.164 Fract_interpret / Varcodes = crush zone PFL-anom. confidence = 1	
13b		Adjusted secup – seclow = 110.223 – 110.303 Fract_interpret / Varcodes = crush zone PFL-anom. confidence = 1 Best choice crush	
13c		Adjusted secup (m) = 110.063 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 2	
13d		Adjusted secup (m) = 110.188 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1	
13e		Adjusted secup (m) = 110.210 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice fracture	

Table A1-14. KLX17A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
14a	Bh-length (m) = 111.3 T (m ² /s) = 1.38E-7 PFL confidence = Certain	Adjusted secup (m) = 111.125 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
14b		Adjusted secup (m) = 111.153 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
14c		Adjusted secup (m) = 111.162 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
14d		Adjusted secup (m) = 111.525 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	

Table A1-15. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15a	Bh-length (m) = 113.1 T (m ² /s) = 7.40E-8 PFL confidence = Certain	Adjusted secup (m) = 113.015 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
15b		Adjusted secup (m) = 113.040 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
15c		Adjusted secup (m) = 113.043 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
15d		Adjusted secup (m) = 113.074 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-16. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
16a	Bh-length (m) = 158.4 T (m ² /s) = 3.28E-8 PFL confidence = Certain	Adjusted secup (m) = 158.320 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
16b		Adjusted secup (m) = 158.372 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
16c		Adjusted secup (m) = 158.443 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-17. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
17a	Bh-length (m) = 184.3 T (m ² /s) = 1.98E-7 PFL confidence = Certain	Adjusted secup (m) = 184.245 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
17b		Adjusted secup (m) = 184.249 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A1-18. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18a	Bh-length (m) = 186.1 T (m ² /s) = 2.26E-7 PFL confidence = Certain	Adjusted secup (m) = 185.990 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	

Table A1-19. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
19a	Bh-length (m) = 190.8 T (m ² /s) = 2.85E-9 PFL confidence= Uncertain	Adjusted secup (m) = 190.729 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-20. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
20a	Bh-length (m) = 191.4	Adjusted secup (m) = 191.298	
	T (m ² /s) = 7.02E-7	Fract_interpret / Varcodes= open fr.	
	PFL confidence = Certain	Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1 Best choice	

Table A1-21. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
21a	Bh-length (m) = 193.1 T (m ² /s) = 6.89E-9 PFL confidence = Certain	Adjusted secup (m) = 192.986 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-22. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
22a	Bh-length (m) = 193.7 T (m ² /s) = 2.66E-9 PFL confidence = Uncertain	Adjusted secup (m) = 193.512 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
22b		Adjusted secup (m) = 193.651 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
22c		Adjusted secup (m) = 193.651 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
22d		Adjusted secup (m) = 193.651 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-23. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23a	Bh-length (m) = 200.3 T (m ² /s) = 9.62E-8 PFL confidence = Certain	Adjusted secup (m) = 200.218 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
23b		Adjusted secup (m) = 200.244 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
23c		Adjusted secup (m) = 200.349 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
23d		Adjusted secup (m) = 200.413 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
23e		Adjusted secup (m) = 200.426 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A1-23. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23f		Adjusted secup (m) = 200.495 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A1-24. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
24a	Bh-length (m) = 207.6 T (m ² /s) = 2.54E-8 PFL confidence = Certain	Adjusted secup (m) = 207.464 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A1-25. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
25a	Bh-length (m) = 215.2 T (m ² /s) = 4.09E-9 PFL confidence = Certain	Adjusted secup (m) = 215.016 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
25b		Adjusted secup (m) = 215.017 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
25c		Adjusted secup (m) = 215.056 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
25d		Adjusted secup (m) = 215.148 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
25e		Adjusted secup (m) = 215.151 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-25. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
25f		Adjusted secup (m) = 215.193 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
25g		Adjusted secup (m) = 215.247 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-26. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	Bh-length (m) = 217.1 T (m ² /s) = 4.00E-9 PFL confidence = Uncertain	Adjusted secup (m) = 217.043 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole profile with depth markers ranging from 216.617 to 217.497 on the left and 105.55 to 191.51 on the right. A red arrow points to a feature in the borehole at approximately 217.017 depth. A red circle highlights the value '317.06' on the right side of the image.</p>

Table A1-27. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27a	Bh-length (m) = 217.7 T (m ² /s) = 5.84E-9 PFL confidence = Certain	Adjusted secup (m) = 217.533 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
27b		Adjusted secup (m) = 217.545 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
27c		Adjusted secup (m) = 217.731 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
27d		Adjusted secup (m) = 217.731 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-28. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28a	Bh-length (m) = 245.9 T (m ² /s) = 3.92E-9 PFL confidence = Uncertain	Adjusted secup (m) = 245.722 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
28b		Adjusted secup (m) = 245.746 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
28c		Adjusted secup (m) = 245.752 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
28d		Adjusted secup (m) = 245.984 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A1-29. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
29a	<p>Bh-length (m) = 290.7</p> <p>$T (m^2/s) = 7.51E-9$</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 290.602</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
29b		<p>Adjusted secup (m) = 290.636</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	
29c		<p>Adjusted secup (m) = 290.652</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	
29d		<p>Adjusted secup (m) = 290.672</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	

Table A1-30. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30a	Bh-length (m) = 315.6 T (m ² /s) = 2.61E-9 PFL confidence = Certain	Adjusted secup (m) = 315.477 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
30b		Adjusted secup (m) = 315.543 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
30c		Adjusted secup (m) = 315.654 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
30d		Adjusted secup (m) = 315.686 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-31. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31a	Bh-length (m) = 323.2 T (m ² /s) = 6.21E-9 PFL confidence = Uncertain	Adjusted secup (m) = 323.253 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A1-32. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
32a	Bh-length (m) = 329.3 T (m ² /s) = 1.10E-8 PFL confidence = Certain	Adjusted secup (m) = 329.200 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole log with depth markers on both the left and right sides. The left side markers range from 329.772 to 329.650. The right side markers range from 342.70 to 042.81. A red arrow points to a specific feature in the log, and a red circle highlights a value '200 17' on the right side.</p>

Table A1-33. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33a	<p>Bh-length (m) = 333.8</p> <p>T (m²/s) = 1.44E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 333.730</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image displays a vertical borehole profile with depth markers ranging from 333.441 to 334.319 on the left and 197.73 to 279.19 on the right. A red arrow points to a depth of approximately 333.730. Two values, 114.89 and 119.89, are circled in red on the right side of the image.</p>
33b		<p>Adjusted secup (m) = 333.743</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	

Table A1-34. KLX17A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
34a	Bh-length (m) = 371.1 T (m ² /s) = 2.09E-8 PFL confidence = Certain	No fracture is found for this anomaly. In the BIPS something is visible but no fracture is mapped.	

Table A1-35. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
35a	<p>Bh-length (m) = 410.2</p> <p>T (m²/s) = 7.49E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 410.167</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
35b		<p>Adjusted secup (m) = 410.341</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	

Table A1-36. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	Bh-length (m) = 414.8 T (m ² /s) = 5.86E-9 PFL confidence = Uncertain	Adjusted secup (m) = 414.827 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole profile. The left side shows depth markers from 414.407 to 415.297. The right side shows depth markers from 000.06 to 274.61. A red arrow points to a dark, irregular feature in the center of the borehole. A red circle highlights the value 002.77 on the right side, corresponding to a depth of approximately 246.51.</p>

Table A1-37. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
37a	Bh-length (m) = 416.0 T (m ² /s) = 1.53E-8 PFL confidence = Certain	Adjusted secup (m) = 415.992 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A1-38. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
38a	Bh-length (m) = 420.9 T (m ² /s) = 6.79E-6 PFL confidence = Certain	Adjusted secup (m) = 420.868 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
38b		Adjusted secup (m) = 420.889 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A1-39. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
39a	Bh-length (m) = 422.6 T (m ² /s) = 6.71E-7 PFL confidence = Certain	Adjusted secup (m) = 422.585 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
39b		Adjusted secup (m) = 422.590 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
39c		Adjusted secup (m) = 422.797 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-40. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
40a	Bh-length (m) = 423.4 T (m ² /s) = 2.78E-7 PFL confidence = Certain	Adjusted secup – seclow =423.295 – 423.370 Fract_interpret / Varcodes= crush zone PFL-anom. confidence = 1 Best choice crush	
40b		Adjusted secup (m) = 423.222 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
40c		Adjusted secup (m) = 423.226 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
40d		Adjusted secup (m) = 423.490 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A1-41. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
41a	Bh-length (m) = 423.4 T (m ² /s) = 2.78E-7 PFL confidence = Certain	Adjusted secup (m) = 424.296 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice Adjusted secup (m) = 424.478 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-42. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42a	Bh-length (m) = 426.0 T (m ² /s) = 1.43E-9 PFL confidence = Uncertain	Adjusted secup (m) = 425.819 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
42b		Adjusted secup (m) = 425.940 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
42c		Adjusted secup (m) = 426.080 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
42d		Adjusted secup (m) = 426.189 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
42e		Adjusted secup (m) = 426.196 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-42. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42f		Adjusted secup (m) = 426.199 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-43. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
43a	Bh-length (m) = 428.9 T (m ² /s) = 3.17E-6 PFL confidence = Certain	Adjusted secup (m) = 428.941 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A1-44. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
44a	Bh-length (m) = 431.6 T (m ² /s) = 4.34E-6 PFL confidence = Certain	Adjusted secup (m) = 431.492 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
44b		Adjusted secup (m) = 431.519 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
44c		Adjusted secup (m) = 431.523 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
44d		Adjusted secup (m) = 431.626 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-45. KLX17A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
45a	Bh-length (m) = 465.5 T (m ² /s) = 1.23E-9 PFL confidence = Uncertain	Adjusted secup (m) = 465.420 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
45b		Adjusted secup (m) = 465.483 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
45c		Adjusted secup (m) = 465.567 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
45d		Adjusted secup (m) = 465.798 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-46. KLX17A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
46a	Bh-length (m) = 668.6 T (m ² /s) = 1.28E-9 PFL confidence = Uncertain	Adjusted secup (m) = 668.620 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	


Table A1-47. KLX17A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
47a	Bh-length (m) = 679.6 T (m ² /s) = 2.40E-9 PFL confidence = Uncertain	Adjusted secup (m) = 679.456 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
47b		Adjusted secup (m) = 679.581 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
47c		Adjusted secup (m) = 679.764 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	


Appendix 2 – KLX18A


In this appendix plots showing Flow log anomalies to core mapped features in KLX18A for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.






























































Table A2-1. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
1a	Bh-length (m) = 102.4 T (m ² /s) = 5.18E-10 PFL confidence = Uncertain	Adjusted secup (m) = 102.206 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
1b		Adjusted secup (m) = 102.377 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
2a	Bh-length (m) = 104.8 T (m ² /s) = 5.98E-7 PFL confidence= Certain	Adjusted secup (m) = 104.769 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
2b		Adjusted secup (m) = 104.915 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-2. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 105.6 T (m ² /s) = 3.35E-8 PFL confidence= Certain	Adjusted secup (m) = 105.555 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
3b		Adjusted secup (m) = 105.556 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
3c		Adjusted secup (m) = 105.712 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
3d		Adjusted secup (m) = 105.748 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-3. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
4a	<p>Bh-length (m) = 106.0</p> <p>T (m²/s) = 4.93E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 105.808</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
4b		<p>Adjusted secup (m) = 105.835</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
4c		<p>Adjusted secup (m) = 105.844</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A2-4. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5a	<p>Bh-length (m) = 106.4</p> <p>T (m²/s) = 8.61E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 106.364</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
5b		<p>Adjusted secup (m) = 106.386</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
6a	<p>Bh-length (m) = 107.7</p> <p>T (m²/s) = 7.96E-8</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 108.017</p> <p>Fract_interpret / Varcod= sealed fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-5. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
7a	Bh-length (m) = 108.1 T (m ² /s) = 1.75E-7 PFL confidence = Uncertain	Adjusted secup (m) = 108.163 Fract_interpret / Varcodes= sealed fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-6. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
8a	Bh-length (m) = 108.8 T (m ² /s) = 6.24E-8 PFL confidence = Certain	Adjusted secup (m) = 108.792 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
8b		Adjusted secup (m) = 108.858 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
8c		Adjusted secup (m) = 108.861 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
8d		Adjusted secup (m) = 108.870 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-7. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
9a	Bh-length (m) = 110.0 T (m ² /s) = 1.05E-8 PFL confidence= Uncertain	Adjusted secup (m) = 109.840 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
9b		Adjusted secup (m) = 109.872 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
10a	Bh-length (m) = 111.1 T (m ² /s) = 1.10E-8 PFL confidence= Certain	Adjusted secup (m) = 110.929 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
10b		Adjusted secup (m) = 111.086 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-8. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
11a	Bh-length (m) = 111.5 T (m ² /s) = 1.38E-9 PFL confidence = Uncertain	Adjusted secup (m) = 111.086 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
11b		Adjusted secup (m) = 111.418 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
12a	Bh-length (m) = 113.8 T (m ² /s) = 5.36E-7 PFL confidence = Certain	Adjusted secup (m) = 113.870 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-9. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom. data	Boremap data	BIPS Image
13a	<p>Bh-length (m) = 115.4</p> <p>T (m²/s) = 1.11E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 115.396</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
14a	<p>Bh-length (m) = 116.8</p> <p>T (m²/s) = 8.95E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 116.717</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
14b		<p>Adjusted secup (m) = 116.890</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A2-10. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15a	<p>Bh-length (m) = 119.5</p> <p>T (m²/s) = 1.71E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 119.682</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
16a	<p>Bh-length (m) = 121.0</p> <p>T (m²/s) = 2.20E-6</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 120.987</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-11. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
17a	Bh-length (m) = 122.6 T (m ² /s) = 5.12E-8 PFL confidence = Uncertain	Adjusted secup (m) = 122.701 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-12. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18a	Bh-length (m) = 123.9 T (m ² /s) = 2.26E-7 PFL confidence = Certain	Adjusted secup (m) = 123.818 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
18b		Adjusted secup (m) = 123.835 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
18c		Adjusted secup (m) = 123.969 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
18d		Adjusted secup (m) = 124.079 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-13. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
19a	Bh-length (m) = 125.1 T (m ² /s) = 3.05E-7 PFL confidence= Certain	Adjusted secup (m) = 125.245 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	<p>The BIPS image is a vertical cross-section of a geological well. The vertical axis on the left is labeled with depth values in meters, ranging from 124.750 at the top to 125.677 at the bottom. The horizontal axis at the top is labeled with 'D', 'L', 'U', 'R', and 'D'. On the right side, there are several orientation labels: 'N50E45E', 'N69W30SW', 'N60W35N' (circled in red), 'N24E40W', and 'N10W21E'. A prominent dark, curved feature is visible in the center, with a red arrow pointing to its upper part. The background is a textured, brownish-green color representing the well's interior.</p>

Table A2-14 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
20a	<p>Bh-length (m) = 126.7</p> <p>T (m²/s) = 5.02E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 126.623</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
20b		<p>Adjusted secup (m) = 126.752</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
20c		<p>Adjusted secup (m) = 126.809</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A2-15 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
21a	Bh-length (m) = 129.8 T (m ² /s) = 8.37E-8 PFL confidence = Certain	Adjusted secup (m) = 129.809 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
21b		Adjusted secup (m) = 129.973 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
22a	Bh-length (m) = 130.7 T (m ² /s) = 2.63E-9 PFL confidence = Certain	Adjusted secup (m) = 130.696 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
22b		Adjusted secup (m) = 130.737 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-16 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23a	Bh-length (m) = 133.1 T (m ² /s) = 8.17E-8 PFL confidence = Certain	Adjusted secup (m) = 132.977 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
23b		Adjusted secup (m) = 132.999 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
23c		Adjusted secup (m) = 133.021 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
23d		Adjusted secup (m) = 133.040 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-17 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
24a	Bh-length (m) = 136.1 T (m ² /s) = 6.40E-9 PFL confidence = Certain	Adjusted secup (m) = 135.562 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-18 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
25a	Bh-length (m) = 140.1 T (m ² /s) = 4.21E-9 PFL confidence = Certain	Adjusted secup (m) = 139.901 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
25b		Adjusted secup (m) = 140.070 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
25c		Adjusted secup (m) = 140.134 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
25d		Adjusted secup (m) = 140.284 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-19 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	Bh-length (m) = 142.2 T (m ² /s) = 2.21E-9 PFL confidence = Certain	Adjusted secup (m) = 141.819 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 4 Best choice	

Table A2-20 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27a	Bh-length (m) = 144.6 T (m ² /s) = 6.13E-10 PFL confidence = Uncertain	Adjusted secup (m) = 144.569 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1 Best choice	
27b		Adjusted secup (m) = 144.758 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 2	
27c		Adjusted secup (m) = 144.800 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 2	

Table A2-21 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28a	Bh-length (m) = 146.3 T (m ² /s) = 3.81E-9 PFL confidence = Certain	Adjusted secup (m) = 146.305 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
29a	Bh-length (m) = 147.7 T (m ² /s) = 1.12E-9 PFL confidence = Certain	Adjusted secup (m) = 147.953 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 3 Best choice	

Table A2-22 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30a	Bh-length (m) = 148.4 T (m ² /s) = 2.59E-8 PFL confidence = Certain	Adjusted secup (m) = 148.216 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
30b		Adjusted secup (m) = 148.504 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
31a	Bh-length (m) = 148.6 T (m ² /s) = 4.34E-7 PFL confidence = Certain	Adjusted secup (m) = 148.690 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
31b		Adjusted secup (m) = 148.777 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-23 KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
32a	Bh-length (m) = 149.8 T (m ² /s) = 2.61E-9 PFL confidence = Certain	Adjusted secup (m) = 149.660 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
32b		Adjusted secup (m) = 149.771 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
33a	Bh-length (m) = 156.9 T (m ² /s) = 4.64E-10 PFL confidence = Uncertain	Adjusted secup (m) = 156.883 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-24. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
34a	Bh-length (m) = 164.9 T (m ² /s) = 1.53E-9 PFL confidence = Certain	No fracture is found for this anomaly	
35a	Bh-length (m) = 165.2 T (m ² /s) = 1.47E-9 PFL confidence = Certain	Adjusted secup (m) = 165.118 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-25. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	<p>Bh-length (m) = 166.0</p> <p>T (m²/s) = 7.93E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 165.905</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
36b		<p>Adjusted secup (m) = 166.111</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
37a	<p>Bh-length (m) = 168.5</p> <p>T (m²/s) = 1.02E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 168.562</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
37b		<p>Adjusted secup (m) = 168.705</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A2-26. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
38a	Bh-length (m) = 184.025 T (m ² /s) = 4.55E-10 PFL confidence = Uncertain	Adjusted secup (m) = 184.025 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-27. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
39a	Bh-length (m) = 201.1 T (m ² /s) = 2.01E-9 PFL confidence = Certain	Adjusted secup (m) = 201.014 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
39b		Adjusted secup (m) = 201.043 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
39c		Adjusted secup (m) = 201.083 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
39d		Adjusted secup (m) = 201.254 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-28. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
40a	Bh-length (m) = 211.3 T (m ² /s) = 3.14E-10 PFL confidence = Uncertain	Adjusted secup (m) = 211.292 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
41a	Bh-length (m) = 218.4 T (m ² /s) = 2.35E-9 PFL confidence = Certain	Adjusted secup (m) = 218.407 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-29. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42a	Bh-length (m) = 221.5 T (m ² /s) = 6.03E-10 PFL confidence = Uncertain	Adjusted secup (m) = 221.529 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-30. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
43a	Bh-length (m) = 247.0 T (m ² /s) = 4.74E-8 PFL confidence = Certain	Adjusted secup (m) = 246.911 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
43b		Adjusted secup (m) = 246.968 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
43c		Adjusted secup (m) = 246.983 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
43d		Adjusted secup (m) = 247.020 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-31. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom. data	Boremap data	BIPS Image
44a	Bh-length (m) = 268.0 T (m ² /s) = 1.47E-9 PFL confidence = Certain	Adjusted secup (m) = 267.974 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
44b		Adjusted secup (m) = 268.039 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
45a	Bh-length (m) = 269.9 T (m ² /s) = 8.61E-10 PFL confidence = Uncertain	Adjusted secup (m) = 269.766 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
45b		Adjusted secup (m) = 269.894 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-32. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
46a	Bh-length (m) = 291.6 T (m ² /s) = 9.89E-10 PFL confidence = Certain	Adjusted secup (m) = 291.417 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
46b		Adjusted secup (m) = 291.535 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
46c		Adjusted secup (m) = 291.681 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	


Table A2-33. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
47a	Bh-length (m) = 303.1 T (m ² /s) = 9.30E-10 PFL confidence = Certain	Adjusted secup (m) = 302.913 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
48a	Bh-length (m) = 309.5 T (m ² /s) = 1.75E-9 PFL confidence = Certain	Adjusted secup (m) = 309.503 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
48b		Adjusted secup (m) = 309.745 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-34. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
49a	Bh-length (m) = 319.2	Adjusted secup (m) = 319.167	
	T (m ² /s) = 2.88E-8	Fract_interpret / Varcodes= open fr.	
	PFL confidence = Certain	Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-35. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
50a	Bh-length (m) = 331.7 T (m ² /s) = 1.56E-7 PFL confidence = Certain	Adjusted secup (m) = 331.646 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
50b		Adjusted secup (m) = 331.722 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
50c		Adjusted secup (m) = 331.770 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
50d		Adjusted secup (m) = 331.774 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
50e		Adjusted secup (m) = 331.794 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

50f

Adjusted secup (m) =
331.894

Fract_interpret / Varcod=

open fr.

Frac.interp. confidence=
Possible

PFL-anom. confidence=
1

Table A2-36. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
51a	<p>Bh-length (m) = 332.6</p> <p>T (m²/s) = 3.01E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 332.578</p> <p>Fract_interpret / Varcodes = open fr.</p> <p>Frac.interp. confidence = Possible</p> <p>PFL-anom. confidence = 1</p> <p>Best choice</p>	
51b		<p>Adjusted secup (m) = 332.680</p> <p>Fract_interpret / Varcodes = open fr.</p> <p>Frac.interp. confidence = Possible</p> <p>PFL-anom. confidence = 1</p>	
51c		<p>Adjusted secup (m) = 332.713</p> <p>Fract_interpret / Varcodes = open fr.</p> <p>Frac.interp. confidence = Possible</p> <p>PFL-anom. confidence = 1</p>	

Table A2-37. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
52a	Bh-length (m) = 335.2 T (m ² /s) = 3.70E-9 PFL confidence = Uncertain	Adjusted secup (m) = 335.081 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
52b		Adjusted secup (m) = 335.327 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
52c		Adjusted secup (m) = 335.340 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
52d		Adjusted secup (m) = 335.423 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-38. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
53a	<p>Bh-length (m) = 335.9</p> <p>T (m²/s) = 3.70E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 335.848</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for well 53a shows a fracture pattern with a red arrow pointing to a specific fracture. The well name N44E26NW is circled in red. The image includes a coordinate grid with letters D, L, U, R, D at the top and numerical values on the left and right sides.</p>
54a	<p>Bh-length (m) = 337.9</p> <p>T (m²/s) = 2.70E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 337.839</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for well 54a shows a fracture pattern with a red arrow pointing to a specific fracture. The well name N57E50NW is circled in red. The image includes a coordinate grid with letters D, L, U, R, D at the top and numerical values on the left and right sides.</p>

Table A2-39. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
55a	Bh-length (m) = 339.5 T (m ² /s) = 3.51E-8 PFL confidence = Certain	Adjusted secup (m) = 339.423 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
55b		Adjusted secup (m) = 339.462 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
55c		Adjusted secup (m) = 339.468 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
55d		Adjusted secup (m) = 339.534 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
55e		Adjusted secup (m) = 339.589 Fract_interpret / Varcod= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

55f

Adjusted secup (m) =
339.601

Fract_interpret / Varcod=

open fr.

Frac.interp. confidence=
Possible

PFL-anom. confidence=
1

Table A2-40. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
56a	Bh-length (m) = 344.0 T (m ² /s) = 1.86E-8 PFL confidence = Certain	Adjusted secup (m) = 344.052 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-41. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
57a	Bh-length (m) = 345.0 T (m ² /s) = 1.16E-8 PFL confidence = Certain	Adjusted secup (m) = 344.817 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
57b		Adjusted secup (m) = 344.863 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
57c		Adjusted secup (m) = 344.954 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
57d		Adjusted secup (m) = 344.973 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
57e		Adjusted secup (m) = 344.995 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

57f	Adjusted secup (m) = 345.018 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1
57g	Adjusted secup (m) = 345.031 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1
57h	Adjusted secup (m) = 345.082 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1

Table A2-42. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
58a	Bh-length (m) = 347.1 T (m ² /s) = 1.54E-8 PFL confidence = Certain	Adjusted secup (m) = 347.114 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
59a	Bh-length (m) = 347.5 T (m ² /s) = 7.38E-9 PFL confidence = Uncertain	Adjusted secup (m) = 347.646 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	

Table A2-43. KLX18A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
60a	Bh-length (m) = 348.2 T (m ² /s) = 2.60E-7 PFL confidence = Certain	Adjusted secup (m) = 348.162 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
60b		Adjusted secup (m) = 348.255 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
60c		Adjusted secup (m) = 348.368 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-44. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
61a	Bh-length (m) = 348.7 T (m ² /s) = 1.96E-7 PFL confidence = Certain	Adjusted secup (m) = 348.511 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
61b		Adjusted secup (m) = 348.565 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-45. KLX18A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
62a	Bh-length (m) = 350.0 T (m ² /s) = 5.25E-9 PFL confidence = Uncertain	Adjusted secup (m) = 349.811 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
62b		Adjusted secup (m) = 349.927 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
62c		Adjusted secup (m) = 350.061 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-46. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
63a	<p>Bh-length (m) = 350.3</p> <p>T (m²/s) = 6.87E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 350.303</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
64a	<p>Bh-length (m) = 352.3</p> <p>T (m²/s) = 3.00E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 352.330</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-47. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
65a	Bh-length (m) = 353.8 T (m ² /s) = 6.13E-10 PFL confidence = Uncertain	Adjusted secup (m) = 353.678 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
65b		Adjusted secup (m) = 353.711 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
65c		Adjusted secup (m) = 353.794 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-48. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
66a	Bh-length (m) = 359.7	Adjusted secup (m) = 359.608	
	T (m ² /s) = 2.16E-7	Fract_interpret / Varcod= open fr.	
	PFL confidence = Certain	Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
66b		Adjusted secup (m) = 359.710	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
		Best choice	

Table A2-49. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
67a	Bh-length (m) = 361.0 T (m ² /s) = 1.35E-8 PFL confidence = Certain	Adjusted secup (m) = 360.816 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
67b		Adjusted secup (m) = 360.866 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
67c		Adjusted secup (m) = 360.927 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
67d		Adjusted secup (m) = 361.005 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-50. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
68a	Bh-length (m) = 367.5 T (m ² /s) = 1.32E-7 PFL confidence = Certain	Adjusted secup (m) = 367.339 Fract_interpret / Varcod= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
68b		Adjusted secup (m) = 367.370 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
69a	Bh-length (m) = 369.0 T (m ² /s) = 4.99E-8 PFL confidence = Certain	Adjusted secup (m) = 369.036 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
69b		Adjusted secup (m) = 369.265 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-51. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
70a	Bh-length (m) = 370.4 T (m ² /s) = 3.09E-8 PFL confidence = Certain	Adjusted secup (m) = 370.225 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
70b		Adjusted secup (m) = 370.231 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
70c		Adjusted secup (m) = 370.583 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
70d		Adjusted secup (m) = 370.763 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-52. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
71a	Bh-length (m) = 375.2 T (m ² /s) = 1.11E-8 PFL confidence = Uncertain	Adjusted secup (m) = 375.069 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
71b		Adjusted secup (m) = 375.293 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
71c		Adjusted secup (m) = 375.430 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-53. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
72a	Bh-length (m) = 375.8 T (m ² /s) = 3.12E-8 PFL confidence = Certain	Adjusted secup (m) = 375.706 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
72b		Adjusted secup (m) = 375.902 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
72c		Adjusted secup (m) = 376.038 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
72d		Adjusted secup (m) = 376.054 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	


Table A2-54. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
73a	Bh-length (m) = 377.8 T (m ² /s) = 2.95E-8 PFL confidence = Uncertain	Adjusted secup (m) = 377.274 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
73b		Adjusted secup (m) = 377.690 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
73c		Adjusted secup (m) = 377.809 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-55. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
74a	Bh-length (m) = 378.3 T (m ² /s) = 3.47E-9 PFL confidence = Uncertain	Adjusted secup (m) = 377.850 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-56. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
75a	Bh-length (m) = 378.8 T (m ² /s) = 7.88E-9 PFL confidence = Certain	Adjusted secup (m) = 378.592 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
75b		Adjusted secup (m) = 378.615 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
75c		Adjusted secup (m) = 378.625 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
75d		Adjusted secup (m) = 378.635 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
75e		Adjusted secup (m) = 378.688 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

75f	Adjusted secup (m) = 378.754 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice
75g	Adjusted secup (m) = 378.890 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1
75h	Adjusted secup (m) = 378.902 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
75i	Adjusted secup (m) = 378.910 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1

Table A2-57. KLX18A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
76a	Bh-length (m) = 379.2 T (m ² /s) = 2.90E-9 PFL confidence = Certain	Adjusted secup (m) = 379.144 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
76b		Adjusted secup (m) = 379.183 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
76c		Adjusted secup (m) = 379.254 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-58. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
77a	Bh-length (m) = 382.1 T (m ² /s) = 3.58E-9 PFL confidence = Certain	Adjusted secup (m) = 382.088 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
77b		Adjusted secup (m) = 382.117 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
78a	Bh-length (m) = 382.7 T (m ² /s) = 1.34E-8 PFL confidence = Certain	Adjusted secup (m) = 382.470 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-59. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
79a	Bh-length (m) = 388.1 T (m ² /s) = 4.29E-8 PFL confidence = Certain	Adjusted secup (m) = 388.066 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
79b		Adjusted secup (m) = 388.194 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-60. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
80a	<p>Bh-length (m) = 389.5</p> <p>T (m²/s) = 1.62E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 389.292</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 2</p>	
80b		<p>Adjusted secup (m) = 389.307</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 2</p>	
80c		<p>Adjusted secup (m) = 389.471</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
80d		<p>Adjusted secup (m) = 389.486</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
80e		<p>Adjusted secup (m) = 389.535</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

80f	Adjusted secup (m) = 389.684
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Probable
	PFL-anom. confidence= 1
80g	Adjusted secup (m) = 389.720
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Probable
	PFL-anom. confidence= 1

Table A2-61. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
81a	<p>Bh-length (m) = 388.1</p> <p>T (m²/s) = 4.29E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 388.066</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
82a	<p>Bh-length (m) = 397.0</p> <p>T (m²/s) = 1.36E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 397.015</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-62. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
83a	Bh-length (m) = 398.4 T (m ² /s) = 2.00E-9 PFL confidence = Uncertain	Adjusted secup (m) = 398.384 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
83b		Adjusted secup (m) = 398.502 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-63. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
84a	Bh-length (m) = 401.0 T (m ² /s) = 4.03E-9 PFL confidence = Uncertain	Adjusted secup (m) = 400.882 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
84b		Adjusted secup (m) = 401.060 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
84c		Adjusted secup (m) = 401.166 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-65. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
87a	Bh-length (m) = 403.8 T (m ² /s) = 2.22E-8 PFL confidence = Certain	Adjusted secup (m) = 403.730 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
87b		Adjusted secup (m) = 403.801 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
87c		Adjusted secup (m) = 403.930 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-66. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
88a	<p>Bh-length (m) = 406.6</p> <p>T (m²/s) = 3.37E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 406.643</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
89a	<p>Bh-length (m) = 407.2</p> <p>T (m²/s) = 1.14E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 407.211</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-67. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
90a	Bh-length (m) = 413.2 T (m ² /s) = 1.58E-9 PFL confidence = Certain	Adjusted secup (m) = 413.229 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-68. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
91a	Bh-length (m) = 413.9 T (m ² /s) = 1.64E-8 PFL confidence = Certain	Adjusted secup (m) = 413.840 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
91b		Adjusted secup (m) = 413.929 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
91c		Adjusted secup (m) = 414.018 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-69. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
92a	<p>Bh-length (m) = 414.8</p> <p>T (m²/s) = 5.75E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 414.700</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
92b		<p>Adjusted secup (m) = 414.762</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
93a	<p>Bh-length (m) = 415.9</p> <p>T (m²/s) = 1.64E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 415.892</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-70. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
94a	<p>Bh-length (m) = 416.3</p> <p>T (m²/s) = 5.09E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 416.278</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
94b		<p>Adjusted secup (m) = 416.303</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	
94c		<p>Adjusted secup (m) = 416.324</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	

Table A2-71. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
95a	Bh-length (m) = 418.0 T (m ² /s) = 2.92E-9 PFL confidence = Certain	Adjusted secup (m) = 417.985 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
95b		Adjusted secup (m) = 417.276 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-72. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
96a	Bh-length (m) = 418.6 T (m ² /s) = 1.40E-8 PFL confidence = Certain	Adjusted secup (m) = 418.395 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
96b		Adjusted secup (m) = 418.457 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
96c		Adjusted secup (m) = 418.653 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-73. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
97a	Bh-length (m) = 419.3 T (m ² /s) = 4.15E-7 PFL confidence = Certain	Adjusted secup (m) = 419.164 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
97b		Adjusted secup (m) = 419.222 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-74. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
98a	Bh-length (m) = 421.0 T (m ² /s) = 1.06E-7 PFL confidence = Certain	Adjusted secup (m) = 420.833 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
98b		Adjusted secup (m) = 421.006 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
98c		Adjusted secup (m) = 421.116 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-75. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
99a	Bh-length (m) = 423.8 T (m ² /s) = 5.56E-7 PFL confidence = Certain	Adjusted secup (m) = 423.757 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
99b		Adjusted secup (m) = 423.789 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
99c		Adjusted secup (m) = 423.838 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
99d		Adjusted secup (m) = 423.907 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-76. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
100a	Bh-length (m) = 424.6 T (m ² /s) = 6.57E-8 PFL confidence = Uncertain	Adjusted secup (m) = 424.677 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
100b		Adjusted secup (m) = 424.696 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
100c		Adjusted secup (m) = 424.768 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-77. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
101a	Bh-length (m) = 425.3 T (m ² /s) = 6.76E-7 PFL confidence = Certain	Adjusted secup (m) = 425.211 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	<p>The BIPS image shows a geological cross-section with a vertical scale on the left ranging from 424.813 to 425.697. On the right, geological units are listed: N34W52SW, N34W32SW, N58W30SW, N14W75E, N57SE, N30E44NW, N266E, N29W50W (circled in red), N4E10E, N30W35SW (circled in red), N4E10E, N27W50W, and N43W67NE. A red arrow points to a dark, irregular feature within the N29W50W unit.</p>
101b		Adjusted secup (m) = 425.253 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
101c		Adjusted secup (m) = 425.389 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-78. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
102a	Bh-length (m) = 426.5 T (m ² /s) = 6.83E-9 PFL confidence = Certain	Adjusted secup (m) = 426.317 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
102b		Adjusted secup (m) = 426.350 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-79. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
103a	Bh-length (m) = 428.9 T (m ² /s) = 2.69E-9 PFL confidence = Certain	Adjusted secup (m) = 428.678 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
103b		Adjusted secup (m) = 428.849 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
103c		Adjusted secup (m) = 429.000 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
103d		Adjusted secup (m) = 429.056 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-80. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
104a	Bh-length (m) = 429.5 T (m ² /s) = 9.94E-10 PFL confidence = Certain	Adjusted secup (m) = 429.355 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
105a	Bh-length (m) = 429.9 T (m ² /s) = 9.94E-10 PFL confidence = Certain	Adjusted secup (m) = 429.909 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-81. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
106a	Bh-length (m) = 431.7 T (m ² /s) = 2.47E-8 PFL confidence = Certain	Adjusted secup (m) = 431.615 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole profile with depth markers on the left ranging from 431.280 to 432.164. On the right, well identifiers are listed: N21E08E, N49W42SW, N27W58E (circled in red), N42S81SE, N50W68NE, N43W56SW, N16E62E, N82W30S, and N48E8NW. A red arrow points to a feature within the borehole between depths 431.641 and 431.682.</p>
106b		Adjusted secup (m) = 431.819 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-82. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
107a	Bh-length (m) = 432.5 T (m ² /s) = 1.12E-6 PFL confidence = Certain	Adjusted secup – seclow =432.514 – 432.587 Fract_interpret / Varcod= crush zone PFL-anom. confidence = 1 Best choice crush	<p>The BIPS image is a vertical cross-section of geological data. The vertical axis on the left shows depth in meters, ranging from 432.154 at the top to 433.047 at the bottom. The horizontal axis at the top is labeled with 'D', 'L', 'U', 'R', 'D'. On the right side, several well names are listed: N46E0NW, N67W30E, N71W31S, N68E30N, N73W34S, N71W34S, N82W35S, N74E0N, N68E32NW, and N88E73S. Three red arrows point to specific features in the image: one points to a dark, wavy line near 432.440m depth, another points to a similar feature near 432.485m depth, and a third points to a feature near 432.565m depth. Three well names are circled in red: N67W30E, N68E30N, and N82W35S.</p>
107b		Adjusted secup (m) = 432.437 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice fracture	
107c		Adjusted secup (m) = 432.585 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
107d		Adjusted secup (m) = 432.652 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-83. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
108a	Bh-length (m) = 433.8 T (m ² /s) = 6.75E-10 PFL confidence = Uncertain	Adjusted secup (m) = 433.638 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
108b		Adjusted secup (m) = 433.830 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
109a	Bh-length (m) = 434.5 T (m ² /s) = 1.47E-08 PFL confidence = Certain	Adjusted secup (m) = 434.455 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
109b		Adjusted secup (m) = 434.500 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-84. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
110a	Bh-length (m) = 449.9 T (m ² /s) = 4.43E-10 PFL confidence = Uncertain	Adjusted secup (m) = 449.814 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
110b		Adjusted secup (m) = 449.904 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
110c		Adjusted secup (m) = 450.022 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-85. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
111a	Bh-length (m) = 455.0 T (m ² /s) = 2.20E-08 PFL confidence = Certain	Adjusted secup (m) = 455.054 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
111b		Adjusted secup (m) = 455.146 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
112a	Bh-length (m) = 455.6 T (m ² /s) = 2.20E-08 PFL confidence = Certain	Adjusted secup (m) = 455.508 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
112b		Adjusted secup (m) = 455.526 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-86. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
113a	<p>Bh-length (m) = 455.9</p> <p>T (m²/s) = 5.11E-09</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 455.850</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for well 113a shows a complex fracture network in a brownish-tan color scale. A red arrow points to a specific fracture. A red circle highlights the well location N73W14E on the right side of the image. The image is bounded by coordinates 455.413 to 456.296 on the vertical axis and D, L, U, R, D on the horizontal axis.</p>
114a	<p>Bh-length (m) = 460.7</p> <p>T (m²/s) = 4.46E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 460.713</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for well 114a shows a complex fracture network in a brownish-tan color scale. A red arrow points to a specific fracture. A red circle highlights the well location N64W63E on the right side of the image. The image is bounded by coordinates 460.347 to 461.230 on the vertical axis and D, L, U, R, D on the horizontal axis.</p>

Table A2-87. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
115a	Bh-length (m) = 468.1 T (m ² /s) = 7.14E-10 PFL confidence = Uncertain	Adjusted secup (m) = 468.079 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
116a	Bh-length (m) = 473.7 T (m ² /s) = 4.74E-9 PFL confidence = Certain	Adjusted secup (m) = 473.759 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-88. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
117a	Bh-length (m) = 474.2 T (m ² /s) = 1.53E-08 PFL confidence = Certain	Adjusted secup (m) = 474.231 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
117b		Adjusted secup (m) = 474.267 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
118a	Bh-length (m) = 474.2 T (m ² /s) = 1.53E-08 PFL confidence = Certain	Adjusted secup (m) = 474.231 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
118b		Adjusted secup (m) = 474.267 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-89. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
119a	Bh-length (m) = 475.9 T (m ² /s) = 1.85E-08 PFL confidence = Certain	Adjusted secup (m) = 475.923 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	<p>The BIPS image is a vertical cross-section showing geological data. It features a vertical scale on the left with values ranging from 475.632 to 476.510. A red arrow points to a specific feature within the data. On the right side, there are several coordinate labels: N74E37S, N25W56W, N1E42W, N20W47W, N64E51N, N17W45W, N28W51W, and N98E39W. Two specific coordinates, N72W73S and N75W78S, are circled in red.</p>
119b		Adjusted secup (m) = 476.056 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-90. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
120a	Bh-length (m) = 478.4 T (m ² /s) = 1.07E-9 PFL confidence = Certain	Adjusted secup (m) = 478.315 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
120b		Adjusted secup (m) = 478.456 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
120c		Adjusted secup (m) = 478.535 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-91. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
121a	<p>Bh-length (m) = 479.1</p> <p>T (m²/s) = 3.53E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 479.030</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
122a	<p>Bh-length (m) = 480.1</p> <p>T (m²/s) = 3.55E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 480.066</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
122b		<p>Adjusted secup (m) = 480.115</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A2-92. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
123a	<p>Bh-length (m) = 485.9</p> <p>T (m²/s) = 5.00E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup – seclow = 485.771 – 485.993</p> <p>Fract_interpret / Varcodes = crush zone</p> <p>PFL-anom. confidence = 1</p> <p>Best choice crush</p>	
123b		<p>Adjusted secup (m) = 486.085</p> <p>Fract_interpret / Varcodes = open fr.</p> <p>Frac.interp. confidence = Possible</p> <p>PFL-anom. confidence = 2</p>	
123c		<p>Adjusted secup (m) = 486.090</p> <p>Fract_interpret / Varcodes = open fr.</p> <p>Frac.interp. confidence = Probable</p> <p>PFL-anom. confidence = 2</p> <p>Best choice fracture</p>	

Table A2-93. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
124a	Bh-length (m) = 486.6 T (m ² /s) = 1.31E-9 PFL confidence = Uncertain	Adjusted secup – seclo = 486.457 – 486.625 Fract_interpret / Varcod = crush zone PFL-anom. confidence = 1 Best choice crush	
124b		Adjusted secup (m) = 486.692 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice fracture	
124c		Adjusted secup (m) = 486.734 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	
124d		Adjusted secup (m) = 486.766 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 2	
124e		Adjusted secup (m) = 486.770 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 2	

124f	Adjusted secup (m) = 486.783
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Certain
	PFL-anom. confidence= 2

Table A2-94. KLX18A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
125a	Bh-length (m) = 492.3 T (m ² /s) = 1.44E-9 PFL confidence = Certain	Adjusted secup (m) = 492.341 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	
125b		Adjusted secup (m) = 492.637 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Certain PFL-anom. confidence = 1 Best choice	
126a	Bh-length (m) = 494.9 T (m ² /s) = 3.89E-10 PFL confidence = Uncertain	Adjusted secup (m) = 494.933 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Certain PFL-anom. confidence = 1 Best choice	
126b		Adjusted secup (m) = 494.964 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	

Table A2-95. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
127a	<p>Bh-length (m) = 496.8</p> <p>T (m²/s) = 5.69E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 496.907</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
128a	<p>Bh-length (m) = 504.1</p> <p>T (m²/s) = 2.09E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 504.154</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-96. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
129a	<p>Bh-length (m) = 508.6</p> <p>T (m²/s) = 1.83E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 508.658</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
130a	<p>Bh-length (m) = 521.8</p> <p>T (m²/s) = 2.44E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 521.847</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
130b		<p>Adjusted secup (m) = 522.023</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 2</p>	

Table A2-97. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
131a	<p>Bh-length (m) = 529.4</p> <p>T (m²/s) = 4.54E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 529.494</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
132a	<p>Bh-length (m) = 537.4</p> <p>T (m²/s) = 4.54E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 537.415</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-98. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
133a	Bh-length (m) = 537.8 T (m ² /s) = 1.27E-9 PFL confidence = Certain	Adjusted secup (m) = 537.740 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
133b		Adjusted secup (m) = 537.885 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
133c		Adjusted secup (m) = 538.005 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-99. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
134a	Bh-length (m) = 537.8 T (m ² /s) = 1.27E-9 PFL confidence = Certain	Adjusted secup (m) = 538.005 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
134b		Adjusted secup (m) = 538.112 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-100. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
135a	Bh-length (m) = 540.1 T (m ² /s) = 5.45E-10 PFL confidence = Uncertain	Adjusted secup – seclo = 540.062 – 540.176 Fract_interpret / Varcod = crush zone PFL-anom. confidence = 1 Best choice crush	<p>The BIPS image is a vertical strip showing geological data. It has a grid with elevation values on the left (539.770 to 540.652) and grid coordinates on the right (N0E10E, N30W42NE, N0E50N, N78W42S, N120W5E, N34E80NW, N78W50S, N0E10E, N70E65S). Red arrows point to specific features: one points to a horizontal line at approximately 540.062, and two others point to features at approximately 540.171 and 540.176. Two labels, 'N0E10E' and 'N0E10E N70W31S', are circled in red on the right side of the image.</p>
135b		Adjusted secup (m) = 540.202 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice fracture	
135c		Adjusted secup (m) = 540.271 Fract_interpret / Varcod = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1	

Table A2-101. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
136a	Bh-length (m) = 541.1 T (m ² /s) = 3.38E-9 PFL confidence = Certain	Adjusted secup (m) = 540.989 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
136b		Adjusted secup (m) = 541.179 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
136c		Adjusted secup (m) = 541.225 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-102. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
137a	Bh-length (m) = 542.3 T (m ² /s) = 3.38E-9 PFL confidence = Certain	Adjusted secup (m) = 542.194 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	
137b		Adjusted secup (m) = 542.259 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	
137c		Adjusted secup (m) = 542.345 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	
137b		Adjusted secup (m) = 542.348 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice	
137c		Adjusted secup (m) = 542.370 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 1	

Table A2-103. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
139a	<p>Bh-length (m) = 544.6</p> <p>T (m²/s) = 5.54E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 544.423</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
140a	<p>Bh-length (m) = 550.2</p> <p>T (m²/s) = 1.42E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 550.196</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-104. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
141a	Bh-length (m) = 554.9 T (m ² /s) = 6.90E-9 PFL confidence = Certain	Adjusted secup (m) = 554.772 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
141b		Adjusted secup (m) = 554.815 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
142a	Bh-length (m) = 557.8 T (m ² /s) = 3.81E-9 PFL confidence = Certain	Adjusted secup (m) = 557.737 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-105. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
143a	<p>Bh-length (m) = 561.1</p> <p>T (m²/s) = 4.97E-10</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 561.127</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
144a	<p>Bh-length (m) = 562.7</p> <p>T (m²/s) = 2.70E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 562.765</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-106. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
145a	Bh-length (m) = 563.1 T (m ² /s) = 7.72E-8 PFL confidence = Uncertain	Adjusted secup (m) = 563.259 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
146a	Bh-length (m) = 564.3 T (m ² /s) = 1.56E-7 PFL confidence = Certain	Adjusted secup (m) = 564.341 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-107. KLX18A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
147a	<p>Bh-length (m) = 592.3</p> <p>T (m²/s) = 5.05E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 592.412</p> <p>Fract_interpret / Varcod= partly open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
147b		<p>Adjusted secup (m) = 592.637</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p>	
148a	<p>Bh-length (m) = 592.9</p> <p>T (m²/s) = 4.07E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 592.637</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A2-108. KLX18A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
149a	<p>Bh-length (m) = 594.6</p> <p>T (m²/s) = 2.44E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 594.747</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
150a	<p>Bh-length (m) = 594.9</p> <p>T (m²/s) = 8.03E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 594.747</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	


Table A2-109. KLX18A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
151a	Bh-length (m) = 597.8	Adjusted secup (m) = 597.706	
	T (m ² /s) = 1.76E-9	Fract_interpret / Varcodes= sealed fr.	
	PFL confidence = Certain	Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	


Appendix 3 – KLX19A


In this appendix plots showing Flow log anomalies to core mapped features in KLX19A for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.



















































































Table A3-1. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
1a	Bh-length (m) = 102.1 T (m ² /s) = 2.16E-5 PFL confidence= Certain	Adjusted secup (m) = 101.9348 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
1b		Adjusted secup (m) = 102.2148 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-2. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
2a	Bh-length (m) = 102.4 T (m ² /s) = 1.27E-6 PFL confidence= Certain	Adjusted secup (m) = 102.2148 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
2b		Adjusted secup (m) = 102.3290 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
2c		Adjusted secup (m) = 102.4305 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
2d		Adjusted secup (m) = 102.5680 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-3. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 103 T (m ² /s) = 1.21E-7 PFL confidence= Uncertain	Adjusted secup (m) = 102.9173 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
3b		Adjusted secup (m) = 103.1232 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A3-4. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
4a	Bh-length (m) = 104.2 T (m ² /s) = 4.16E-7 PFL confidence= Uncertain	Adjusted secup (m) = 104.1135 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
4b		Adjusted secup (m) = 104.1858 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
4c		Adjusted secup (m) = 104.2511 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-5. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5a	Bh-length (m) = 105.1 T (m ² /s) = 2.55E-6 PFL confidence= Certain	Adjusted secup (m) = 104.9692 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
5b		Adjusted secup (m) = 105.0053 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Strike/dip not defined.	
5c		Adjusted secup (m) = 105.0951 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice Strike/dip not defined.	
5d		Adjusted secup (m) = 105.1068 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Strike/dip not defined.	

Table A3-6. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
6a	Bh-length (m) = 105.8 T (m ² /s) = 9.58E-6 PFL confidence= Certain	Adjusted secup (m) = 105.8884 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole profile. The left side features depth markers in meters, ranging from 105.396 at the top to 108.215 at the bottom. The right side shows corresponding depth markers, including 286.32, 286.32, 282.13, 286.32, 163.96, 162.96, 286.32, 247.02, and 287.28. A red arrow points to a feature at approximately 105.796 m depth. A red circle highlights the number '307 04' on the right side of the image.</p>

Table A3-7. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
7a	Bh-length (m) = 106.9 T (m ² /s) = 1.39E-5 PFL confidence= Certain	Adjusted secup (m) = 106.8846 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
7b		Adjusted secup (m) = 107.0582 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
7c		Adjusted secup (m) = 107.0621 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A3-8. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
8a	Bh-length (m) = 107.7 T (m ² /s) = 2.48E-5 PFL confidence= Certain	Adjusted secup (m) = 107.6154 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
8b		Adjusted secup (m) = 107.6329 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
8c		Adjusted secup (m) = 107.6622 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
8d		Adjusted secup (m) = 107.6895 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
8e		Adjusted secup (m) = 107.7442 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-9. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
9a	Bh-length (m) = 108.8 T (m ² /s) = 1.54E-7 PFL confidence= Uncertain	Adjusted secup (m) = 108.7726 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
9b		Adjusted secup (m) = 108.9131 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-10. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
10	Bh-length (m) = 109 T (m ² /s) = 1.52E-6 PFL confidence= Certain	Adjusted secup (m) = 108.7726 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Adjusted secup (m) = 108.9131 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole log with depth markers on the left (108.557 to 109.377) and right (261.88 to 267.20). A red arrow points to a depth interval around 108.9131 m. Two values, 267.20 and 267.20, are circled in red on the right side of the image.</p>

Table A3-11. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
11a	Bh-length (m) = 109.7 T (m ² /s) = 1.62E-7 PFL confidence= Uncertain	Adjusted secup (m) = 109.6829 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
11b		Adjusted secup (m) = 109.8966 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	

Table A3-12. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12a	Bh-length (m) = 110 T (m ² /s) = 8.54E-7 PFL confidence= Certain	Adjusted secup (m) = 109.8966 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
12b		Adjusted secup (m) = 110.1133 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A3-13. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
13	Bh-length (m) = 110.2 T (m ² /s) = 1.87E-7 PFL confidence= Uncertain	Adjusted secup (m) = 110.1133 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-14. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
14a	Bh-length (m) = 113 T (m ² /s) = 4.95E-6 PFL confidence= Certain	Adjusted secup (m) = 113.0042 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
14b		Adjusted secup (m) = 113.0553 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-15. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15	Bh-length (m) = 113.5 T (m ² /s) = 2.60E-5 PFL confidence= Certain	Adjusted secup (m) = 113.3852 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A3-16. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
16	Bh-length (m) = 113.7 T (m ² /s) = 1.15E-6 PFL confidence= Uncertain	Adjusted secup (m) = 113.7382 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A3-17. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
17a	Bh-length (m) = 115.8 T (m ² /s) = 2.23E-6 PF confidence= Certain	Adjusted secup (m) = 115.6835 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
17b		Adjusted secup (m) = 115.6975 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
17c		Adjusted secup (m) = 115.8189 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
17d		Adjusted secup (m) = 115.9743 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-18. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18	Bh-length (m) = 117.4 T (m ² /s) = 1.97E-9 PF confidence= Certain	Adjusted secup (m) = 117.3921 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-19. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
19a	Bh-length (m) = 147.2 T (m ² /s) = 4.34E-9 PF confidence= Uncertain	Adjusted secup (m) = 147.1823 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
19b		Adjusted secup (m) = 147.2505 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-20. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
20a	Bh-length (m) = 151.6 T (m ² /s) = 4.26E-7 PF confidence= Certain	Adjusted secup (m) = 151.5748 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
20b		Adjusted secup (m) = 151.5849 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A3-21. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
21a	Bh-length (m) = 154.3 T (m ² /s) = 1.01E-6 PF confidence= Certain	Adjusted secup (m) = 154.0816 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
21b		Adjusted secup (m) = 154.1347 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	

Table A3-22. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
22	Bh-length (m) = 167.6 T (m ² /s) = 2.58E-9 PF confidence= Certain	Adjusted secup (m) = 167.4848 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-23. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23	Bh-length (m) = 216.1 T (m ² /s) = 2.51E-9 PF confidence= Certain	Adjusted secup (m) = 216.0275 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-24. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
24	Bh-length (m) = 218.5 T (m ² /s) = 1.48E-8 PF confidence= Certain	Adjusted secup (m) = 218.5802 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-25. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
25a	Bh-length (m) = 222.9 T (m ² /s) = 4.45E-9 PF confidence= Certain	Adjusted secup (m) = 222.7248 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	<p>The BIPS image displays a vertical cross-section of a borehole. The left side shows depth markers in meters, ranging from 222.405 at the top to 223.307 at the bottom. The right side shows depth markers in feet, ranging from 308.15 at the top to 140.78 at the bottom. A red arrow points to a depth of approximately 222.7248 m. A red circle highlights a data point on the right side, with values 294.55, 297.52, and 299.52. The image shows a complex pattern of fractures and flow paths, with a prominent vertical fracture line.</p>
25b		Adjusted secup (m) = 222.8831 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
25c		Adjusted secup (m) = 222.8911 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
25d		Adjusted secup (m) = 222.9683 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-26. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	Bh-length (m) = 228 T (m ² /s) = 4.54E-9 PF confidence= Uncertain	Adjusted secup (m) = 227.7931 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
26b		Adjusted secup (m) = 227.9244 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-27. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27a	Bh-length (m) = 299.5 T (m ² /s) = 9.07E-6 PF confidence= Uncertain	Adjusted secup (m) = 299.3609 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
27b		Adjusted secup (m) = 299.4621 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
27c		Adjusted secup (m) = 299.4721 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
27d		Adjusted secup (m) = 299.5232 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
27e		Adjusted secup (m) = 299.5392 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A3-28. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27f	Bh-length (m) = 299.5 T (m ² /s) = 9.07E-6 PF confidence= Uncertain	Adjusted secup (m) = 299.5793 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
27g		Adjusted secup (m) = 299.5893 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-29. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28a	Bh-length (m) = 299.7 T (m ² /s) = 7.79E-5 PF confidence= Certain	Adjusted secup (m) = 299.5232 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Alt. best choice	
28b		Adjusted secup (m) = 299.5392 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
28c		Adjusted secup (m) = 299.5793 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
28d		Adjusted secup (m) = 299.5893 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-30. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
29a	Bh-length (m) = 300.1 T (m ² /s) = 9.63E-9 PF confidence= Certain	Adjusted secup (m) = 299.5232 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
29b		Adjusted secup (m) = 300.0061 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
29c		Adjusted secup (m) = 300.1053 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
29d		Adjusted secup (m) = 300.1063 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
29e		Adjusted secup (m) = 300.1815 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-31. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
29f	Bh-length (m) = 300.1 T (m ² /s) = 9.63E-9 PF confidence= Certain	Adjusted secup (m) = 300.3368 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
29g		Adjusted secup (m) = 300.9169 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-32. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30	Bh-length (m) = 301.3 T (m ² /s) = 2.18E-9 PF confidence= Certain	Adjusted secup (m) = 300.9169 Fract_interpret / Varcodes= Open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-33. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31a	Bh-length (m) = 412.8 T (m ² /s) = 3.10E-9 PF confidence= Certain	Adjusted secup (m) = 412.6038 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
31b		Adjusted secup (m) = 412.6379 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
31c		Adjusted secup (m) = 412.6770 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
31d		Adjusted secup (m) = 412.8163 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-34. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31e	Bh-length (m) = 412.8 T (m ² /s) = 3.10E-9 PF confidence= Certain	Adjusted secup (m) = 412.8444 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
31f		Adjusted secup (m) = 412.9025 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
31g		Adjusted secup (m) = 413.0569 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
31h		Adjusted secup (m) = 413.1030 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-35. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
32a	Bh-length (m) = 449.3 T (m ² /s) = 3.32E-8 PF confidence= Certain	Adjusted secup (m) = 449.2519 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
32b		Adjusted secup (m) = 449.5144 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
32c		Adjusted secup (m) = 450.4174 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
32d		Adjusted secup (m) = 449.3421 Adjusted seclow (m) = 449.4614 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush	

Table A3-36. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33a	Bh-length (m) = 455.5 T (m ² /s) = 1.38E-7 PF confidence= Certain	Adjusted secup (m) = 455.0154 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
33b		Adjusted secup (m) = 455.2609 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
33c		Adjusted secup (m) = 455.3260 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
33d		Adjusted secup (m) = 455.5535 Adjusted seclow (m) = 455.7019 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush	

Table A3-37. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
34a	Bh-length (m) = 456.9 T (m ² /s) = 5.78E-9 PF confidence= Certain	Adjusted secup (m) = 456.7541 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
34b		Adjusted secup (m) = 456.8012 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
34c		Adjusted secup (m) = 456.8624 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
34d		Adjusted secup (m) = 456.9616 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
34e		Adjusted secup (m) = 457.0438 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-38. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
34f	Bh-length (m) = 456.9 T (m ² /s) = 5.78E-9 PF confidence= Certain	Adjusted secup (m) = 457.0317 Adjusted seclow (m) = 457.1219 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 2 Best choice crush	

Table A3-39. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
35a	Bh-length (m) = 458.4 T (m ² /s) = 2.24E-9 PF confidence= Certain	Adjusted secup (m) = 458.2895 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
35b		Adjusted secup (m) = 458.3406 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
35c		Adjusted secup (m) = 458.3556 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
35d		Adjusted secup (m) = 459.7406 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-40. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	Bh-length (m) = 460.4 T (m ² /s) = 1.22E-8 PF confidence= Certain	Adjusted secup (m) = 459.7406 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
36b		Adjusted secup (m) = 460.2848 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
36c		Adjusted secup (m) = 460.5634 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-41. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
37a	Bh-length (m) = 461.2 T (m ² /s) = 9.85E-8 PF confidence= Certain	Adjusted secup (m) = 461.0204 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
37b		Adjusted secup (m) = 461.1457 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
37c		Adjusted secup (m) = 461.3832 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-42. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
38a	Bh-length (m) = 461.8 $T (m^2/s) = 1.57E-8$ PF confidence= Certain	Adjusted secup (m) = 461.8271 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
38b		Adjusted secup (m) = 461.5846 Adjusted seclow (m) = 461.7430 Fract_interpret / Varcod= crush zone PFL-anom. confidence= 1 Best choice crush	

Table A3-43. KLX19A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
39a	Bh-length (m) = 470.6 T (m ² /s) = 1.97E-8 PF confidence= Certain	Adjusted secup (m) = 470.3957 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
39b		Adjusted secup (m) = 470.5841 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-44. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
40a	Bh-length (m) = 473.5 T (m ² /s) = 6.22E-9 PF confidence= Certain	Adjusted secup (m) = 473.3461 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
40b		Adjusted secup (m) = 473.4132 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
40c		Adjusted secup (m) = 473.4393 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
40d		Adjusted secup (m) = 473.4724 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-45. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
40e	Bh-length (m) = 473.5 T (m ² /s) = 6.22E-9 PF confidence= Certain	Adjusted secup (m) = 473.5295 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
40f		Adjusted secup (m) = 473.5916 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-46. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
41a	Bh-length (m) = 475.2 T (m ² /s) = 7.64E-9 PF confidence= Certain	Adjusted secup (m) = 475.0307 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
41b		Adjusted secup (m) = 475.0999 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
41c		Adjusted secup (m) = 475.2512 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-47. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42a	Bh-length (m) = 476.1 T (m ² /s) = 7.19E-10 PF confidence= Uncertain	Adjusted secup (m) = 475.9698 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
42b		Adjusted secup (m) = 476.0118 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
42c		Adjusted secup (m) = 476.0239 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-48. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
43a	Bh-length (m) = 478.2 T (m ² /s) = 1.80E-9 PF confidence= Certain	Adjusted secup (m) = 478.0753 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
43b		Adjusted secup (m) = 478.1335 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
43c		Adjusted secup (m) = 478.3218 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
43d		Adjusted secup (m) = 478.3600 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
43e		Adjusted secup (m) = 486.3583 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-49. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
44a	Bh-length (m) = 479.9 T (m ² /s) = 6.90E-9 PF confidence= Uncertain	Adjusted secup (m) = 479.7550 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
44b		Adjusted secup (m) = 479.7870 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
44c		Adjusted secup (m) = 479.8171 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
44d		Adjusted secup (m) = 479.8692 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
44e		Adjusted secup (m) = 479.8862 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-50. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
44f	Bh-length (m) = 479.9 T (m ² /s) = 6.90E-9 PF confidence= Uncertain	Adjusted secup (m) = 479.9213 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
44g		Adjusted secup (m) = 480.0336 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
44h		Adjusted secup (m) = 480.0867 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
44i		Adjusted secup (m) = 486.3583 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-51. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
45a	Bh-length (m) = 480.5 T (m ² /s) = 5.77E-8 PF confidence= Certain	Adjusted secup (m) = 480.4124 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical cross-section of a borehole. The vertical axis represents depth in meters, ranging from 480.042 at the top to 480.883 at the bottom. The horizontal axis is labeled with 'D', 'L', 'U', 'R', and 'D'. A red arrow points to a specific location within the borehole at approximately 480.4124 meters depth. On the right side of the image, several data points are listed, with three of them circled in red: 062 09, 164 05, and 215 07. Other data points include 1073 60, 106 54, 128 22, 132 22, 322 10, 351 51, 279 71, 280 78, 312 21, 069 76, 070 75, 187 61, 186 00m, 350 00m, and 052 72.</p>
45b		Adjusted secup (m) = 480.4645 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
45c		Adjusted secup (m) = 480.5667 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
45d		Adjusted secup (m) = 480.6239 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
45e		Adjusted secup (m) = 486.3583 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-52. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
46a	Bh-length (m) = 481.2 T (m ² /s) = 9.54E-9 PF confidence= Certain	Adjusted secup (m) = 481.1139 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
46b		Adjusted secup (m) = 481.1440 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
46c		Adjusted secup (m) = 486.3583 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-53. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
47a	Bh-length (m) = 510.2 T (m ² /s) = 4.75E-9 PF confidence= Certain	Adjusted secup (m) = 496.0883 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
47b		Adjusted secup (m) = 510.0876 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
47c		Adjusted secup (m) = 510.1766 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
47d		Adjusted secup (m) = 510.1866 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
47e		Adjusted secup (m) = 510.2216 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-54. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
47f	Bh-length (m) = 510.2 T (m ² /s) = 4.75E-9 PF confidence= Certain	Adjusted secup (m) = 510.3637 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
47g		Adjusted secup (m) = 510.3717 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-55. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
48a	Bh-length (m) = 511.2 T (m ² /s) = 2.74E-8 PF confidence= Certain	Adjusted secup (m) = 496.0883 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
48b		Adjusted secup (m) = 510.3637 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
48c		Adjusted secup (m) = 511.1661 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
48d		Adjusted secup (m) = 511.2111 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
48e		Adjusted secup (m) = 511.3192 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-56. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
49a	Bh-length (m) = 512.2 T (m ² /s) = 8.68E-8 PF confidence= Certain	Adjusted secup (m) = 510.3637 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
49b		Adjusted secup (m) = 512.1226 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
49c		Adjusted secup (m) = 512.1725 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-57. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
50a	Bh-length (m) = 513.2 T (m ² /s) = 6.14E-7 PF confidence= Certain	Adjusted secup (m) = 510.3637 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
50b		Adjusted secup (m) = 513.0620 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
50c		Adjusted secup (m) = 513.2551 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
50d		Adjusted secup (m) = 513.2961 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
50e		Adjusted secup (m) = 513.3322 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A3-58. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
51a	Bh-length (m) = 514.2 T (m ² /s) = 2.80E-7 PF confidence= Certain	Adjusted secup (m) = 510.3637 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
51b		Adjusted secup (m) = 514.0895 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
51c		Adjusted secup (m) = 514.2286 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
51d		Adjusted secup (m) = 514.2716 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-59. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
52a	Bh-length (m) = 516.3 T (m ² /s) = 6.57E-9 PF confidence= Certain	Adjusted secup (m) = 510.3637 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
52b		Adjusted secup (m) = 516.2816 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
52c		Adjusted secup (m) = 516.2947 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-60. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
53a	Bh-length (m) = 668.2 T (m ² /s) = 7.81E-10 PF confidence= Uncertain	Adjusted secup (m) = 668.1248 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
53b		Adjusted secup (m) = 668.1758 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-61. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
54a	Bh-length (m) = 668.9 T (m ² /s) = 4.26E-9 PF confidence= Certain	Adjusted secup (m) = 668.8546 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
54b		Adjusted secup (m) = 668.9636 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A3-62. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
55a	Bh-length (m) = 684.5 T (m ² /s) = 3.35E-8 PF confidence= Certain	Adjusted secup (m) = 684.4945 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
55b		Adjusted secup (m) = 684.5035 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
55c		Adjusted secup (m) = 684.6685 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A3-63. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
56a	Bh-length (m) = 684.8 T (m ² /s) = 1.48E-8 PF confidence= Uncertain	Adjusted secup (m) = 684.7495 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
56b		Adjusted secup (m) = 684.7595 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
56c		Adjusted secup (m) = 684.8024 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
56d		Adjusted secup (m) = 684.8165 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-64. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
57	Bh-length (m) = 699.4 T (m ² /s) = 9.59E-9 PF confidence= Certain	Adjusted secup (m) = 699.2992 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole log. The left side features depth markers in meters, ranging from 699.953 at the top to 699.794 at the bottom. The right side also has depth markers, with '250.19' and '250.15' visible. A red arrow points to a depth level of approximately 699.800. A circled number '285.68' is present on the right side of the log.</p>

Table A3-65. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
58a	Bh-length (m) = 733.6 T (m ² /s) = 1.27E-8 PF confidence= Certain	Adjusted secup (m) = 733.6042 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
58b		Adjusted secup (m) = 733.7134 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A3-66. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
59	Bh-length (m) = 766.4 T (m ² /s) = 3.14E-7 PF confidence= Certain	Adjusted secup (m) = 766.3599 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical borehole log with depth markers on the left (765.942 to 766.784) and right (308.16 to 270.75). A red arrow points to a feature in the log at approximately 766.300m depth. A red circle highlights the value 310.51 on the right side of the log.</p>

Table A3-67. KLX19A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
60a	Bh-length (m) = 778.7 T (m ² /s) = 1.21E-7 PF confidence= Certain	Adjusted secup (m) = 778.5523 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
60b		Adjusted secup (m) = 778.6024 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
60c		Adjusted secup (m) = 778.6215 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	